

# 605618 Cat.6A Platinum S/FTP Patch Cable, 15m , White

## Product Images



**Underwriters  
Laboratories**



**Compliance Statement**

Screened Category 6A  
ISO/IEC, EN & ANSI/TIA  
Communication Cable

## Short Description

---

- 1. 4 x 2 AWG 26/7
- 2. 500MHz performance Bandwidth
- 3. Transmission: 10Gbit
- 4. Suitable for PoE, PoE+, PoE++
- 5. Stranded bare copper conductor
- 6. Foil and braid shield Reduces EMI/RFI interference
- 7. PIMF (Pairs in metal Foil)
- 8. Molded boot with Strain relief
- 9. RoHS compliant
- 10. Low Smoke Zero Halogen (LSZH/LSOH)
- 11. with 3P certificate and UL listed
- 12. Compliant with ISO/IEC 11801 and EN 50173

## Description

---

Cat.6A Pro S/FTP Patch Cord is composed of preeminent materials and fully-examined to Cat.6A Platinum S/FTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

## Additional Information

---

|                                  |                         |
|----------------------------------|-------------------------|
| Approval and compliance RoHS, 3P |                         |
| Conductor material               | Copper                  |
| Conductor size (AWG)             | 26AWG                   |
| Jacket material                  | LSZH                    |
| Category                         | Cat.6A                  |
| Flat cable                       | No                      |
| Shielded                         | Yes                     |
| Product weight (kg)              | 0,564                   |
| Cable length                     | 15m                     |
| Color                            | White                   |
| EAN                              | 4015867136355           |
| Model number                     | 605618                  |
| Package contents                 | 605618                  |
| Cable Length                     | 15m                     |
| Shielding                        | S/FTP                   |
| Connector 1                      | RJ45 male               |
| Connector 2                      | RJ45 male               |
| Dimensions (W x D x H)           | 8.34 x 11.68 x 15000 mm |

