



# Cable

## Product Overview

# Table of Contents


## HDMI/DVI

HDMI to HDMI 4K 04
HDMI to Micro HDMI 4K 05
HDMI to Mini HDMI 4K 05
HDMI to HDMI 06
HDMI to DVI-D (18+1) 07
HDMI to DVI-D (24+1) 07
DVI-D to DVI-D (18+1) 08
DVI-D to DVI-D (24+1) 08



## DisplayPort/Mini DisplayPort

DisplayPort to DisplayPort 10
Mini DisplayPort to HDMI Adapter 11
Mini DisplayPort to VGA Adapter 12
Mini DisplayPort to DVI-D Adapter 13



## USB Cables

USB 2.0 15
USB 2.0 Extension 16
USB 2.0 Micro 17
USB 2.0 Mini 18
USB 3.0 19
USB 3.0 Extension 19
USB 3.0 Micro 20



## Patch Cables

Patch Cable Cat.5e 22
Patch Cable Cat.6 23



## SATA

SATA 2 90° 25
SATA 2 180° 25
SATA 3.0 90° 26
SATA 3.0 180° 26



## Internal Cables

Fan Extension 3-Pin 28
Fan Y-Cable 3-Pin 28
Power Cable 29
Power Cable (Adapter Cable) 29
Internal USB 2.0 to USB 3.0 Adapter 30



## USB Charge/Sync Cable

USB Cable with Lightning Connector 32



## Packaging Unit 33 - 40

# HDMI / DVI



# HDMI to HDMI 4K


Type A Plug to Type A Plug

- Supports 4K x 2K 60 Hz
- Inner conductor: copper
- 3D ready
- Gold-plated connectors
- 30 AWG: 1-3 m
- 28 AWG: 5 m
- 26 AWG: 7.5 m
- 24 AWG: 10 m




| | Color | |
|---|---|---|
| Length | Black | White |
| 1.0 m | 4044951018024 | 4044951018109 |
| 2.0 m | 4044951018031 | 4044951018116 |
| 3.0 m | 4044951018048 | — |
| 5.0 m | 4044951018055 | — |
| 7.5 m | 4044951018062 | — |
| 10.0 m | 4044951018079 | — |
| 12.5 m | 4044951018086 | — |
| 15.0 m | 4044951018093 | — |

Cable cross section:






# HDMI to Micro HDMI 4K


Type A Plug to Type D Plug

- Supports 4K x 2K 60 Hz
- 3D ready
- 32 AWG
- Gold-plated connectors




| | Color |
|---|---|
| Length | Black |
| 1.0 m | 4044951017966 |
| 1.5 m | 4044951017973 |

Cable cross section:




# HDMI to Mini HDMI 4K


Type A Plug to Type C Plug

- Supports 4K x 2K 60 Hz
- 3D ready
- 32 AWG
- Gold-plated connectors




| | Color |
|---|---|
| Length | black |
| 1.0 m | 4044951017997 |
| 2.0 m | 4044951018000 |
| 3.0 m | 4044951018017 |

Cable cross section:




# HDMI to HDMI

Type A Plug to Type A Plug

- Inner conductor: copper
- 3D ready
- 30 AWG 1-5 m
- 28 AWG 7.5-10 m
- 26 AWG 12.5-15 m
- Gold-plated connectors







| | Color | |
|---|---|---|
| Length | Black | White |
| 1.0 m | 4044951015122 | 4044951015139 |
| 2.0 m | 4044951008971 | 4044951015146 |
| 3.0 m | 4044951008988 | — |
| 5.0 m | 4044951008995 | — |
| 7.5 m | 4044951017393 | — |
| 10.0 m | 4044951009039 | — |
| 12.5 m | 4044951017409 | — |
| 15.0 m | 4044951009046 | — |





Cable cross section:




# HDMI to DVI-D

Type A Plug to Type 18+1 Plug


- DVI-D single link 18+1
- Max. resolution: full HD 1920 x 1080
- 28 AWG






| | Color |
|---|---|
| Length | Black |
| 1.0 m | 4044951017324 |
| 2.0 m | 4044951009053 |
| 3.0 m | 4044951009060 |
| 5.0 m | 4044951009077 |

Cable cross section:





# HDMI to DVI-D

Type A Plug to Type 24+1 Plug


- DVI-D dual link 24+1
- Max. resolution: 1920 x 1080
- 28 AWG






| | Color |
|---|---|
| Length | Black |
| 1.0 m | 4044951017331 |
| 2.0 m | 4044951015214 |
| 3.0 m | 4044951015221 |
| 5.0 m | 4044951015238 |

Cable cross section:




# DVI-D to DVI-D

Type 18+1 Plug to Type 18+1 Plug


- DVI-D single link 18+1
- Max. resolution: full HD 1920 x 1080
- 28 AWG






| | Color |
|---|---|
| Length | Black |
| 2.0 m | 4044951009084 |
| 3.0 m | 4044951009091 |
| 5.0 m | 4044951009107 |

Cable cross section:





# DVI-D to DVI-D

Type 24+1 Plug to 24+1 Plug


- DVI-D dual  link 24+1
- Max. resolution: 2560 x 1600
- 28 AWG






| | Color |
|---|---|
| Length | Black |
| 2.0 m | 4044951009114 |
| 3.0 m | 4044951009121 |
| 5.0 m | 4044951009138 |

Cable cross section:



# DisplayPort /
# Mini DisplayPort



# DisplayPort to DisplayPort


20-Pin Plug to 20-Pin Plug

- DisplayPort V1.2
- Supports 4K x 2K 60 Hz
- Cable with locking mechanism
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1




| | Color |
|---|---|
| Length | Black |
| 1.0 m | 4044951018154 |
| 2.0 m | 4044951018161 |
| 3.0 m | 4044951018178 |

Cable cross section:




# Mini DisplayPort Adapter

Mini DisplayPort to HDMI Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1



| | Color |
|---|---|
| Length | White |
| 15 cm | 4044951017362 |




# Mini DisplayPort Adapter

Mini DisplayPort to VGA Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1




| | Color |
|---|---|
| Length | White |
| 15 cm | 4044951017379 |




# Mini DisplayPort Adapter

Mini DisplayPort to DVI Adapter

- Mini DisplayPort V1.2
- 4K ready
- Supports 1900 x 1200
- Gold-plated connectors
- Backwards compatible to DisplayPort V1.1



| | Color |
|---|---|
| Length | White |
| 15 cm | 4044951017386 |



# USB Cables




# USB 2.0


Type A Plug to Type B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s







Cable cross section:




| | Color | |
|---|---|---|
| Length | Black | Grey |
| 0.50 m | 4044951015245 | 4044951015290 |
| 1.0 m | 4044951015252 | 4044951015306 |
| 2.0 m | 4044951015269 | 4044951015313 |
| 3.0 m | 4044951015276 | 4044951015320 |
| 5.0 m | 4044951015283 | 4044951015337 |



Cable cross section:




| | Color |
|---|---|
| Length | White |
| 0.50 m | 4044951015344 |
| 1.0 m | 4044951015351 |
| 2.0 m | 4044951015368 |
| 3.0 m | 4044951015375 |
| 5.0 m | 4044951015382 |




# USB 2.0 Extension


Type A Plug to Type A Extension Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s







Cable cross section:




| | Color |
|---|---|
| Length | Black |
| 0.50 m | 4044951015399 |
| 1.0 m | 4044951015405 |
| 2.0 m | 4044951015412 |
| 3.0 m | 4044951015429 |



Cable cross section:




| | Color |
|---|---|
| Length | White |
| 0.50 m | 4044951015436 |
| 1.0 m | 4044951015443 |
| 2.0 m | 4044951015450 |
| 3.0 m | 4044951015467 |




# USB 2.0 Micro


Type A Plug to Micro-B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s







Cable cross section:




| | Color |
|---|---|
| Length | Black |
| 0.50 m | 4044951015474 |
| 1.0 m | 4044951015481 |
| 1.5 m | 4044951017775 |
| 2.0 m | 4044951015498 |
| 3.0 m | 4044951015504 |



Cable cross section:




| | Color |
|---|---|
| Length | White |
| 0.50 m | 4044951015511 |
| 1.0 m | 4044951015528 |
| 1.5 m | 4044951017881 |
| 2.0 m | 4044951015535 |
| 3.0 m | 4044951015542 |




# USB 2.0 Mini


Type A Plug to Mini-B Plug

- Inner conductor: copper
- 28 AWG
- Double shielded
- Max. data transfer rate: 480 Mbit/s







Cable cross section:




| | Color |
|---|---|
| Length | Black |
| 0.50 m | 4044951015559 |
| 1.0 m | 4044951015566 |
| 1.5 m | 4044951017782 |
| 2.0 m | 4044951015573 |
| 3.0 m | 4044951015580 |



Cable cross section:




| | Color |
|---|---|
| Length | White |
| 0.50 m | 4044951015597 |
| 1.0 m | 4044951015603 |
| 1.5 m | 4044951017898 |
| 2.0 m | 4044951015610 |
| 3.0 m | 4044951015627 |



# USB 3.0

Type A Plug to Type B Plug

- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max current: 900 mA
- Double shielded
- 28 AWG




to



| | Color | |
|---|---|---|
| Length | Blue | Black |
| 1.0 m | 4044951010837 | 4044951015634 |
| 2.0 m | 4044951010844 | 4044951015641 |
| 3.0 m | 4044951010851 | 4044951015658 |
| 5.0 m | 4044951010868 | 4044951015665 |



Cable cross section:





# USB 3.0 Extension

Type A Plug to Type A Extension Plug

- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max. current: 900 mA
- Double shielded
- 28 AWG




to



| | Color | |
|---|---|---|
| Length | Blue | Black |
| 1.0 m | 4044951010875 | 4044951015672 |
| 2.0 m | 4044951010882 | 4044951015689 |
| 3.0 m | 4044951010899 | 4044951015696 |



Cable cross section:



# USB 3.0 Micro

Type A Plug to Micro-B Plug


- SuperSpeed USB 3.0
- Max. data transfer rate: 5 Gbit/s
- Max. current: 900 mA
- Double shielded
- 28 AWG




| | Color | |
|---|---|---|
| Length | Blue | Black |
| 1.0 m | 4044951010905 | 4044951015702 |
| 1.5 m | — | 4044951017874 |
| 2.0 m | 4044951010912 | 4044951015719 |
| 3.0 m | 4044951010929 | 4044951015726 |



Cable cross section:




# Patch Cables



# Patch Cable

Cat.5e Plug to Cat.5e Plug


- SFTP
- 26 AWG
- Inner conductor: copper
- Gold-plated connectors
- ISO/IEC 11801, EN50288, TIA/EIA 568-C.2



| | Color | | | | | | |
|---|---|---|---|---|---|---|---|
| Length | Blue | Yellow | Green | Red | Black | Grey | White |
| 0.25 m | 4044951014194 | 4044951014262 | 4044951014330 | 4044951014408 | 4044951014477 | 4044951014613 | 4044951014545 |
| 0.50 m | 4044951014200 | 4044951014279 | 4044951014347 | 4044951014415 | 4044951014484 | 4044951014620 | 4044951014552 |
| 1.0 m | 4044951014217 | 4044951014286 | 4044951014354 | 4044951014422 | 4044951014491 | 4044951014637 | 4044951014569 |
| 1.5 m | 4044951017768 | 4044951017737 | 4044951017744 | 4044951017751 | 4044951017713 | 4044951017720 | 4044951017799 |
| 2.0 m | 4044951014224 | 4044951014293 | 4044951014361 | 4044951014439 | 4044951014507 | 4044951014644 | 4044951014576 |
| 3.0 m | 4044951014231 | 4044951014309 | 4044951014378 | 4044951014446 | 4044951014514 | 4044951014651 | 4044951014583 |
| 5.0 m | 4044951014248 | 4044951014316 | 4044951014385 | 4044951014453 | 4044951014521 | 4044951014668 | 4044951014590 |
| 10.0 m | 4044951014255 | 4044951014323 | 4044951014392 | 4044951014460 | 4044951014538 | 4044951014675 | 4044951014606 |




Cable cross section:



# Patch Cable

Cat.6 Plug to Cat.6 Plug


- SFTP
- 26 AWG
- Inner conductor: copper
- Gold-plated connectors
- ISO/IEC 11801, EN50288, TIA/EIA 568-C.2



| | Color | | | | | | |
|---|---|---|---|---|---|---|---|
| Length | Blue | Yellow | Green | Red | Black | Grey | White |
| 0.25 m | 4044951014682 | 4044951014750 | 4044951014828 | 4044951014897 | 4044951014965 | 4044951015108 | 4044951015030 |
| 0.50 m | 4044951014699 | 4044951014767 | 4044951014835 | 4044951014903 | 4044951014972 | 4044951003679 | 4044951015047 |
| 1.0 m | 4044951014705 | 4044951014774 | 4044951014842 | 4044951014910 | 4044951014989 | 4044951003686 | 4044951015054 |
| 1.5 m | 4044951017850 | 4044951017829 | 4044951017836 | 4044951017843 | 4044951017805 | 4044951017812 | 4044951017867 |
| 2.0 m | 4044951014712 | 4044951014781 | 4044951014859 | 4044951014927 | 4044951014996 | 4044951015115 | 4044951015061 |
| 3.0 m | 4044951014729 | 4044951014798 | 4044951014866 | 4044951014934 | 4044951015009 | 4044951003693 | 4044951015078 |
| 5.0 m | 4044951014736 | 4044951014804 | 4044951014873 | 4044951014941 | 4044951015016 | 4044951003709 | 4044951015085 |
| 10.0 m | 4044951014743 | 4044951014811 | 4044951014880 | 4044951014958 | 4044951015023 | 4044951003723 | 4044951015092 |
| 20.0 m | — | — | — | — | — | 4044951003747 | — |
| 100.0 m | — | — | — | — | — | 4044951003761 | — |



Cable cross section:



# SATA




# SATA 2 90°

7-Pin L-Type Plug to 7-Pin 90° L-Type Plug

- Max. data transfer rate: 3 Gbit/s
- Metal latch
- Angled






| | Color |
|---|---|
| Length | Red |
| 50 cm | 4044951007875 |




# SATA 2 180°

7-Pin L-Type Plug to 7-Pin L-Type Plug

- Max. data transfer rate: 3 Gbit/s
- Metal latch







| | Color |
|---|---|
| Length | Red |
| 50 cm | 4044951007868 |



# SATA 3 90°

7-Pin L-Type Plug to 7-Pin 90° L-Type Plug



- Max. data transfer rate: 6 Gbit/s
- Metal latch
- Angled
- Sleeved cable

| | Color | | | | |
|---|---|---|---|---|---|
| Length | Blue | Green | Red | Black | White |
| 0.3 m | 4044951016488 | 4044951016471 | 4044951016457 | 4044951016440 | 4044951016464 |
| 0.45 m | 4044951016532 | 4044951016525 | 4044951016501 | 4044951016495 | 4044951016518 |
| 0.6 m | 4044951016587 | 4044951016570 | 4044951016556 | 4044951016549 | 4044951016563 |
| 0.75 m | — | — | — | 4044951017171 | — |
| 1.0 m | — | — | — | 4044951017188 | — |



# SATA 3 180 °

SATA 7-Pin L-Type Plug to 7-Pin L-Type Plug



- Max. data transfer rate: 6 Gbit/s
- Metal latch
- Sleeved cable

| | Color | | | | |
|---|---|---|---|---|---|
| Length | Blue | Green | Red | Black | White |
| 0.3 m | 4044951016631 | 4044951016624 | 4044951016600 | 4044951016594 | 4044951016617 |
| 0.45 m | 4044951016686 | 4044951016679 | 4044951016655 | 4044951016648 | 4044951016662 |
| 0.6 m | 4044951016730 | 4044951016723 | 4044951016709 | 4044951016693 | 4044951016716 |
| 0.75 m | — | — | — | 4044951017157 | — |
| 1.0 m | — | — | — | 4044951017164 | — |



# Internal Cables



# Fan Extension 3-Pin

Type 3-Pin Plug to Type 3-Pin Extension

- Sleeved cable

| | Color |
|---|---|
| Length | Black |
| 0.3 m | 4044951016747 |





# Fan Y-Cable 3-Pin

Type 2x 3-Pin Plug to Type 3-Pin Jack

- Sleeved cable

| | Color |
|---|---|
| Length | Black |
| 0.2 m | 4044951016754 |





# Power Cable

Type 4-Pin Molex Plug to 4-Pin Molex Jack and 3-Pin Fan Plug

- Sleeved cable



| | Color |
|---|---|
| Length | Black |
| 0.3 m | 4044951016761 |



# Power Cable (Adapter Cable)

Type 4-Pin Molex Plug to 4-Pin Molex Jack and 3-Pin Fan Plug

- Adapter cable 12 V to 5 V
- Sleeved cable



| | Color |
|---|---|
| Length | Black |
| 0.3 m | 44044951016778 |



# Internal USB 2.0 to USB 3.0 Adapter

Internal USB 3.0 to USB 2.0 Adapter

- USB 2.0 9-pin header plug
- Max. data transfer rate: 480 MBit/s
- Sleeved cable

| | Color |
|---|---|
| Length | Black |
| 0.2 m | 4044951016785 |



# USB Charge/Sync Cable



# USB Cable with Lightning Connector



- Ready for Apple lightning devices
- USB 2.0 (compatible to iPad/iPad mini/iPhone)
- Max. data transfer rate USB 2.0: 480 Mbit/s

| | Color | |
|---|---|---|
| Length | White | Black |
| 1 m | 4044951018222 | 4044951018307 |



# Packaging Unit

| Page | Article | EAN | Color | Length | Packing |
|---|---|---|---|---|---|
| 4 | HDMI to HDMI 4K | 4044951018024 | black | 1 m | 140 |
| 4 | HDMI to HDMI 4K | 4044951018109 | white | 1 m | 140 |
| 4 | HDMI to HDMI 4K | 4044951018031 | black | 2 m | 80 |
| 4 | HDMI to HDMI 4K | 4044951018116 | white | 2 m | 80 |
| 4 | HDMI to HDMI 4K | 4044951018048 | black | 3 m | 60 |
| 4 | HDMI to HDMI 4K | 4044951018055 | black | 5 m | 30 |
| 4 | HDMI to HDMI 4K | 4044951018062 | black | 7.5 m | 20 |
| 4 | HDMI to HDMI 4K | 4044951018079 | black | 10 m | 12 |
| 4 | HDMI to HDMI 4K | 4044951018086 | black | 12.5 m | 12 |
| 4 | HDMI to HDMI 4K | 4044951018093 | black | 15 m | 10 |
| 5 | HDMI to Micro HDMI 4K | 4044951017966 | black | 1 m | 150 |
| 5 | HDMI to Micro HDMI 4K | 4044951017973 | black | 1.5 m | 120 |
| 5 | HDMI to Mini HDMI 4K | 4044951017997 | black | 1 m | 140 |
| 5 | HDMI to Mini HDMI 4K | 4044951018000 | black | 2 m | 80 |
| 5 | HDMI to Mini HDMI 4K | 4044951018017 | black | 3 m | 60 |
| 6 | HDMI to HDMI | 4044951015122 | black | 1 m | 140 |
| 6 | HDMI to HDMI | 4044951015139 | white | 1 m | 140 |
| 6 | HDMI to HDMI | 4044951008971 | black | 2 m | 80 |
| 6 | HDMI to HDMI | 4044951015146 | white | 2 m | 80 |
| 6 | HDMI to HDMI | 4044951008988 | black | 3 m | 60 |
| 6 | HDMI to HDMI | 4044951008995 | black | 5 m | 40 |
| 6 | HDMI to HDMI | 4044951017393 | black | 7.5 m | 25 |
| 6 | HDMI to HDMI | 4044951009039 | black | 10 m | 20 |
| 6 | HDMI to HDMI | 4044951017409 | black | 12.5 m | 18 |
| 6 | HDMI to HDMI | 4044951009046 | black | 15 m | 10 |
| 7 | HDMI to DVI-D (Single Link 18+1) | 4044951017324 | black | 1 m | 100 |
| 7 | HDMI to DVI-D (Single Link 18+1) | 4044951009053 | black | 2 m | 60 |
| 7 | HDMI to DVI-D (Single Link 18+1) | 4044951009060 | black | 3 m | 40 |
| 7 | HDMI to DVI-D (Single Link 18+1) | 4044951009077 | black | 5 m | 30 |
| 7 | HDMI to DVI-D (Single Link 24+1) | 4044951017331 | black | 1 m | 100 |
| 7 | HDMI to DVI-D (Single Link 24+1) | 4044951015214 | black | 2 m | 60 |
| 7 | HDMI to DVI-D (Single Link 24+1) | 4044951015221 | black | 3 m | 40 |
| 7 | HDMI to DVI-D (Single Link 24+1) | 4044951015238 | black | 5 m | 30 |

| Page | Article | EAN | Color | Length | Packing |
|---|---|---|---|---|---|
| 8 | DVI-D to DVI-D (Single Link 18+1) | 4044951009084 | black | 2 m | 60 |
| 8 | DVI-D to DVI-D (Single Link 18+1) | 4044951009091 | black | 3 m | 40 |
| 8 | DVI-D to DVI-D (Single Link 18+1) | 4044951009107 | black | 5 m | 30 |
| 8 | DVI-D to DVI-D (Dual Link 24+1) | 4044951009114 | black | 2 m | 40 |
| 8 | DVI-D to DVI-D (Dual Link 24+1) | 4044951009121 | black | 3 m | 30 |
| 8 | DVI-D to DVI-D (Dual Link 24+1) | 4044951009138 | black | 5 m | 20 |
| 10 | DisplayPort to DisplayPort | 4044951018154 | black | 1 m | 90 |
| 10 | DisplayPort to DisplayPort | 4044951018161 | black | 2 m | 60 |
| 10 | DisplayPort to DisplayPort | 4044951018178 | black | 3 m | 40 |
| 11 | Mini Display Port to HDMI | 4044951017362 | white | 15 cm | 200 |
| 12 | Mini Display Port to VGA | 4044951017379 | white | 15 cm | 200 |
| 13 | Mini DisplayPort to DVI-D | 4044951017386 | white | 15 cm | 200 |
| 15 | USB 2.0 | 4044951015245 | black | 0.5 m | 300 |
| 15 | USB 2.0 | 4044951015290 | grey | 0.5 m | 300 |
| 15 | USB 2.0 | 4044951015252 | black | 1 m | 200 |
| 15 | USB 2.0 | 4044951015306 | grey | 1 m | 200 |
| 15 | USB 2.0 | 4044951015269 | black | 2 m | 150 |
| 15 | USB 2.0 | 4044951015313 | grey | 2 m | 150 |
| 15 | USB 2.0 | 4044951015276 | black | 3 m | 100 |
| 15 | USB 2.0 | 4044951015320 | grey | 3 m | 100 |
| 15 | USB 2.0 | 4044951015283 | black | 5 m | 80 |
| 15 | USB 2.0 | 4044951015337 | grey | 5 m | 80 |
| 15 | USB 2.0 | 4044951015344 | white | 0.5 m | 230 |
| 15 | USB 2.0 | 4044951015351 | white | 1 m | 180 |
| 15 | USB 2.0 | 4044951015368 | white | 2 m | 120 |
| 15 | USB 2.0 | 4044951015375 | white | 3 m | 70 |
| 15 | USB 2.0 | 4044951015382 | white | 5 m | 100 |
| 16 | USB 2.0 Extension | 4044951015399 | black | 0.5 m | 300 |
| 16 | USB 2.0 Extension | 4044951015405 | black | 1 m | 200 |
| 16 | USB 2.0 Extension | 4044951015412 | black | 2 m | 150 |
| 16 | USB 2.0 Extension | 4044951015429 | black | 3 m | 100 |
| 16 | USB 2.0 Extension | 4044951015436 | white | 0.5 m | 230 |
| 16 | USB 2.0 Extension | 4044951015443 | white | 1 m | 180 |
| 16 | USB 2.0 Extension | 4044951015450 | white | 2 m | 120 |
| 16 | USB 2.0 Extension | 4044951015467 | white | 3 m | 70 |

| Page | Article | EAN | Color | Length | Packing |
|---|---|---|---|---|---|
| 17 | USB 2.0 Micro | 4044951015474 | black | 0,5 m | 300 |
| 17 | USB 2.0 Micro | 4044951015481 | black | 1 m | 200 |
| 17 | USB 2.0 Micro | 4044951017775 | black | 1.5 m | 200 |
| 17 | USB 2.0 Micro | 4044951015498 | black | 2 m | 150 |
| 17 | USB 2.0 Micro | 4044951015504 | black | 3 m | 100 |
| 17 | USB 2.0 Micro | 4044951015511 | white | 0.5 m | 230 |
| 17 | USB 2.0 Micro | 4044951015528 | white | 1 m | 280 |
| 17 | USB 2.0 Micro | 4044951017881 | white | 1.5 m | 250 |
| 17 | USB 2.0 Micro | 4044951015535 | white | 2 m | 120 |
| 17 | USB 2.0 Micro | 4044951015542 | white | 3 m | 70 |
| 18 | USB 2.0 Mini | 4044951015559 | black | 0.5 m | 300 |
| 18 | USB 2.0 Mini | 4044951015566 | black | 1 m | 200 |
| 18 | USB 2.0 Mini | 4044951017782 | black | 1.5 m | 200 |
| 18 | USB 2.0 Mini | 4044951015573 | black | 2 m | 150 |
| 18 | USB 2.0 Mini | 4044951015580 | black | 3 m | 100 |
| 18 | USB 2.0 Mini | 4044951015597 | white | 0.5 m | 230 |
| 18 | USB 2.0 Mini | 4044951015603 | white | 1 m | 180 |
| 18 | USB 2.0 Mini | 4044951017898 | white | 1.5 m | 250 |
| 18 | USB 2.0 Mini | 4044951015610 | white | 2 m | 120 |
| 18 | USB 2.0 Mini | 4044951015627 | white | 3 m | 70 |
| 19 | USB 3.0 | 4044951010837 | blue | 1 m | 180 |
| 19 | USB 3.0 | 4044951015634 | black | 1 m | 180 |
| 19 | USB 3.0 | 4044951010844 | blue | 2 m | 120 |
| 19 | USB 3.0 | 4044951015641 | black | 2 m | 120 |
| 19 | USB 3.0 | 4044951010851 | blue | 3 m | 70 |
| 19 | USB 3.0 | 4044951015658 | black | 3 m | 70 |
| 19 | USB 3.0 | 4044951010868 | blue | 5 m | 40 |
| 19 | USB 3.0 | 4044951015665 | black | 5 m | 40 |
| 19 | USB 3.0 Extension | 4044951010875 | blue | 1 m | 180 |
| 19 | USB 3.0 Extension | 4044951015672 | black | 1 m | 180 |
| 19 | USB 3.0 Extension | 4044951010882 | blue | 2 m | 120 |
| 19 | USB 3.0 Extension | 4044951015689 | black | 2 m | 120 |
| 19 | USB 3.0 Extension | 4044951010899 | blue | 3 m | 70 |
| 19 | USB 3.0 Extension | 4044951015696 | black | 3 m | 70 |

| Page | Article | EAN | Color | Length | Packing |
|---|---|---|---|---|---|
| 20 | USB 3.0 Micro | 4044951010905 | blue | 1 m | 180 |
| 20 | USB 3.0 Micro | 4044951015702 | black | 1 m | 180 |
| 20 | USB 3.0 Micro | 4044951017874 | black | 1.5 m | 120 |
| 20 | USB 3.0 Micro | 4044951010912 | blue | 2 m | 120 |
| 20 | USB 3.0 Micro | 4044951015719 | black | 2 m | 120 |
| 20 | USB 3.0 Micro | 4044951010929 | blue | 3 m | 70 |
| 20 | USB 3.0 Micro | 4044951015726 | black | 3 m | 70 |
| 22 | Patch Cable Cat.5e | 4044951014194 | blue | 0.25 m | 300 |
| 22 | Patch Cable Cat.5e | 4044951014262 | yellow | 0.25 m | 300 |
| 22 | Patch Cable Cat.5e | 4044951014330 | green | 0.25 m | 300 |
| 22 | Patch Cable Cat.5e | 4044951014408 | red | 0.25 m | 300 |
| 22 | Patch Cable Cat.5e | 4044951014477 | black | 0.25 m | 300 |
| 22 | Patch Cable Cat.5e | 4044951014613 | grey | 0.25 m | 300 |
| 22 | Patch Cable Cat.5e | 4044951014545 | white | 0.25 m | 400 |
| 22 | Patch Cable Cat.5e | 4044951014200 | blue | 0.5 m | 250 |
| 22 | Patch Cable Cat.5e | 4044951014279 | yellow | 0.5 m | 250 |
| 22 | Patch Cable Cat.5e | 4044951014347 | green | 0.5 m | 250 |
| 22 | Patch Cable Cat.5e | 4044951014415 | red | 0.5 m | 250 |
| 22 | Patch Cable Cat.5e | 4044951014484 | black | 0.5 m | 250 |
| 22 | Patch Cable Cat.5e | 4044951014620 | grey | 0.5 m | 250 |
| 22 | Patch Cable Cat.5e | 4044951014552 | white | 0.5 m | 180 |
| 22 | Patch Cable Cat.5e | 4044951014217 | blue | 1 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951014286 | yellow | 1 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951014354 | green | 1 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951014422 | red | 1 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951014491 | black | 1 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951014637 | grey | 1 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951014569 | white | 1 m | 150 |
| 22 | Patch Cable Cat.5e | 4044951017768 | blue | 1.5 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951017737 | yellow | 1.5 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951017744 | green | 1.5 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951017751 | red | 1.5 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951017713 | black | 1.5 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951017720 | grey | 1.5 m | 200 |
| 22 | Patch Cable Cat.5e | 4044951017799 | white | 1.5 m | 120 |

| Page | Article | EAN | Color | Length | Packing |
|---|---|---|---|---|---|
| 22 | Patch Cable Cat.5e | 4044951014224 | blue | 2 m | 150 |
| 22 | Patch Cable Cat.5e | 4044951014293 | yellow | 2 m | 150 |
| 22 | Patch Cable Cat.5e | 4044951014361 | green | 2 m | 150 |
| 22 | Patch Cable Cat.5e | 4044951014439 | red | 2 m | 150 |
| 22 | Patch Cable Cat.5e | 4044951014507 | black | 2 m | 150 |
| 22 | Patch Cable Cat.5e | 4044951014644 | grey | 2 m | 150 |
| 22 | Patch Cable Cat.5e | 4044951014576 | white | 2 m | 80 |
| 22 | Patch Cable Cat.5e | 4044951014231 | blue | 3 m | 100 |
| 22 | Patch Cable Cat.5e | 4044951014309 | yellow | 3 m | 100 |
| 22 | Patch Cable Cat.5e | 4044951014378 | green | 3 m | 100 |
| 22 | Patch Cable Cat.5e | 4044951014446 | red | 3 m | 100 |
| 22 | Patch Cable Cat.5e | 4044951014514 | black | 3 m | 100 |
| 22 | Patch Cable Cat.5e | 4044951014651 | grey | 3 m | 100 |
| 22 | Patch Cable Cat.5e | 4044951014583 | white | 3 m | 60 |
| 22 | Patch Cable Cat.5e | 4044951014248 | blue | 5 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014316 | yellow | 5 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014385 | green | 5 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014453 | red | 5 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014521 | black | 5 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014668 | grey | 5 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014590 | white | 5 m | 40 |
| 22 | Patch Cable Cat.5e | 4044951014255 | blue | 10 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014323 | yellow | 10 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014392 | green | 10 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014460 | red | 10 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014538 | black | 10 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014675 | grey | 10 m | 50 |
| 22 | Patch Cable Cat.5e | 4044951014606 | white | 10 m | 25 |
| 23 | Patch Cable Cat.6 | 4044951014682 | blue | 0.25 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951014750 | yellow | 0.25 m | 150 |
| 23 | Patch Cable Cat.6 | 4044951014828 | green | 0.25 m | 250 |
| 23 | Patch Cable Cat.6 | 4044951014897 | red | 0.25 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951014965 | black | 0.25 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951015108 | grey | 0.25 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951015030 | white | 0.25 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951014699 | blue | 0.5 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951014767 | yellow | 0.5 m | 80 |
| 23 | Patch Cable Cat.6 | 4044951014835 | green | 0.5 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951014903 | red | 0.5 m | 180 |

| Page | Article | EAN | Color | Length | Packing |
|---|---|---|---|---|---|
| 23 | Patch Cable Cat.6 | 4044951014972 | black | 0.5 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951003679 | grey | 0.5 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951015047 | white | 0.5 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951014705 | blue | 1 m | 150 |
| 23 | Patch Cable Cat.6 | 4044951014774 | yellow | 1 m | 60 |
| 23 | Patch Cable Cat.6 | 4044951014842 | green | 1 m | 150 |
| 23 | Patch Cable Cat.6 | 4044951014910 | red | 1 m | 150 |
| 23 | Patch Cable Cat.6 | 4044951014989 | black | 1 m | 150 |
| 23 | Patch Cable Cat.6 | 4044951003686 | grey | 1 m | 150 |
| 23 | Patch Cable Cat.6 | 4044951015054 | white | 1 m | 150 |
| 23 | Patch Cable Cat.6 | 4044951017850 | blue | 1.5 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951017829 | yellow | 1.5 m | 120 |
| 23 | Patch Cable Cat.6 | 4044951017836 | green | 1.5 m | 120 |
| 23 | Patch Cable Cat.6 | 4044951017843 | red | 1.5 m | 120 |
| 23 | Patch Cable Cat.6 | 4044951017805 | black | 1.5 m | 120 |
| 23 | Patch Cable Cat.6 | 4044951017812 | grey | 1.5 m | 120 |
| 23 | Patch Cable Cat.6 | 4044951017867 | white | 1.5 m | 120 |
| 23 | Patch Cable Cat.6 | 4044951014712 | blue | 2 m | 80 |
| 23 | Patch Cable Cat.6 | 4044951014781 | yellow | 2 m | 40 |
| 23 | Patch Cable Cat.6 | 4044951014859 | green | 2 m | 80 |
| 23 | Patch Cable Cat.6 | 4044951014927 | red | 2 m | 80 |
| 23 | Patch Cable Cat.6 | 4044951014996 | black | 2 m | 80 |
| 23 | Patch Cable Cat.6 | 4044951015115 | grey | 2 m | 80 |
| 23 | Patch Cable Cat.6 | 4044951015061 | white | 2 m | 80 |
| 23 | Patch Cable Cat.6 | 4044951014729 | blue | 3 m | 60 |
| 23 | Patch Cable Cat.6 | 4044951014798 | yellow | 3 m | 25 |
| 23 | Patch Cable Cat.6 | 4044951014866 | green | 3 m | 60 |
| 23 | Patch Cable Cat.6 | 4044951014934 | red | 3 m | 60 |
| 23 | Patch Cable Cat.6 | 4044951015009 | black | 3 m | 60 |
| 23 | Patch Cable Cat.6 | 4044951003693 | grey | 3 m | 60 |
| 23 | Patch Cable Cat.6 | 4044951015078 | white | 3 m | 60 |
| 23 | Patch Cable Cat.6 | 4044951014736 | blue | 5 m | 40 |
| 23 | Patch Cable Cat.6 | 4044951014804 | yellow | 5 m | 40 |
| 23 | Patch Cable Cat.6 | 4044951014873 | green | 5 m | 40 |
| 23 | Patch Cable Cat.6 | 4044951014941 | red | 5 m | 40 |
| 23 | Patch Cable Cat.6 | 4044951015016 | black | 5 m | 40 |
| 23 | Patch Cable Cat.6 | 4044951003709 | grey | 5 m | 40 |
| 23 | Patch Cable Cat.6 | 4044951015085 | white | 5 m | 40 |

| Page | Article | EAN | Color | Length | Packing |
|---|---|---|---|---|---|
| 23 | Patch Cable Cat.6 | 4044951014743 | blue | 10 m | 25 |
| 23 | Patch Cable Cat.6 | 4044951014811 | yellow | 10 m | 180 |
| 23 | Patch Cable Cat.6 | 4044951014880 | green | 10 m | 25 |
| 23 | Patch Cable Cat.6 | 4044951014958 | red | 10 m | 25 |
| 23 | Patch Cable Cat.6 | 4044951015023 | black | 10 m | 25 |
| 23 | Patch Cable Cat.6 | 4044951003723 | grey | 10 m | 25 |
| 23 | Patch Cable Cat.6 | 4044951015092 | white | 10 m | 25 |
| 23 | Patch Cable Cat.6 | 4044951003747 | grey | 20 m | 20 |
| 23 | Patch Cable Cat.6 | 4044951003761 | grey | 100 m | 6 |
| 25 | SATA 2 90° | 4044951007875 | red | 50 cm | 500 |
| 25 | SATA 2 180° | 4044951007868 | red | 50 cm | 500 |
| 26 | SATA 3 90° | 4044951016488 | blue | 0.3 m | 400 |
| 26 | SATA 3 90° | 4044951016471 | green | 0.3 m | 400 |
| 26 | SATA 3 90° | 4044951016457 | red | 0.3 m | 400 |
| 26 | SATA 3 90° | 4044951016440 | black | 0.3 m | 400 |
| 26 | SATA 3 90° | 4044951016464 | white | 0.3 m | 400 |
| 26 | SATA 3 90° | 4044951016532 | blue | 0.45 m | 400 |
| 26 | SATA 3 90° | 4044951016525 | green | 0.45 m | 400 |
| 26 | SATA 3 90° | 4044951016501 | red | 0.45 m | 400 |
| 26 | SATA 3 90° | 4044951016495 | black | 0.45 m | 400 |
| 26 | SATA 3 90° | 4044951016518 | white | 0.45 m | 400 |
| 26 | SATA 3 90° | 4044951016587 | blue | 0.6 m | 400 |
| 26 | SATA 3 90° | 4044951016570 | green | 0.6 m | 400 |
| 26 | SATA 3 90° | 4044951016556 | red | 0.6 m | 400 |
| 26 | SATA 3 90° | 4044951016549 | black | 0.6 m | 400 |
| 26 | SATA 3 90° | 4044951016563 | white | 0.6 m | 400 |
| 26 | SATA 3 90° | 4044951017171 | black | 0.75 m | 400 |
| 26 | SATA 3 90° | 4044951017188 | black | 1 m | 400 |
| 26 | SATA 3 180° | 4044951016631 | blue | 0.3 m | 400 |
| 26 | SATA 3 180° | 4044951016624 | green | 0.3 m | 400 |
| 26 | SATA 3 180° | 4044951016600 | red | 0.3 m | 400 |
| 26 | SATA 3 180° | 4044951016594 | black | 0.3 m | 400 |
| 26 | SATA 3 180° | 4044951016617 | white | 0.3 m | 400 |
| 26 | SATA 3 180° | 4044951016686 | blue | 0.45 m | 400 |
| 26 | SATA 3 180° | 4044951016679 | green | 0.45 m | 400 |
| 26 | SATA 3 180° | 4044951016655 | red | 0.45 m | 400 |
| 26 | SATA 3 180° | 4044951016648 | black | 0.45 m | 400 |
| 26 | SATA 3 180° | 4044951016662 | white | 0.45 m | 400 |

| Page | Article | EAN | Color | Length | Packing |
|---|---|---|---|---|---|
| 26 | SATA 3 180° | 4044951016730 | blue | 0.6 m | 400 |
| 26 | SATA 3 180° | 4044951016723 | green | 0.6 m | 400 |
| 26 | SATA 3 180° | 4044951016709 | red | 0.6 m | 400 |
| 26 | SATA 3 180° | 4044951016693 | black | 0.6 m | 400 |
| 26 | SATA 3 180° | 4044951016716 | white | 0.6 m | 400 |
| 26 | SATA 3 180° | 4044951017157 | black | 0.75 m | 400 |
| 26 | SATA 3 180° | 4044951017164 | black | 1 m | 400 |
| 28 | Fan Extension 3-Pin | 4044951016747 | black | 0.3 m | 800 |
| 28 | Fan Y-Cable 3-Pin | 4044951016754 | black | 0.2 m | 800 |
| 29 | Power Cable | 4044951016761 | black | 0.3 m | 800 |
| 29 | Power Cable (Adapter Cable) | 44044951016778 | black | 0.3 m | 800 |
| 30 | Internal USB 2.0 to USB 3.0 Adapter | 4044951016785 | black | 0.2 m | 500 |
| 32 | USB Cable with Lightning Connector | 4044951018222 | white | 1 m | 1000 |
| 32 | USB Cable with Lightning Connector | 4044951018307 | black | 1 m | 1000 |

SHARKOON Technologies GmbH

Siemensstraße 38
35440 Linden

Phone: +49-6403-96 814 0
Fax: +49-6403-96 814 99

CEO: Frank Engert
Register court: Giessen HRB 3483
USt.-IDNr. according to §27a UStG.: DE 812916336
WEEE-Reg.No.: DE 13455872

SHARKOON Taiwan Co., Ltd.

8F.-1, No. 646, Sec. 5, Chongxin Rd.,
Sanchong Dist., New Taipei City 24158,
Taiwan R.O.C.

Phone: +886 2 2999 5888
Fax: +886 2 2999 1188

Sales: sales@sharkoon.com
Marketing: marketing@sharkoon.com
Public Relations: pr@sharkoon.com
Information: info@sharkoon.com
Spare Parts: zubehoer@sharkoon.com

Contact: global@sharkoon.com