

Lexmark CX635adwe Laser A4 1200 x 1200 DPI 40 ppm Wi-Fi

Brand : Lexmark

Product code: 50M7090

Product name : CX635adwe

- Colour Laser Printer
 - Duplex (2-sided) Printing: Integrated Duplex
 - Print Speed: Up to 40 ppm
 - Recommended Monthly Page Volume: 1500 - 10000 pages
 491.4 x 479 x 475.1 mm, 27.05 kg, A4, A+, DADF, CIS, 600 x 600 dpi, Quad Core, 1.2 GHz
 Lexmark CX635adwe. Print technology: Laser, Printing: Colour printing, Maximum resolution: 1200 x 1200 DPI, Print speed (colour, normal quality, A4/US Letter): 40 ppm. Copying: Colour copying. Scanning: Colour scanning, Optical scanning resolution: 600 x 600 DPI. Faxing: Mono faxing. Duplex functions: Copy, Print, Scan. Maximum ISO A-series paper size: A4. Wi-Fi. Product colour: Grey, White




Printing		Ports & interfaces	
Print resolution colour	1200 x 1200 DPI	USB connector	USB Type-A / USB Type-B
Print resolution black	1200 x 1200 DPI	Optional connectivity	Ethernet
Print technology *	Laser	Network	
Printing *	Colour printing	Wi-Fi *	✓
Duplex printing *	✓	Ethernet LAN *	✓
Maximum resolution *	1200 x 1200 DPI	Cabling technology	10/100/1000Base-T(X)
Print speed (black, normal quality, A4/US Letter) *	40 ppm	Ethernet LAN data rates	10,100,1000 Mbit/s
Print speed (colour, normal quality, A4/US Letter)	40 ppm	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm	Performance	
Duplex print speed (colour, normal quality, A4/US Letter)	20 ppm	Maximum internal memory	2048 MB
Time to first page (black, normal)	6.3 s	Internal memory *	2048 MB
Time to first page (colour, normal)	6.3 s	Built-in processor	✓
Copying		Processor frequency	1200 MHz
Duplex copying *	✓	Sound pressure level (printing)	53 dB
Copying *	Colour copying	Sound pressure level (duplex printing)	54 dB
Maximum copy size	A4	Sound pressure level (copying)	52 dB
Copy speed (black, normal quality, A4)	39.5 cpm	Sound pressure level (scanning)	44 dB
Copy speed (colour, normal quality, A4)	39.5 cpm	Sound pressure level (standby)	14 dB
Time to first copy (black, normal)	6.674 s	Design	
Time to first copy (colour, normal)	6.579 s	Product colour *	Grey, White
Copier resize	25 - 400%	Market positioning *	Home & office
Scanning		Built-in display *	✓
Duplex scanning *	✓	Display diagonal	17.8 cm (7")
Scanning *	Colour scanning	Control type	Touch
Optical scanning resolution *	600 x 600 DPI	Colour display	✓
Scanner type *	ADF scanner	Power	
Scan technology	CIS	Power consumption (ready)	29 W
Scan to	E-mail, FTP, LDSS, Memory card, Network folder, USB	Power consumption (standby)	0.2 W
Scan speed (colour)	42 ppm	Power consumption (sleep)	1.3 W
Scan speed (black)	52 ppm	Energy Star Typical Electricity Consumption (TEC)	0.57 kWh/week
Duplex scan speed (colour)	84 ppm	System requirements	
		Windows operating systems supported	✓

Scanning		System requirements	
Duplex scan speed (black)	104 ppm	Mac operating systems supported	✓
Image formats supported	BMP, JPEG, JPG, TIFF	Linux operating systems supported	✓
Fax		Operational conditions	
Duplex faxing	✗	Operating relative humidity (H-H)	15 - 80%
Faxing *	Mono faxing	Storage temperature (T-T)	10 - 32.2 °C
Fax transmission speed	3 sec/page	Operating altitude	0 - 2900 m
Modem speed	33.6 Kbit/s	Certificates	
Features		Certification	ENERGY STAR, Blue Angel RAL-UZ 219, ICES-003 Class A, BSMI Class A, VCCI Class A, US FDA, UL 60950-1, FCC Class A, cUL CAN/CSA-C22.2 60950-1, CB EN/IEC 60950-1, CB EN/IEC 60825-1, CE DoC (EN 62368-1, EN 62311, CE EN/IEC 60950-1, CE EN/IEC 60825-1, EN 61000-3, EN 55022 Class A, EN 55035, UL), EFTA (CE), KCC, CCC, CECP, CEL, UL-AR, KC mark, UL GS mark, UCRF, EC 1275, Mopria Certified
Recommended duty cycle	1500 - 10000 pages per month		
Maximum duty cycle *	125000 pages per month		
Duplex functions *	Copy, Print, Scan		
Printing colours *	Black		
Page description languages	HTML Direct Image Space, PCL 5, PCL 6, PDF 1.7, PPDS, PostScript 3		
Country of origin	China, Mexico		
Input & output capacity		Weight & dimensions	
Total number of input trays *	2	Width	479 mm
Total input capacity *	2001 sheets	Depth	475.1 mm
Total output capacity *	200 sheets	Height	491.4 mm
Maximum output capacity	200 sheets	Weight	27.1 kg
Paper handling		Packaging data	
Maximum ISO A-series paper size *	A4	Package width	636 mm
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper	Package depth	575 mm
ISO A-series sizes (A0...A9) *	A4, A5, A6	Package height	600 mm
ISO B-series sizes (B0...B9)	B5	Package weight	32.3 kg
ISO C-series sizes (C0...C9)	C5	Packaging content	
Non-ISO print media sizes	Executive, Folio, Hagaki card, Legal, Letter, Oficio, Statement, Universal	Cartridge(s) included	✓
JIS B-series sizes (B0...B9)	B5	Included cartridge capacity (black)	3000 pages
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL	Included cartridge capacity (CMY)	2000 pages
Ports & interfaces		Cables included	AC
Direct printing *	✗		
USB port	✓		



0734646731348



734646731348

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 08-MAY-2024. Prints or copies of Information are only valid on the printed Publication date