



Model E  Type-C

Solar Charging Panel

Connect your EZVIZ battery-powered camera to our Weatherproof Solar Panel to capture the sun's free, clean energy – and enjoy year-round security.

Designed for EZVIZ Battery Cameras with Type-C Charging Ports¹



Energy-saving and Eco-friendly Solar Power Supply



High Efficiency with Monocrystalline Silicon Cell Solution



Up to 6.18 W of Charging Power for a Long-lasting Supply



4-Meter Cable for Mounting Flexibility



IP65 Weatherproof Protection for Outdoor Use



Non-stop protection

Made of single crystalline silicon solar cells, the solar panel delivers up to 6.18 W of power. It will max out on sunny days to make sure the battery camera has enough power to operate all day and night.²




Weatherproof design

Featuring a durable frame and stainless steel screws, the solar panel easily withstands rain, dust, snow and sun. Just mount it, leave it, and enjoy the sun's continual power.



Flexible installation

With an adjustable bracket that rotates 360 degrees and a 4-meter-long cable, the Solar Panel offers incredible flexibility. Mount your security camera where you need it, then find a sunny spot to install the solar panel. With 4 meters (13 feet) of cable, you will get the flexibility you need for great security and continual power.



1 Currently compatible with the CS-EB8 model. Product compatibility will expand as we launch more battery cameras that support type-c charging in the near future.

Please check product compatibility before purchasing.

2 The charging efficiency may vary based on different environmental factor and the usage of the camera.

Specifications

CS-CMT-Solar Panel-E

Performance Parameter*

Power voltage	6V ± 5%
Max. Power current	1030 mA ± 5%
Max. Power	6.18 W
Transformation efficiency	21.6%
Operation temperature	-20°C - 60°C (-4°F - 140°F); Humidity 90% or less (non-condensing)
IP Grade	IP65

*Data from EZVIZ Lab's test results under standard testing conditions (STC): 1000W/m2, AM1.5,25 °C, (38000-40000 LUX)

Mechanical Data

Manufacturing Process	Monocrystalline solar cells, PET laminated wood
Product Dimensions	283.7 × 185.7 × 2.4 mm (11.17 × 7.31 × 0.09 inch)
Packaging Dimensions	300 × 202.5 × 78 mm (11.81 × 7.97 × 3.07 inch)
Net Weight	484g (17.07 oz)
With Package	854g (30.12 oz)

In the box

- EZVIZ Solar Panel-E
- Adjustable Mounting Bracket
- Screw Kit
- Drill Template
- Quick Start Guide

Certifications

CE / FCC / UKCA / WEEE / REACH / RoHS

Specifications are subject to change without notice. "  ", "EZVIZ™" and other EZVIZ's trademarks and logos are the properties of EZVIZ in various jurisdictions. Other brands and product names are trademarks or registered trademarks of their respective holders.

www.ezviz.com