Canon

Canon PowerShot V10 Vlogging Kit 1" Compact camera 20 MP CMOS 5472 x 3648 pixels Black





Brand : Canon **Product family:** PowerShot **Product code:** 5947C008

Product name : V10 Vlogging Kit

Canon PowerShot V10 Vlogging Kit. Camera type: Compact camera, Megapixel (approx.): 20 MP, Image sensor size: 1", Sensor type: CMOS, Maximum image resolution: 5472 x 3648 pixels. ISO sensitivity (max): 6400. Focal length range: 6.6 mm. Fastest camera shutter speed: 1/4000 s. Wi-Fi. HD type: 4K Ultra HD, Maximum video resolution: 3840 x 2160 pixels. Display diagonal: 5.08 cm (2"), Touchscreen. Weight: 211 g. Product colour: Black

Picture quality	
Image sensor size *	1"
Camera type *	Compact camera
Megapixel (approx.) *	20 MP
Sensor type *	CMOS
Maximum image resolution *	5472 x 3648 pixels
Still image resolution(s) *	5472 x 3648, 3648 x 2432, 2736 x 1824, 2400 x 1600, 4864 x 3648, 3248 x 2432, 2432 x 1824, 2112 x 1600, 5472 x 3072, 3648 x 2048, 2736 x 1536, 2400 x 1344, 3648 x 3648, 2432 x 2432, 1824 x 1824, 1600 x 1600
Supported aspect ratios	1:1, 3:2, 4:3, 16:9
Total megapixels	20.9 MP
Image formats supported *	JPEG

Lens system	
Focal length range	6.6 mm
Minimum focal length (35mm film equiv)	18 mm
Maximum focal length (35mm film equiv)	19 mm
Maximum aperture number	2.8
Lens structure (elements/groups)	8/7
Number of aspheric elements	3

Focusing	
Focus *	TTL
Focus adjustment *	Auto/Manual
Auto focusing (AF) modes *	Continuous Auto Focus
Auto Focus (AF) object detection	People

Display	
Display *	LCD
Touchscreen *	✓
Display diagonal *	5.08 cm (2")
Display resolution	460000 dot
Display aspect ratio	3:2
Flip-out screen	✓
Vari-angle LCD display	✓

Ports & interfaces	
USB version *	2.0
USB connector	USB Type-C
HDMI *	✓
HDMI connector type	Micro
Microphone in	✓
Headphone connectivity	3.5 mm

Network	
Bluetooth *	✓
Bluetooth version	4.2
Bluetooth Low Energy (BLE)	✓
Wi-Fi *	✓
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)

Camera	
White balance *	Auto, Cloudy, Daylight, Manual, Tungsten
White balance compensation (Blue/Amber)	±9
White balance compensation (Magenta/Green)	±9

Focusing	
Face tracking	✓
Closest focusing distance	0.05 m
Auto Focus (AF) lock	✓
Auto Focus (AF) assist beam	✗

Exposure	
ISO sensitivity (min) *	125
ISO sensitivity (max) *	6400
ISO sensitivity	125, 200, 400, 800, 6400
Light exposure modes *	Auto, Manual
Light exposure control	Program AE
Light exposure correction *	± 3EV (1/3EV step)
Light metering *	Evaluative (Multi-pattern)
Number of measurement zones	384

Shutter	
Fastest camera shutter speed *	1/4000 s
Slowest camera shutter speed *	1 s
Camera shutter type	Electronic

Flash	
Flash exposure lock	✗
External flash connector	✗
Flash exposure compensation	✗
Shoe mounting point	✗

Video	
Video recording *	✓
Maximum video resolution *	3840 x 2160 pixels
HD type *	4K Ultra HD
Video resolutions	3840 x 2160,1920 x 1080 pixels
Video formats supported	H.264
Video recording ISO sensitivity (auto)	125-6400, 125-3200
Video recording ISO sensitivity (manual)	125-6400, 125-3200
Colour sampling	YCbCr4:2:0 8-bit

Audio	
Built-in microphone *	✓
Built-in speaker(s)	✓
Audio system	stereo
Wind filter	✓
Audio formats supported	AAC, LPCM

Memory	
Compatible memory cards *	SD, SDHC, SDXC
Memory slots	1

Camera	
Shooting modes *	Auto
Self-timer delay *	2,10 s
Dioptre correction	✗
Languages support	Arabic, Simplified Chinese, Traditional Chinese, Czech, Danish, German, Dutch, English, Spanish, Finnish, French, Greek, Hebrew, Hindi, Hungarian, Indonesian, Italian, Japanese, Korean, Norwegian, Polish, Portuguese, Romanian, Russian, Swedish, Thai, Turkish, Ukrainian, Vietnamese
Histogram	✓
Live view	✓
Direct printing	✗
GPS (satellite)	✗
Orientation sensor	✓
Anti-dust function	✗
Smartphone/tablet remote support	✓
View on smartphone	✓
Tripod mounting supported *	✓
Image processor	DIGIC X

Design	
Product colour *	Black
Dustproof	✗
Splash proof	✗

Battery	
Battery technology *	Lithium-Ion (Li-Ion)
Number of batteries supported	1
Battery level indicator	✓

Operational conditions	
Operating temperature (T-T)	0 - 40 °C

Weight & dimensions	
Width	90 mm
Depth	34.3 mm
Height	63.4 mm
Weight	211 g
Weight (including battery)	211 g

Packaging data	
Quantity per pack	1 pc(s)
Package width	158 mm
Package depth	290 mm
Package height	118 mm
Package weight	667 g

Packaging content	
Neck strap included	✗
Battery charger included	✗
Batteries included	✓

Logistics data	
Products per pallet	144 pc(s)



8714574677002

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-MAY-2024. Prints or copies of Information are only valid on the printed Publication date