Lexmark

Lexmark MS826de 1200 x 1200 DPI A4

Brand : Lexmark

Product code: 50G0331

Product name : MS826de

Lexmark MS826de. Print technology: Laser. Maximum duty cycle: 350000 pages per month. Maximum resolution: 1200 x 1200 DPI. Maximum ISO A-series paper size: A4. Print speed (black, normal quality, A4/US Letter): 66 ppm, Duplex printing. Display: LCD, Product colour: Black, White



Printing	
Colour *	✗
Print technology *	Laser
Duplex printing *	✓
Maximum resolution *	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter) *	66 ppm
Duplex print speed (black, normal quality, A4/US Letter)	40 ppm
Time to first page (black, normal)	4 s

Features	
Maximum duty cycle *	350000 pages per month
Recommended duty cycle	5000 - 100000 pages per month
Page description languages *	Microsoft XPS, PCL 5e, PCL 6, PDF 1.7, PPDS, PostScript 3

Input & output capacity	
Total number of input trays *	2
Total input capacity *	650 sheets
Total output capacity *	550 sheets
Paper input type	Paper tray
Maximum number of input trays	6
Maximum input capacity	4400 sheets
Maximum output capacity	2550 sheets

Paper handling	
Maximum ISO A-series paper size *	A4
Paper tray media types *	Card stock, Envelopes, Labels, Plain paper, Transparencies
Multi-purpose tray media types	Envelopes, Executive, Labels, Legal, Letter, Plain paper, Transparencies
ISO A-series sizes (A0...A9) *	A4, A5, A6
Non-ISO print media sizes	Executive, Folio, Legal, Letter, Oficio, Statement, Universal
JIS B-series sizes (B0...B9)	B5
Envelopes sizes	7 3/4, 9, 10, B5, C5, DL
Paper tray media weight	60 - 176 g/m²

Ports & interfaces	
Direct printing *	✓
USB port *	✓
USB connector	USB Type-A / USB Type-B
Optional connectivity	Parallel, Wireless LAN

Network	
Ethernet LAN *	✓

Performance	
Sound pressure level (printing)	58 dB
Sound pressure level (duplex printing)	58 dB

Design	
Product colour *	Black, White
Built-in display *	✓
Display	LCD
Colour display	✓
Display diagonal	10.9 cm (4.3")
Touchscreen	✓
Control type	Touch
Certification	RAL-UZ 205, ICES-003 Class A, BSMI Class A, VCCI Class A, US FDA, UL 60950-1, FCC Class A, cUL CAN / CSA-C22.2 60950-1, NOM, CB EN / IEC 60950-1, CB EN / IEC 60825-1, CE DoC (EN 62301 Class A, EN 62311, CE EN / IEC 60950-1, CE EN / IEC 60825-1, EN 61000-3, EN 55022 Class A, EuP, EN 55024, UL), EFTA (CE), KCC, CCC, CECP, CEL, C-tick DoC, UL-AR, KC mark, UL GS mark, EC 1275, MET-I, ISO 532B, ECMA-370, TED, GOST-R, SII, TER

Power	
Power consumption (ready)	38.5 W
Power consumption (standby)	1.4 W
Power consumption (off)	0.2 W
Energy Star Typical Electricity Consumption (TEC)	0.95 kWh/week

System requirements	
Windows operating systems supported	✓
Mac operating systems supported	✓
Linux operating systems supported	✓
Server operating systems supported	SUSE Linux Enterprise Server 10, SUSE Linux Enterprise Server 11, SUSE Linux Enterprise Server 12, Windows 2000 Server, Windows Server 2012

Operational conditions	
Operating temperature (T-T)	10 - 32 °C
Operating relative humidity (H-H)	8 - 80%
Operating altitude	0 - 2896 m

Network	
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Security algorithms	HTTPS, IPSec, LEAP, MD5, MSCHAPv2, PEAP, SNMP, SNMPv3, SSL/TLS

Performance	
Internal memory *	1024 MB
Maximum internal memory	5120 MB
Built-in processor	✓
Processor frequency	1000 MHz
Processor cores	2

Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR

Weight & dimensions	
Width	428 mm
Depth	510 mm
Height	441 mm
Weight	25.6 kg

Packaging data	
Package width	550 mm
Package depth	650 mm
Package height	565 mm
Package weight	30.6 kg

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 06-MAY-2024. Prints or copies of Information are only valid on the printed Publication date