
# 603059 Cat.6A U/UTP Patch Cable, 20m, Black

## Product Images











## Short Description

1. 4 x 2 AWG 26/7
2. Unshielded
3. 500MHz performance Bandwidth
4. Transmission: 10Gbit
5. Suitable for PoE, PoE+
6. Stranded bare copper conductor
7. Molded boot with Strain relief
8. RoHS compliant
9. Low Smoke Zero Halogen (LSZH/LSOH)
10. Compliant with ISO/IEC 11801 and EN 50173

## Description

The equip® Cat.6A U/UTP Patch Cord is composed of preeminent materials and fully-examined to conform with industrial standards. Offering higher bandwidth and better signal-to-noise margin, the Cat.6A cable is able to deliver ultrahigh and error-free performance in the most demanding network environments, specially for 10G application.

## Additional Information

| | |
|---|---|
| Approval and compliance | RoHS |
| Conductor material | Copper |
| Conductor size (AWG) | 26AWG |
| Jacket material | LSZH |
| Category | Cat.6A |
| Flat cable | No |
| Shielded | No |
| Product weight (kg) | 0.5312 |
| Cable length | 20m |
| Color | Black |
| EAN | 4015867230404 |
| Model Number | 603059 |
| Package contents | 603059 |
| Cable Length | 20m |
| Shielding | U/UTP |
| Connector 1 | RJ45 male |
| Connector 2 | RJ45 male |
| Dimensions (W x D x H) | 20000 x 11 x 15 mm |

