MPN: LVO-TEST

the new fiber tester Ideal for troubleshooting on fiber network

Mini-Pro OTDR is apply to FTTx and access network construction and maintenance, to test
fiber breakpoint , length, loss and input light automatic detection, automatic test by one key. The tester is compact with 3.5inch colorful LCD screen, new plastic shell design, shock-proof and drop-proof.

The tester also combine 8 functions with highly integrated OTDR, Event maps, Stable Light source , Optical power meter, Visual fault locator , RJ45cable sequence , IL and lighting functions.

It could quick detection of breakpoint, universal connector, .600 internal storage, TF card, USB data storage and built-in 4000mAh lithium battery, USB charging .It is a good choice for long term field work .



- Wave Range 800~1700nm
- Universal Joint FC/SC/ST
- 3.5 inch color LCD Screen

Specifications

Battery	**Battery Technology**	Lithium-Ion (Li-Ion)
Legal Information	**ADR Information**	No restrictions
	Country of Origin	China
	Tariff No.	8544421000
	UNSPSC Code	43222643
Logistics data	**Products per master (outer) case**	18 pc(s)
	Quantity per pack	1 pc(s)
Operational conditions	**Operating temperature (T-T)**	-10 - 50 °C
	Storage temperature (T-T)	-40 -70 °C
Package dimensions	**Gross Weight (Package, kg)**	0.3 kg
Packaging content	**AC adapter included**	Yes
	Batteries included	Yes
Power	**Standby time**	20 h
Product dimensions	**Net Weight (Product, kg)**	0.26 kg
	Product Depth	4.2 cm
	Product Height	17.5 cm
	Product Width	8.2 cm
Technical details	**Built-in display**	Yes
	Calibrated wavelengths	850, 1300, 1310, 1490, 1550, 1625 nm
	Display type	LCD
	Easy to use	Yes

Technical details	**Fiber mode structure**	Multi-mode, Single-mode
	Maximum cable length	60000 m
	RoHS compliance	Yes
	Supported connectors	SC, ST
	Test type	Transmission testing
	USB port	Yes
	Wavelength range	800-1700 nm
Vendor information	**Brand Name**	Lanview
	Warranty	3 Year(s)
Weight & dimensions	**Dimensions (WxDxH)**	175x82x42 mm

Other images

NO	Name	Qty	Remark
1	Host	1	Battary Include
2	Adapter	1	
3	Data Line	1	
4	User Manual	1	
5	SC/UPC Connector	1	
6	Calibration Certification	1	
7	Qualification Certificate/Service Guarantee Card	1	
8	Clean Cotton Slices	10	
9	Instrument Bag	1	