



Lindy 4 Port HDMI 4K60, USB 3.0 and Audio KVM Switch

Brand : Lindy

Product code: 39313

Product name : 4 Port HDMI 4K60, USB 3.0 and Audio KVM Switch

- Controls four HDMI equipped PCs from a single keyboard, mouse and monitor
- Switch via the unit's push button or keyboard hotkeys
- Supports HDMI 18G resolutions up to 4K@60Hz 4:4:4 with HDR
- USB 3.0 and 3.5mm stereo audio ports to connect microphone, speakers or headphones
- 2 year warranty

4 Port HDMI 4K60, USB 3.0 and Audio KVM Switch

Lindy 4 Port HDMI 4K60, USB 3.0 and Audio KVM Switch. Keyboard port type: USB, Mouse port type: USB, Video port type: HDMI. HD type: 4K Ultra HD, Maximum resolution: 4096 x 2160 pixels, Video bandwidth: 60 Hz. Product colour: Black, Housing material: Metal. Power source: DC, DC input voltage: 5 V, Input current: 3 A. Sustainability certificates: Federal Communications Commission (FCC), UKCA, CE, REACH, RoHS



Ports & interfaces		Design	
Number of computers controlled *	4	Push button	✓
Keyboard port type *	USB	Hot keys	✓
Mouse port type *	USB	Display	
Video port type *	HDMI	Built-in display *	✗
HDMI ports quantity	5	Power	
HDMI version	2.0	Power source	DC
USB 3.2 Gen 1 (3.1 Gen 1) Type-B ports quantity	4	DC input voltage	5 V
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Input current	3 A
Console ports *	3.5mm headphone, 3.5mm mic, HDMI, USB A	Sustainability	
Console USB ports quantity	4	Sustainability compliance	✓
Console HDMI ports quantity	1	Sustainability certificates	Federal Communications Commission (FCC), UKCA, CE, REACH, RoHS
USB connector type	USB Type-A, USB Type-B	Operational conditions	
Audio connections	✓	Operating temperature (T-T)	0 - 50 °C
Headphone outputs	1	Storage temperature (T-T)	-10 - 60 °C
Number of microphone inputs	1	Operating relative humidity (H-H)	5 - 80%
DC-in jack	✓	Storage relative humidity (H-H)	5 - 80%
Performance		Weight & dimensions	
HD type *	4K Ultra HD	Width	231 mm
Maximum resolution *	4096 x 2160 pixels	Depth	108 mm
Video bandwidth	60 Hz	Height	23 mm
HDCP	✓	Weight	710 g
Audio channels	2.0	Packaging data	
HDCP version	2.2	Package width	292 mm
Design		Package depth	248 mm
Rack mounting *	✗	Package height	55 mm
Product colour *	Black		

Design		Packaging data	
Housing material	Metal	Package weight	980 g
LED indicators	✓	Package type	Box
		Packaging content	
		Manual	✓
		AC adapter included	✓



4002888393133

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 04-MAY-2024. Prints or copies of Information are only valid on the printed Publication date