



POLY Edge B10 IP Phone with Power Supply PRC

Brand : POLY

Product code: 84C19AA

Product name : Edge B10 IP Phone with Power Supply PRC

- Hear every nuance of your call. Poly HD voice and Poly Acoustic Fence technology give you business-grade audio quality with reduced background noise.
 - Simplicity right out of the box. No need to guess if you are on mute, speakerphone, or headset ^[1]. These keys light up when selected. Instantly add co-workers to your call with 5-way local audio conferencing.
 - Poly cloud management software makes these phones the smart choice. IT can easily monitor, manage, and maintain devices securely from the cloud with PDMS-SP and Poly Lens software.
- Edge B10 IP Phone with Power Supply PRC


POLY Edge B10 IP Phone with Power Supply PRC:

Call with confidence

Sleek design meets quality audio at an affordable price. Easy-to-use illuminated keys, plug-and-play provisioning, and reliability make it pure value.



Design		Ports & interfaces	
Product type *	IP Phone	RJ-9 ports quantity	1
Handset type	Wired handset	Certificates	
Product colour *	Black	Sustainability certificates	ENERGY STAR
Wall mountable	✓	Power	
Mounting	Desk/Wall	Power over Ethernet (PoE) *	✗
Phone features		Power consumption (typical)	15 W
Lines quantity *	2 lines	Operational conditions	
Caller ID *	✓	Operating temperature (T-T)	0 - 40 °C
Display		Operating relative humidity (H-H)	5 - 95%
Display	LCD	Storage temperature (T-T)	-40 - 70 °C
Display diagonal	7.11 cm (2.8")	Weight & dimensions	
Touchscreen *	✗	Package width	176 mm
Audio		Package depth	163 mm
Speakerphone *	✓	Package height	44 mm
Voice codecs	G.711alaw, G.711ulaw, G.722, G.729ab, OPUS, iLBC	Package weight	960 g
Network		Packaging content	
Ethernet LAN *	✓	Mounting kit	✓
Ethernet LAN interface type	Gigabit Ethernet	Handset	✓
Ethernet LAN data rates	10,100,1000 Mbit/s	Number of handles included *	1 pc(s)
Wi-Fi *	✗	Cables included	LAN (RJ-45)
Bluetooth *	✗	AC adapter included	✓
Ports & interfaces		Stand included	✓
Headset connectivity	3.5 mm	Logistics data	
Ethernet LAN (RJ-45) ports	2	Country of origin	China



0197497519877



197497519877



0197961922967




197961922967



0197497517163




197497517163



0197497517132




197497517132



0197497517149




197497517149



0197497517156




197497517156



0197497515688



197497515688



0197497517170



197497517170

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.