



L±T




NOTE:



1. CABLE:NON-UL,28#*9C+1+AL,OD=5.0mm,BEIGE COLOR,PVC JACKET.
2. LENGTH:L
3. CONNECTORS: DB9F * 1PCS,DB9M*1PCS(BLUE INSULATOR,NICKEL PLATED)
4. MOLD:BEIGE MOLDING.
5. SCREW: #4*40 INCH SCREW *4PCS
6. CONTACTS:
DB9M | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 64
DB9F | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 64
7. OPEN/SHORT TEXT 100% TEXT.
INSULATION: MIN.5M.

RoHS COMPLIANT.

Company	I.B.V	Goods Code		Draw	FC001 WJF	Date	2009.10.14	AK 230X		
ITEM NO.	AK 230X	Drawing Evidence :		Check		Date				
Goods NO.				Approval		Date				
Original NO.	S-*****	Unit(mm)								
1PCS/PE BAG(0.06*190*300mm)+Sticker										
				D	Revised spell CONTACTS of NOTE 6.			2011.03.30		
				B	Changed 30# to 28# / Adding packaging info REVISE			10.03.16WJF		
				VER. A				Date		



10000±100mm



NOTE:


1. CABLE:NON-UL,26#*9C+1+AL,OD=5.0mm,BEIGE COLOR,PVC JACKET.
2. LENGTH:10000mm
3. CONNECTORS: DB9F * 1PCS,DB9M*1PCS(BLUE INSULATOR,NICKEL PLATED)
4. MOLD:BEIGE MOLDING.
5. SCREW: #4*40 INCH SCREW *4PCS
6. CONTACTS:


DB9M	1	2	3	4	5	6	7	8	9	64
DB9F	1	2	3	4	5	6	7	8	9	64

7. OPEN/SHORT TEXT 100% TEXT.
- INSULATION: MIN.5M.

RoHS COMPLIANT.

Company	I.B.V	Goods Code	Draw	FC001	WJF	Date	2009.10.14
ITEM NO.	AK 2309	Drawing Evidence :	Check			Date	
Goods NO.			Approval			Date	
Original NO.	S-*****	Unit(mm)					
1PCS/PE BAG(0.06*190*300mm)+Sticker							
RoHS COMPLIANT.							
1PCS/PE BAG(0.06*190*300mm)+Sticker							
MADE IN CHINA							
LDPE							
4							
D							
C							
B							
VER. A							
Date							





NOTE:

1. CABLE: #26, 9C+1+AL/MY, O.D: 6.0
2. CONNECTOR: DB9M, BLUE
DB9F, BLUE
3. THUMBSCREW: #4-40UNC, E32

NOTE:

1. TOTAL LENGTH: L
2. COLOR: BEIGE
3. MOLDED TYPE

ITEM NO.	L
AK2308	7000±100mm
AK2309	10000±100mm
AK2321	15000±100mm
AK2322	20000±100mm
AK2323	25000±100mm
AK2324	30000±100mm

CONFIGURATION:
DB9M DB9F

1	1
2	2
3	3
4	4
5	5
6	6
7	7
8	8
9	9
SHIELD	SHIELD

For internal use only!!!

DATE	8 JAN, 2002	PARTS NO	
UNIT	MM	DRAWN NO	AK2308
SCALE		BUYER NO	002

TITLE:

DB9 MALE-DB9 FEMALE
(MOLDED TYPE)

NO.	DESCRIPTION	QTY
④	THUMBSCREW: #4-40UNC, E32	4
③	#26, 9C+1+AL/MY, O.D: 6.0, BEIGE	L
②	DB9F, BLUE	1
①	DB9M, BLUE	1

DRAWN	Y.C.C 1/8	CHECK	APPRO