

ALTHEA16W 2-Port 33W GaN USB PD Charger with 3-in-1 Charging Cable, USB-C x 1, USB-A x 1, QC 3.0, PPS

Product Images



Short Description

- USB-C output: DC 5.0V/3.0A, 9.0V/3.0A, 12.0V/2.5A, 15.0V/2.0A, 20.0V/1.5A (PD); 3.3-16.0V/2.0A, 3.3-11.0V/3.0A (PPS)
- USB-A output: DC 5.0V/3.0A, 9.0V/3.0A, 12.0V/2.5A, 20.0V/1.5A (QC 3.0)
- USB-C + USB-A output: DC 5.0V/3.6A

- USB Power Delivery (PD) 3.0 technology with quick charge function
- Complies to Programmable Power Supply (PPS) to enhance charging efficiency and reduce heat
- Protected against overload, short circuiting and overheating
- Includes a 1.5m 3.0A 3-in-1 cable

Description

The ALTHEA16W USB charger offers efficient and fast charging, featuring a USB Type-C port with Power Delivery (PD) and PPS technology that automatically detects and charges devices such as Samsung Galaxy Note, Nintendo Switch, iPad, iPhone, etc., at up to 33W speed. The charger is protected against overload, short-circuiting, and overheating. With its compact and lightweight design, it is an ideal travel device and daily companion.

Additional Information

Color	White
EAN	4015867236482
Model Number	ALTHEA16W
Approval and Compliance	CE, ERP, RoHS, REACH
Operating humidity	5% RH ~ 95% RH
Operating temperature	0°C ~ 40°C
Storage temperature	-20°C ~ 80°C
Package Contents	ALTHEA16W 1.5m 3.0A 3-in-1 cable Multilingual quick installation guide
Dimensions (W x D x H)	35 x 72 x 33.5 mm
Product weight (kg)	0.054
Output Power (watt)	33.0
Power input	AC 100.0-240.0V, 0.8A max, 50-60Hz

