

PIXMA PRO-200S

YOUR TRUE COLOURS, PRINTED TO PERFECTION

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.



8-colour dye-based ink system



Borderless A3+ printing



High-speed printing



Wireless connectivity



3-inch LCD monitor



**Compact,
lightweight frame**





Impressive high-quality photographs

With a superior 8-colour dye-based ink system, you're guaranteed exceptional reproduction, richer colours, and vibrant professional printing, every time.



Pick paper that suits you

With versatile media handling and customisable printing sizes, you can enhance your photographs on a variety of paper including fine art, borderless and panoramic.



Quick and easy to use

The built-in 3-inch LCD display lets you check ink levels, perform printer maintenance, and access printer instructions at a glance – for excellent results with ease.



Perfect printing every time

With 3 paper feed options and auto paper skew correction function, you can bid farewell to misalignment and printing fails, no matter what paper you're using.



One seamless process

Canon's user-friendly PPL (Professional Print & Layout) software means you can shoot and send photos with ease from popular photography programs for a one-stop edit-to-print experience.

PRODUCT RANGE



**imagePROGRAF
PRO-1100**



**imagePROGRAF
PRO-300**



PIXMA PRO-200S

TECHNICAL SPECIFICATIONS

PIXMA PRO-200S

Class	-	Matte Photo Paper (MP-101): 4"x6" (10x15cm) = 20 A4 /A3 = 10 A3+ = 1 Light Fabric Iron-on Transfers = 1 Dark Fabric Iron-on Transfers = 1
PRINT HEAD / INK		
Type	ChromaLife 100+	
Number of Nozzles	Total 6,144 nozzles (Y/M/C/PC/PM/Gy/Bk/LGY each 768 nozzles x 8)	
Ink Tank	CLI-65 (C/M/Y/BK/PC/GY/PM/LGY) All dye	
MAXIMUM PRINTING RESOLUTION		Photo Paper Pro Platinum (PT-101): A3/A4/LTR/8"x10" (20 x 25cm) /10"x12" (25x30cm) /A3+ = 1 Photo Paper Plus Glossy II (PP-201): A4/ A3/A3+ = 1 Photo Paper Pro Luster (LU-101): A4/ A3/ A3+ = 1 Photo Paper Plus Semi-gloss (SG-201): A4/A3/8"x10" (20 x 25cm) /10"x12" (25x30cm) /A3+ = 1 Matte Photo Paper (MP-101): A4/ A3/ A3+ = 1 Photo Paper Pro Premium Matte (PM-101): A4/ A3/ A3+ = 1 Premium Fine Art Rough (FA-RG1):A4/ A3/ A3+ = 1 Light Fabric Iron-on Transfers = 1 Dark Fabric Iron-on Transfers = 1
Maximum Printing Resolution	4800 (horizontal) ¹ x 2400 (vertical) dpi	1 (Multi-purpose Tray) *For further details on paper load limits, please refer to the online manual
PRINT SPEED		
Print Speed	Photo (11"x14" image on A3+ with Border) ² Colour/PT-101: approx.1 m 30s Black/PT-101: approx.2 m 50s	
MAXIMUM PRINTABLE PAPER SIZE		
Top Tray (width)	Top Tray : Up to 322.2 mm (12.7 inch, Borderless Printing : Up to 329 mm (A3+) (13 inch)	
Manual Feed (width)	Manual Feed : Up to 323.4mm (12.7 inch, Borderless Printing : Up to 329 mm (13 inch)	
Custom (length)	990.60mm (bordered)	
Printable Area		
Borderless Printing	Top/Bottom/Right/Left margin: each 0 mm Top margin: 3 mm , Bottom margin: 5 mm / Left/Right margin: each 3.4 mm Recommended Top/Bottom/Right/Left margin for Fine Art Paper: each 25 mm	
Bordered Printing		
SUPPORT MEDIA		
Top Tray	Plain Paper (64-105 g/m2) / Photo Paper Pro Platinum (PT-101) / Photo Paper Plus Glossy II (PP-201) / Photo Paper Pro Luster (LU-101) / Photo Paper Plus Semi-gloss (SG-201) / Matte Photo Paper (MP-101) / Hagaki/ Lightweight Photo Paper (BOX) / Japanese Paper Washi (BOX) / Canvas (BOX) / Red Label Superior 80 g/m2 (WOP111) / Canon Oce Office Colour Paper 80 g/m2 (SAT213) / Heavyweight Fine Art Paper (BOX) / Inkjet Greeting Card / Cardstock / Photo Paper Plus Glossy II (PP-208), High Resolution Paper (HR-101 N), Photo Paper Glossy (GP-501), Envelope, Light Fabric Iron Transfers (LF-101), Dark Fabric Iron Transfers (DF 101)	Number of 10x15cm photos Black (BK): 860 photos* Grey (GY): 595 photos* Light Grey (LGY): 965 photos* Cyan (C): 482 photos* Photo Cyan (PC): 275 photos Magenta (M): 610 photos* Photo Magenta (PM): 320 photos Yellow (Y): 295 photos * Estimated Supplemental Yield
Manual Feed	Photo Paper Pro Platinum (PT-101) / Photo Paper Plus Glossy II (PP-201) / Photo Paper Pro Luster (LU-101) / Photo Paper Plus Semi-gloss (SG-201) / Matte Photo Paper (MP-101) / Photo Paper Pro Premium Matte (PM-101) / Premium Fine Art Rough (FA-RG1) / Photo Paper Glossy (GP-501), Light Fabric Iron Transfers (LF-101), Dark Fabric Iron Transfers (DF 101)	Number of A3+ photos Black (BK): 69 photos* Grey (GY): 96 photos* Light Grey (LGY): 139 photos* Cyan (C): 51 photos Photo Cyan (PC): 59 photos* Magenta (M): 77 photos* Photo Magenta (PM): 54 photos Yellow (Y): 55 photos * Estimated Supplemental Yield
Multi-purpose Tray	Printable Nail Sticker (NL-101) / Printable Disk	
PAPER SIZE		
Top Tray (Maximum Number)	A3+ / A3 / A4 / A5 / B4 / B5 / 7"x10" (18x25cm) / 12"x12" (30x30cm) / 4"x6" (10x15cm) / 5"x7" (13x18cm) / 8"x10" (20 x 25cm) / 10"x12" (25x30cm) / Square 5" (127x127 mm) Custom size (width 89 mm - 329 mm, length 127 mm - 990.6 mm) Envelopes (DL, COM10)	USB B Port - Hi-Speed USB Available Network type: SNMP/ HTTP / TCP / IP (IPv4/IPv6) Data rate: 10Mbps/100Mbps (Auto switching) Security: IEEE 802.1X (EAP-TLS/EAP-TTLS/PEAP)
Manual Feed (Maximum Number)	A3+ / A3 / A4 / B4 / 12"x12" (30x30cm) 8"x10" (20 x 25cm) / 10"x12" (25x30cm) Custom size (width 203.2 mm - 330.2 mm, length 254 mm - 990.6 mm)	Available Network type: IEEE 802.11n / IEEE 802.11g / IEEE 802.11b / IEEE 802.11a Frequency Band: 2.4GHz Channel : EUR / EMBU Range: Indoor 50 m ※depends on the transmission speed and conditions Security: WPA-PSK(AES) WPA2-PSK(AES) WPA3-SAE(AES) WPA-EAP(AES)* WPA2-EAP(AES)* WPA3-EAP(AES)*
Multi-purpose Tray	120x120 mm	* IEEE 802.1X (EAP-TLS/EAP-TTLS/PEAP) available
PAPER SIZE (BORDERLESS)		
Paper Size (Borderless)	A3+ / A3 / A4 / 7"x10" (18x25cm) / 12"x12" (30x30cm) / 4"x6" (10x15cm) / 5"x7" (13x18cm) / 8"x10" (20 x 25cm) / 10"x12" (25x30cm) / Square 5" (127x127 mm)	
PAPER HANDLING		
Top Tray	Plain Paper: A4/A5/B5 = 100 B4/A3= 50 Photo Paper Pro Platinum (PT-101): 4"x6" (10x15cm) = 20 A3/A4/ 8"x10" (20 x 25cm) = 10 10"x12" (25x30cm) /A3+ = 1 Photo Paper Plus Glossy II (PP-201): 4"x6" (10x15cm) / Square 5" (127 x127 mm = 20 A3/ A4 / 8"x10" (20 x 25cm) = 10 5"x7" (13x18cm) = 10 A3+ = 1 Photo Paper Pro Luster (LU-101): A4 /A3 = 10 A3+ = 1 Photo Paper Plus Semi-gloss (SG-201): 4"x6" (10x15cm) = 20 A4 /A3/ 5"x7" (13x18cm) / 8"x10" (20 x 25cm) = 10 10"x12" (25x30cm) / A3+ = 1	Windows 7 SP1, Windows 8.1, Windows 10, Windows 11 Windows Server 2008 R2 SP1, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022 Mac OS OS11.7.10 - OS15 Chrome OS - Available
Manual Feed		
Multi-Purpose Tray		
PAPER WEIGHT		
Top Tray		Plain Paper : 64-105 g/m2 Canon Genuine paper (maximum) : approx. 380 g/m
Cassette		-
Manual Feed		Canon Genuine paper (maximum) : approx. 380 g/m, or Paper Thickness 0.1 ~0.6 mm or less
CARTRIDGES AND YIELDS		
Page Yield (4x6" PT-101)		
Page Yield (A3+ PT-101)		
CONNECTIVITY		
Interface		
Wired LAN		
Wireless LAN		
SUPPORTED MOBILE SYSTEMS		
Supported Operating Systems		
Supported Mobile Systems		
SOFTWARE SUPPORT		
Canon Professional Print & Layout		



TECHNICAL SPECIFICATIONS

PIXMA PRO-200S

Adobe Photoshop / Lightroom

PRINT APPLICATIONS & METHODS

Canon PRINT Inkjet/SELPHY

AirPrint

Mopria

Canon Print Service (for Android)

PIXMA Cloud Link WiFi Pictbridge

Supported via Canon PPL Plugin

Available

Available

Available

Available

Available

Available

OPERATION PANEL

Display

Language

3.0 inch/7.5cm LCD(Display Panel, Color)

33 Languages Selectable: Japanese / English
(mm & inch) / German / French / Italian / Spanish /
Dutch / Portuguese / Norwegian / Swedish / Danish /
Finnish / Russian / Czech / Hungarian / Polish /
Slovene / Turkish / Greek / Simplified Chinese /
Traditional Chinese / Korean / Indonesian /
Slovakian / Estonian / Latvian / Lithuanian /
Ukrainian / Romanian / Bulgarian / Thai / Croatian /
Vietnamese

ACOUSTIC NOISE (PC PRINT)

Acoustic Noise

Plain Paper(A4, Color) = Approx. 42.5db
Photo Paper Pro Platinum (PT-101)
(4x6,Color, borderless) = Approx. 42.2db³

Quiet Mode

-

POWER

Power

AC 100 -240 V 50/60 Hz

POWER CONSUMPTION

Standby USB Connection to PC

Approx 1.1 W

Off

Approx. 0.05W

Printing / USB Connection to PC

Approx 17W

Standby All Ports Connected

Approx. 2.3W

Time To Enter Standby Mode

Approx. 3 min 3 sec
<EU only - for ErP Lot 26 regulation>

DIMENSIONS (W x D x H)

Factory Configuration

Approx. 639 x 379 x 200 mm

Output/ADF Trays Extended

Approx. 639 x 837 x 416 mm

WEIGHT

Weight

Approx. 14.1 kg

Footnotes: -

[1] Ink droplets can be placed with a pitch of 1/4800 inch at minimum.

[2] Photo print speed is based on the default setting using ISO/JIS-SGD N2 and does not take into account data processing time on host computer. Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

[3] Acoustic Noise is measured based on ISO7779 standard with default setting.



Canon Ireland
3006 Lake Drive
Citywest, Saggart
Co. Dublin, Ireland
Telephone No: 01 2052400
Facsimile No: 01 2052525
canon.ie

Canon (UK) Ltd
The Bower
4 Roundwood Avenue
Stockley Park
Uxbridge
UB11 1AF

Canon Inc.
canon.com
Canon Europe
canon-europe.com
English edition
Canon Europa NV 2024

**YOUR TRUE COLOURS,
PRINTED TO PERFECTION**

PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.

Sales Start Date: January 2025



Product details

Product Name	Mercury Code	EAN Code	Recommended Retail Price
PIXMA PRO-200S EUM/EMB	6875C009AA	4549292240054	<Please fill in RRP>

Consumables

Product Name	Mercury Code	EAN Code	Recommended Retail Price
CLI-65 BK EUR/OCN	4215C001AA	4549292159226	<Please fill in RRP>
CLI-65 C EUR/OCN	4216C001AA	4549292159257	<Please fill in RRP>
CLI-65 M EUR/OCN	4217C001AA	4549292159288	<Please fill in RRP>
CLI-65 Y EUR/OCN	4218C001AA	4549292159318	<Please fill in RRP>
CLI-65 GY EUR/OCN	4219C001AA	4549292159349	<Please fill in RRP>
CLI-65 P C EUR/OCN	4220C001AA	4549292159370	<Please fill in RRP>
CLI-65 P M EUR/OCN	4221C001AA	4549292159417	<Please fill in RRP>
CLI-65 L GY EUR/OCN	4222C001AA	4549292159448	<Please fill in RRP>

**YOUR TRUE COLOURS,
PRINTED TO PERFECTION**

PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.



Measurement / logistic information

Product Name	Mercury Code	Pack type	Pack description	Quantity per pack	Length (cm)	Width (cm)	Height (cm)	Gross Weight (kg)	Net Weight (kg)
PIXMA PRO-200S EUM/EMB	6875C009AA	EA	Each	1	730	470	350	19.5	14.8
		CT	Carton	6	730	940	1060	118.5	88
		EP	Euro Pallet	6	730	940	1060	118.5	88

**YOUR TRUE COLOURS,
PRINTED TO PERFECTION**

PIXMA PRO-200S

Focused on vibrant colour photo printing, versatility, and usability, PIXMA PRO-200S is the ideal choice for photo enthusiasts and aspiring photographers.



What's in the box

PIXMA PRO-200S

- PIXMA PRO-200S EUM/EMB
- Power cord UK type
- Power cord Pan-European type
- CD-Printing Tray
- Setup software & User's manual CD*

*only for Windows

- Users Guide (E-manual)
- European Warranty System (EWS) A3 Leaflet
- 8 individual ink tanks

