

Product datasheet

Specifications

Schneider OffGrid Portable Solar Panel, 100W



PSP100

Overview

Lead time	Usually in Stock
-----------	------------------

Main

Range of product	Schneider OffGrid
Product or component type	Solar panel
Number of output connectors	(1) DC7909, 20.63 V ,DC, 4.85 A(100 W)

Complementary

Height	55 mm
Length	420 mm
Width	385 mm
Net weight	3.8 kg
Provided equipment	User manual
IP degree of protection	IP65
Charging temperature	-40...176 °F -40...80 °C

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	32.5 cm
Package 1 Width	45.5 cm
Package 1 Length	52.5 cm
Package 1 Weight	15.5 kg
SCC14	10731304736810

Contractual warranty

Warranty	2 years repair or replace
----------	---------------------------

Rates duty January 2016

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
China RoHS Regulation	China RoHS declaration

Use Again

Repack and remanufacture	
Take-back	No

Image of product / Alternate images

Alternative

