MPN: 0070-24246

46" 24/7 Full-HD (4K in 2 x 2) Video Wall 3.5mm bezel



Ernitec 46" Video Wall Display: Elevate Your Visual Experience

Introducing the Ernitec 46" Video Wall Display, designed to support 4K when combining 2x2 displays input for stunning clarity and detail.

This display is perfect for a variety of applications, including security rooms, clubs, shopping malls, hotel lobbies, government facilities, healthcare environments, casinos, and broadcasting.

Key Features:

Ultra-Thin Seam: Enjoy an impressive ultra-thin seam of just 3.5mm, allowing for seamless multi-display setups that create a cohesive visual experience.

Wide Viewing Angle: With a 178-degree viewing angle, this monitor ensures that images remain clear and vibrant from virtually any position.

Versatile Connectivity: Equipped with multiple input options including DP, VGA, HDMI, DVI, making it easy to integrate into your existing systems.

Flexible Display Options: Supports PIP (Picture-in-Picture), PBP (Picture-by-Picture), and QUAD displays, allowing for dynamic content management and presentation.

Multiple Mount Solutions: Designed for easy installation, this display offers various mounting options to fit your specific needs.

Transform your space with the Ernitec 46" Video Wall Display, where cutting-edge technology meets versatility.

Perfect for any environment that demands high-quality visual performance!

Ports:

1 x HDMI In
1 x VGA In
1 x DP In
1 x USB
1 x RJ 45 In
2 x RJ 45 Out
1 x BNC In
1 x BNC Out
1 x DVI In

VESA: 600x400mm
Contains special brackets to fit.

Specifications

Battery	**Battery Weight (g)**	3 g
	Lithium Weight (g)	0.7 g

Design	**Mean time between failures (MTBF)**	50000 h
	Product colour	Black
Display	**Aspect ratio**	16:9
	Display brightness (typical)	500 cd/m²
	Display diagonal	46 "
	Display resolution	1920 x 1080 pixels
	Display technology	DLED
	HD type	Full HD
	Native aspect ratio	16:9
	Response time	5 ms
	Viewing angle, horizontal	178 °
	Viewing angle, vertical	178 °
Ergonomics	**On Screen Display (OSD) languages**	English
	Panel mounting interface	500 x 400 mm
	VESA mounting	Yes
Legal Information	**ADR Information**	UN3091 - Lithium METAL (inside equiment)
	Country of Origin	China
	Tariff No.	8528529100
	UNSPSC Code	43211902
Other features	**Analog signal format system**	PAL, NTSC, SECAM
	Certification	EMC Class A
	Dimensions (WxDxH)	1021 x 123 x 576 mm
	Mounting	VESA mount 500 x 400 mm
	Package dimensions (WxDxH)	1185 x 217 x 745 mm
	Weight	22500 g
Package dimensions	**Depth (package,cm)**	21.7 cm
	Gross Weight (Package, kg)	28 kg
	Height (package,cm)	74.5 cm
	Width (package,cm)	118.5 cm
Performance	**Daisy chain**	Yes
	Operating hours (hours/days)	24/7
Ports & interfaces	**BNC input ports**	1
	DisplayPorts quantity	1
	DVI port	Yes
	DVI-D ports quantity	1
	Ethernet LAN (RJ-45) ports	3
	HDMI	Yes
	HDMI ports quantity	1
	HDMI version	2.0

Ports & interfaces	**USB 2.0 Type-A ports quantity**	1
	VGA (D-Sub) ports quantity	1
Power	**Socket connector type**	C13
Product dimensions	**Net Weight (Product, kg)**	22.5 kg
	Product Depth	12.3 cm
	Product Height	57.6 cm
	Product Width	102.1 cm
Vendor information	**Brand Name**	Ernitec
	Warranty	5 Year(s)

Other products in this series

Display diagonal	
46	0070-24346
55	0070-24455

Other images





