

16 mm Plastic Indicator Light green / solder connection / square

Description

This indicator light by Delock is ideal for installation in control panels, for example in industry, control or regulation technology. Indicator lights can also be found in the automotive industry or the consumer sector.

Please Note

The installation should only be carried out by qualified electricians in compliance with the usual national power supply guidelines. Grounding is necessary for low-voltage systems to ensure the safety and functionality of the system.



Item no. 22056

EAN: 4043619220564

Country of origin: China

Package: Zip poly bag

Technical details

- LED Operating voltage: 12 V
- Load limit: AC 250 V~ / 5 A
- Material: plastic
- Connectors: 2 x solder connection
- Mounting hole: ca. 21 mm
- Shape: square
- Mounting depth: ca. 39 mm
- LED lighting: green
- Protection class: IP40, IP65
- Operating temperature: -25 °C ~ 60 °C
- Dimensions (LxWxH): ca. 42 x 25 x 25 mm

Package content

- Indicator light

Images



General

Mounting type:	Soldering
Protection class:	IP65

Technical characteristics

Load limit:	AC 250 V~ / 5 A
Operating temperature:	-25 °C ~ 60 °C

Physical characteristics

Housing material:	Plastic
Length:	42 mm
Width:	25 mm
Height:	25 mm
Colour:	black silver
Thread type:	M16
LED colour:	green
Mounting hole diameter:	22 mm

Manufacturer information

Street	Beeskowdamm 13/15
Postal code	14167
City	Berlin
Country	Deutschland
E-Mail	info@delock.de
Website	www.delock.de