


Highlights:


- LSHF jacket
- Slim Ø 4.0 diameter
- PoE tested and approved (IEEE 802.3 af)
- Tested up to 600 Mhz
- Thin, flexible and smooth cable jacket
- Time and space saving in rack applications
- Better airflow due to slim design
- Snagless & compact connector
- Multicoloured cables

Product information:

The CSD570 series is a series of Ultra-slim CAT7 U/FTP cables, which come available in a wide variety of lengths and colours. They offer reliable interconnections in various applications, ranging from general-purpose office computer systems to digital AV network systems. The ultra-slim construction with an outer diameter of only Ø 4.0 mm offers an elegant solution for office patch usage while guaranteeing the best possible space-saving and airflow in rack applications. The compact and snagless connector design and numerous variants and colours offer reliable connections and a clear overview when wiring racks for various applications or protocols.



Properties:



Product Features:

Application	AV & IT
Series	Connect Series

Physical Characteristics:

Outer jacket	Material	LSHF 4.0 mm (Ø)
	Colours	Black
		Green
		White
		Blue
		Red
		Yellow
		Grey
		Violet
		Orange
Type of cable		U/FTP CAT7 Networking cable
Connection type		RJ45 male to RJ45 male

Variants:

- CSD570B/0.15 - Black version - 0.15 meter
- CSD570B/0.3 - Black version - 0.3 meter
- CSD570B/0.5 - Black version - 0.5 meter
- CSD570B/1 - Black version - 1 meter
- CSD570B/1.5 - Black version - 1.5 meter
- CSD570B/2 - Black version - 2 meter
- CSD570B/3 - Black version - 3 meter
- CSD570B/5 - Black version - 5 meter
- CSD570B/10 - Black version - 10 meter
- CSD570BU/0.15 - Blue version - 0.15 meter
- CSD570BU/0.3 - Blue version - 0.3 meter
- CSD570BU/0.5 - Blue version - 0.5 meter
- CSD570BU/1 - Blue version - 1 meter
- CSD570BU/1.5 - Blue version - 1.5 meter
- CSD570BU/2 - Blue version - 2 meter
- CSD570G/0.15 - Green version - 0.15 meter
- CSD570G/0.3 - Green version - 0.3 meter
- CSD570G/0.5 - Green version - 0.5 meter
- CSD570G/1 - Green version - 1 meter
- CSD570G/1.5 - Green version - 1.5 meter
- CSD570G/2 - Green version - 2 meter
- CSD570GY/0.15 - Grey version - 0.15 meter
- CSD570GY/0.3 - Grey version - 0.3 meter
- CSD570GY/0.5 - Grey version - 0.5 meter
- CSD570GY/1 - Grey version - 1 meter
- CSD570GY/1.5 - Grey version - 1.5 meter
- CSD570GY/2 - Grey version - 2 meter
- CSD570OR/0.15 - Orange version - 0.15 meter
- CSD570OR/0.3 - Orange version - 0.3 meter
- CSD570OR/0.5 - Orange version - 0.5 meter
- CSD570OR/1 - Orange version - 1 meter
- CSD570OR/1.5 - Orange version - 1.5 meter
- CSD570OR/2 - Orange version - 2 meter
- CSD570R/0.15 - Red version - 0.15 meter
- CSD570R/0.3 - Red version - 0.3 meter
- CSD570R/0.5 - Red version - 0.5 meter
- CSD570R/1 - Red version - 1 meter
- CSD570R/1.5 - Red version - 1.5 meter
- CSD570R/2 - Red version - 2 meter
- CSD570V/0.15 - Violet version - 0.15 meter
- CSD570V/0.3 - Violet version - 0.3 meter
- CSD570V/0.5 - Violet version - 0.5 meter
- CSD570V/1 - Violet version - 1 meter
- CSD570V/1.5 - Violet version - 1.5 meter
- CSD570V/2 - Violet version - 2 meter
- CSD570W/0.15 - White version - 0.15 meter
- CSD570W/0.3 - White version - 0.3 meter
- CSD570W/0.5 - White version - 0.5 meter
- CSD570W/1 - White version - 1 meter
- CSD570W/1.5 - White version - 1.5 meter
- CSD570W/2 - White version - 2 meter
- CSD570Y/0.15 - Yellow version - 0.15 meter
- CSD570Y/0.3 - Yellow version - 0.3 meter
- CSD570Y/0.5 - Yellow version - 0.5 meter

- CSD570Y/1 - Yellow version - 1 meter
- CSD570Y/1.5 - Yellow version - 1.5 meter
- CSD570Y/2 - Yellow version - 2 meter