



MORE INFORMATION



MANUAL



All materials are compatible  
with RoHS requirements.

ENGINEERED WITH PASSION




# Xtender

Premium E-ATX PC Case



# Xtender VG

Premium E-ATX PC Case with Vertical GPU Mounting



| General Specifications        |                                                                           |                                  |
|-------------------------------|---------------------------------------------------------------------------|----------------------------------|
| Warranty                      | 6 Years                                                                   |                                  |
| Operating Ambient Temperature | 0–40 °C                                                                   |                                  |
| Net Weight                    | 15.4 kg                                                                   |                                  |
| Volume                        | 64 l                                                                      |                                  |
| Dimensions                    | 529 (L) x 231 (W) x 529 (H) mm                                            |                                  |
| Motherboard Support           | up to E-ATX (285 mm wide)                                                 |                                  |
| Fan Support                   | Top                                                                       | 3x 120 mm   3x 140 mm            |
|                               | Side                                                                      | 3x 120 mm   3x 140 mm (included) |
|                               | Rear                                                                      | 2x 120 mm (included)             |
| Radiator Support              | Top                                                                       | up to 360/420 mm                 |
|                               | Side                                                                      | up to 360/420 mm                 |
| CPU Cooler                    | up to 171 mm                                                              |                                  |
| PSU                           | ATX up to 318 mm (200 mm with HDD Cage)                                   |                                  |
| GPU                           | up to 482 mm (337 mm with Side Radiator)                                  |                                  |
| Front I/O                     | USB-C (USB 3.2 Gen2x1 – 10 Gbps)                                          |                                  |
|                               | 2x USB-A (USB 3.2 Gen1x1 – 5 Gbps)                                        |                                  |
|                               | 3.5 mm Jack (Line-In/Out)                                                 |                                  |
|                               | Power Button                                                              |                                  |
| Drive Bays                    | Behind the Mainboard Tray: 3x 2,5"<br>HDD Cage: 2x 3,5" or 2,5" + 1x 2,5" |                                  |
| PCI Slots                     | 7                                                                         |                                  |
| Cable Management Space        | 35 mm                                                                     |                                  |
| Dust Filters                  | Top, Right Side                                                           |                                  |

### PSU RGB Stripe Specifications

|                   |                           |
|-------------------|---------------------------|
| LEDs              | 24 x A-RGB Gen 2 LEDs     |
| Current   Voltage | 0.40A   5VDC              |
| Connector         | 3-Pin A-RGB Plug + Socket |


| Fan Specification                        |                           |
|------------------------------------------|---------------------------|
| 2x P12 Pro A-RGB (Pre-Installed at Rear) |                           |
| Speed                                    | 600–3000 rpm              |
| Air Flow                                 | 77 cfm   131 m³/h         |
| Static Pressure                          | 6.9 mmH <sub>2</sub> O    |
| Bearing                                  | Fluid Dynamic Bearing     |
| Current   Voltage                        | 0.33 A   12 V DC          |
| Connector                                | 4-Pin Fan Plug + Socket   |
| RGB Specifications                       |                           |
| LEDs                                     | 12x A-RGB Gen 2 LEDs      |
| Current   Voltage                        | 0.40A   5VDC              |
| Connector                                | 3-Pin A-RGB Plug + Socket |

| Fan Specification                                |                           |
|--------------------------------------------------|---------------------------|
| 3x P14 Pro Reverse A-RGB (Pre-Installed at Side) |                           |
| Speed                                            | 400–2650 rpm              |
| Airflow                                          | 98 cfm   166.5 m³/h       |
| Static Pressure                                  | 5.1 mmH <sub>2</sub> O    |
| Bearing                                          | Fluid Dynamic Bearing     |
| Current   Voltage                                | 0.40 A   12 V DC          |
| Connector                                        | 4-Pin Fan Plug + Socket   |
| RGB Specifications                               |                           |
| LEDs                                             | 12 x A-RGB Gen 2 LED      |
| Current   Voltage                                | 0.40 A   5 V DC           |
| Connector                                        | 3-Pin A-RGB Plug + Socket |

### Only VG versions

| Vertical GPU Mounting Kit Specification |                                         |
|-----------------------------------------|-----------------------------------------|
| Dimensions                              | 196 (L) x 153 (W) x 140 (H) mm          |
| Supported Graphics Cards                | Up to 482 mm Length and 3-Slot Mounting |
| Compatibility                           | PCIe 4.0 and Backward Compatible        |
| Riser Cable                             | 160 mm, PCIe 4.0 x16                    |
| PCI Slots Required                      | 7                                       |

## Dimensions



## Variants

| SKU         | Name                      | Side and Front Glass | Color | GPU Vertical Mount |
|-------------|---------------------------|----------------------|-------|--------------------|
| ACPCC00015A | Xtender (Black)           | Tinted               | Black | -                  |
| ACPCC00014A | Xtender (White)           | Clear                | White | -                  |
| ACPCC00018A | Xtender (Mirror Black)    | Mirrored             | Black | -                  |
| ACPCC00016A | Xtender VG (Black)        | Tinted               | Black | Pre-Installed      |
| ACPCC00017A | Xtender VG (White)        | Clear                | White | Pre-Installed      |
| ACPCC00019A | Xtender VG (Mirror Black) | Mirrored             | Black | Pre-Installed      |

## Xtender

## Xtender VG

Black



White



Mirror Black



**Shipping Information Xtender (Black)**

|               |                                |
|---------------|--------------------------------|
| Box Dimension | 624 (L) x 327 (W) x 637 (H) mm |
| Gross Weight  | 16.8 Kg                        |
| SKU           | ACPCC00015A                    |
| EAN           | 4895265000300                  |
| UPC           | 840033402965                   |

**Shipping Information Xtender (White)**

|               |                                |
|---------------|--------------------------------|
| Box Dimension | 624 (L) x 327 (W) x 637 (H) mm |
| Gross Weight  | 16.8 Kg                        |
| SKU           | ACPCC00014A                    |
| EAN           | 4895265000294                  |
| UPC           | 840033402972                   |

**Shipping Information Xtender (Mirror Black)**

|               |                                |
|---------------|--------------------------------|
| Box Dimension | 624 (L) x 327 (W) x 637 (H) mm |
| Gross Weight  | 16.8 Kg                        |
| SKU           | ACPCC00018A                    |
| EAN           | 4895265000577                  |
| UPC           | 840033403245                   |

**Shipping Information Xtender VG (Black)**

|               |                                |
|---------------|--------------------------------|
| Box Dimension | 624 (L) x 327 (W) x 637 (H) mm |
| Gross Weight  | 16.8 Kg                        |
| SKU           | ACPCC00016A                    |
| EAN           | 4895265000485                  |
| UPC           | 840033403153                   |

**Shipping Information Xtender VG (White)**

|               |                                |
|---------------|--------------------------------|
| Box Dimension | 624 (L) x 327 (W) x 637 (H) mm |
| Gross Weight  | 16.8 Kg                        |
| SKU           | ACPCC00017A                    |
| EAN           | 4895265000492                  |
| UPC           | 840033403160                   |

**Shipping Information Xtender VG (Mirror Black)**

|               |                                |
|---------------|--------------------------------|
| Box Dimension | 624 (L) x 327 (W) x 637 (H) mm |
| Gross Weight  | 16.8 Kg                        |
| SKU           | ACPCC00019A                    |
| EAN           | 4895265000584                  |
| UPC           | 840033403252                   |