

351030 Wireless 2D 2.4GHz + Bluetooth Barcode Scanner, with Charging Stand

Product Images



Multiple Compatibility Systems

Work with Windows, Mac OS, Android and Linux



Image CMOS Scanning



Codes on PC screen

Supports most of 2D / 1D barcodes

Support Barcode on Screen



Codes on PC screen



Features



Short Description


- Wireless Dual Mode 2.4Ghz + Bluetooth
- 2D CMOS IMAGE (640 x 480 Pixels)
- High-Resolution Imaging: Captures sharp and detailed images for accurate decoding.
- Precise scanning of 1D & 2D barcodes, (barcodes & QR code)
- Efficiently deciphers linear barcodes for retail and inventory management.
- Durable Construction: Robust design to withstand daily use and potential drops.
- Protected and water-resistant (IP54).
- Wide Scan Range: Reads barcodes from various distances and angles.
- Multiple Scanning Modes: Options for manual, continuous, Auto-induction mode scanning.
- Plug-and-play functionality for quick setup
- Pairing ability base station support up to 4 scanners connection
- Memory save over 2,000 scans data (@ barcode length < 15 bytes)
- Build in battery 3.7V 1500mAh Li-ion.
- Working time : around 20hours, Standby: 3 months.
- With Charging station included

- **Please charging Barcode Scanner battery before using.

Description

The Equip Wireless 2.4Ghz + Bluetooth Dual Mode 2D Barcode Scanner with Charging Stand is a versatile and efficient scanning solution suitable for various industries. With its wireless functionality, it provides freedom of movement, making it ideal for applications in retail, warehousing, and inventory management. The included stand enables hands-free operation, enhancing productivity and reducing user fatigue.

This scanner offers exceptional performance and connectivity options, ensuring seamless integration into your existing systems. Its 2D scanning capability allows it to read a wide range of barcodes, including QR codes and Datamatrix, ensuring efficient data capture. Whether you need to scan barcodes on products, shelves, or packages, this scanner simplifies the process, streamlining operations and improving accuracy.



Additional Information

Harmonized System (HS) code.	847190
Customs product code (TARIC).	8471900000
Supported Barcode Type.	1D, 2D
Decoding Type 1D.	Code 128、EAN-13、EAN-8、Code 39、UPC-A、UPC-E、Codabar、Interleaved 2 of 5、Industrial 2 of 5、Standard 2 of 5、Matrix 2 of 5、ISBN/ISSN、Code 93、codeUCC/EAN-128、GS1 Databar、Code39、Code11、MSI-Plessey、Plessey
Decoding Type 2D.	PDF417、QR Code、Data Matrix
Depth of Field.	EAN13 (13mil) 35mm~210mm PDF417 (6.67mil) 30mm~180mm QR Code (screen) 50mm~600mm QR Code (15mil) 30mm~350mm
Light Source (color).	WHITE LED
Protection.	IP54
Scan Angle.	Roll : 360°, Pitch : ±30°, Skew : ±35°
Scan Distance.	1500mm
Scan Speed.	220 Scans / per sec
Trigger Mode.	Manual, Continuous Scan
Connection mode.	2.4GHz Wireless, Bluetooth
Approval and Compliance.	CE, REACH, RoHS
Operating humidity.	5% RH ~ 95% RH
Operating temperature.	-20°C ~ 60°C
Compatible operating systems.	WIN XP/7/8/9/10 Android IOS LINUX
Storage temperature.	-40°C ~ 90°C
Package Contents.	Barcode Scanner Quick Installation Guide Charging Stand connection cable
Color.	Black
EAN.	4015867243626
Model Number.	351030

Dimensions (W x D x H).	78 x 124 x 188 mm
Product weight (kg).	0.312
Wireless connection.	Yes
Battery capacity (mAh).	1500
Battery capacity (Wh).	5.55
Battery type.	Lithium-ion
Battery voltage.	3.7V
Material.	ABS
Power supply.	USB
Resolution.	≥ 4mil for 1D ≥ 5mil for 2D

