

SYSTEM SPECIFICATION

**Built for work
that doesn't
wait.**



Xerox® C300
Colour Printer



Xerox® C303a Colour
Multifunction Printer



Xerox® C305ae Colour
Multifunction Printer



SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



PRINT (UP TO:)

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Simplex Speed ¹ – A4 Colour, B&W (Up To:)	30 pages per minute (ppm)		
Duplex Speed ¹ – A4 Colour, B&W (Up To:)	15 images per minute (ipm)		
Monthly Duty Cycle ² (Up To:) Pages Per Month	75,000		
Recommended Average Monthly Print Volume (Up To:) Pages Per Month	5,000		
Processor Speed/Memory	1 GHz 1 GB RAM Optional 128 GB Intelligent Storage Drive (ISD)	1 GHz 1 GB RAM Optional 128 GB Intelligent Storage Drive (ISD)	1.2 GHz 2 GB RAM Optional 128 GB Intelligent Storage Drive (ISD)
Connectivity	Hi-Speed USB 2.0 (Type B) Gigabit Ethernet, Wireless 802.11a/b/g/n/ac + Apple iBeacon	Hi-Speed USB 2.0 (Type B rear; Type A front) Gigabit Ethernet, Wireless 802.11a/b/g/n/ac + Apple iBeacon	Hi-Speed USB 2.0 (Type B rear; Type A front & rear) Gigabit Ethernet, Wireless 802.11a/b/g/n/ac + Apple iBeacon
Imaging Technology	Colour Laser		

PRINT AND COPY

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Print Resolution	4,800 Colour Quality (2,400x600 dpi)	4,800 Colour Quality (2,400x600 dpi)	4,800 Colour Quality (2,400x 600 dpi) 1,200x1,200 dpi (Max)
Copy Resolution (Up To:)	N/A	600x600 dpi	
First-print-out Time (As Fast As:)	8.3 B&W/8.6 colour (seconds)		
First-copy-out Time (As Fast As:)	N/A	8.1 B&W/8.5 colour (seconds)	
Page Description Languages	PostScript® 3 Emulation, PCL® 6 Emulation, PCL® 5 Emulation, PCL® m, and PDF		
Print Features	One-touch UI, Print Quality, Normal, Secure, Saved and Sample Set Job Types, Duplex, Orientation, Collation, Print Job ID in Margins, Draft Mode, N-up, Booklet Layout, Watermark, Tray and Toner Status, Rotate Image 180 Degrees, Saved Settings, Earth Smart Settings		

MOBILE- AND CLOUD-READY

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Mobile Printing	Apple AirPrint™, Mopria® Print Service, Chromebook, Wi-Fi Direct®		
Mobile Scanning	Apple AirPrint™, Mopria® Scan Service		
Xerox® Workplace Suite and Xerox® Workplace Cloud	Yes		
Cloud Connectivity	Yes (via the Xerox® Print and Scan Experience App)		

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



SCAN

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Destinations	N/A	Email, Front-side USB drive, File Transfer Protocol (FTP), Network or USB-connected Computer, Windows Network Folder	
File Formats	N/A	Scan Formats: PDF (Searchable PDF available via Xerox® Print and Scan Experience), TIFF, JPEG, PNG	

FAX

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Standard Features	N/A	MH/MR/MMR/JBIG/JPEG Compression, Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book, Fax Forward, which includes: Fax, Email, FTP, Network Folder, Called Number	

PRINT DETAILS

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
First-print-out Time – (B&W) (As Fast As:)	8.3 seconds		
First-print-out Time – Colour (As Fast As:)	8.6 seconds		
Warm-up from Off/Hibernate	70 seconds	80 seconds	70 seconds
Resolution	4,800 Colour Quality (2,400x600 dpi)	4,800 Colour Quality (2,400x600 dpi)	4,800 Colour Quality (2,400x600 dpi) 1,200x1,200 dpi (Max)
Page Description Languages	PostScript® 3 Emulation, PCL® 6 Emulation, PCL® 5 Emulation, PCL® m, and PDF		
Unprintable Page Margin	Print: 4.2 mm from each edge	Print: 4.2 mm from each edge; Copy: 3 mm from each edge	
Print from USB	File Formats: Microsoft® Office Formats (Word, Excel, PPT), PDF, Image Formats (JPEG, TIFF, GIF, BMP, PNG, PCX). Options available to configure prints from USB: Paper source, print blank pages, collate, two-sided printing, pages per side orientation, separator sheets, pages per side, pages per side ordering.		
Print Driver Types/Operating Systems	Windows® 11, Windows® 10, Windows® Server 2025, Windows® Server 2022, Windows® Server 2019, Windows® Server 2016, macOS 26, macOS 15, macOS 14, Microsoft Universal Print with Print Support Application. For the latest information about supported Operating Systems, please visit our Drivers & Downloads page and specify your device at www.support.xerox.co.uk .		
Network Protocols	TCP/IP: HTTP/HTTPS, IPP, LPR/LDP, Raw Socket Printing/Port 9100, IPv4/IPv6, MS Web Services WSD-Print, 802.1x, Simple Network Management Protocol (SNMP), ThinPrint, Microsoft Universal Print, Bonjour		
Font Capability	PCL® 6 94 Scalable Fonts, 2 Bitmapped PS Emulation, 163 Scalable Fonts		

*Driver support only available via Lexmark Universal Print Drivers

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



COPY DETAILS

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
First-copy-out Time – B&W (As Fast As:)	N/A	8.1 seconds	
First-copy-out Time – Colour (As Fast As:)	N/A	8.5 seconds	
Simplex Speed (Up To:)	N/A	30 ppm A4 (Colour and B&W)	
Duplex Speed (Up To:)	N/A	15 ipm A4 (Colour and B&W)	
Sides (Input/Output)	N/A	1:1, 1:2, 2:1, 2:2	
Quantity	N/A	1–9,999	
Concurrency	N/A	Yes (Copy while printing)	
Copy Features	N/A	Copy From Size; Copy To Size; Scale 25% to 400%; Darkness/Lightness; Sides 1:1, 1:2, 2:1, 2:2; Duplex; Collate; Content Type (Text, Text/Photo, Photo, Graphics). Create Shortcut; Colour; Paper Setup; Advanced Imaging, Auto Centre, Background Removal, Contrast, Scan Edge to Edge, Saturation, Colour Balance, Edge Erase; Header/Footer; Margin Shift; Overlay; Pages Per Side (2 Pages Per Side, 4 Pages Per Side); Separator Sheets (Between Pages, Between Copies, Between Jobs); Separator Sheet Source	

FAX DETAILS

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Fax Speed	N/A	33.6 Kbps	
Memory	N/A	18 MB	
Resolution (dpi)	N/A	B&W standard: 200x100 send, 200x100, 204x98 receive; B&W fine: 200x200 send, 200x200, 204x196 receive; B&W superfine: 300x300 send, 300x300, 204x391 receive; B&W ultrafine: 600x600 send, 600x600, 400x400, 408x391 receive; Colour fine: 200x200 send, 200x200 receive; Colour superfine: 300x300 send, 300x300, 400x400 receive	
Fax Features	N/A	Auto Answer, Auto Redial, Auto Reduction, Broadcast Send, Junk Fax Filter, Fax Address Book	
Fax Forward Destinations	N/A	Fax, Email, FTP, Network Folder, Called Number	

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



SCAN DETAILS

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303a COLOUR MULTIFUNCTION PRINTER	XEROX® C305ae COLOUR MULTIFUNCTION PRINTER
Technology	N/A	Colour Flatbed Scanner with Single-pass DADF, Contact Image Sensor (CIS)	
Capability	N/A	Single-pass DADF, up to 50 sheets of 75 gsm	
Concurrency	N/A	Yes (Scan while printing)	
Input Speed – Colour (Up To:)	N/A	21/20 ipm Simplex A4, 40 ipm Duplex A4	
Input Speed – B&W (Up To:)	N/A	46 ipm Simplex A4, 92 ipm Duplex A4	
Resolution (Up To:)	N/A	600x600 dpi	
Resolution (dpi)	N/A	75x75, 150x150, 200x200, 300x300, 400x400, 600x600	
Maximum Scan Area – Automatic Document Feeder (ADF)	N/A	8.5x14 in	
Maximum Scan Area (ADF)	N/A	216x356 mm	
Maximum Scan Area (Platen)	N/A	8.5x11.7 in	
Maximum Scan Area (Platen)	N/A	216x297 mm	
Media Weight (ADF)	N/A	60–90 gsm	
Network Filing Protocol	N/A	FTP, Secure File Transfer Protocol (SFTP), Server Message Block (SMB), USB, Windows Network Folder	
File Formats	N/A	TIFF, JPEG, PDF (OCR available through the Xerox® Print and Scan Experience App for Windows)	
Scan Driver Compatibility	N/A	TWAIN, WIA, ICA	
Scan File Compression Options	N/A	PDF: 1 bit – CCIT G4, ZLIB (Flate), MRC* 8/24 bit – JPEG, ZLIB (Flate), MRC* TIFF: 1 bit – CCITT G4, LZW, Packbits 8/24 bit – LZW, JPEG, Packbits JPG: 8/24 bit – JPEG *Note: MRC is available only if ISD is installed.	
Supported Scan Destinations	N/A	Email, Front-side USB Drive, FTP, LDSS, Network or USB-connected Computer, Windows Network Folder	

DEVICE MANAGEMENT

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Device Management	Xerox® Easy Assist App, Remote Operator Panel, Xerox® Embedded Web Server		
Xerox® CentreWare® Web Software	Yes		

ACCESSIBILITY

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Accessibility	N/A	N/A	Voice guidance available via speaker or headphone jack

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



SECURITY

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Security Protocols/Features	Hardware-enabled Post-Quantum Cryptography, Digitally Signed Firmware Updates, Trusted Platform Module (TPM 2.0) (C305ae only), WPA3, TLS 1.3, OpenSSL cryptographic module validated to FIPS 140-3, Certificate Management, Secure Password Reset, TCP Connection Filtering, Port Filtering, Access Controls, Confidential Print, Non-Volatile Memory Wipe, Fax/Network Separation, Protected USB Ports, Auto-insertion of Sender's Email Address, Login Restrictions, Audit Log, Syslog		
WI-FI SECURITY			
Authentication and Encryption Methods	802.11 b/g/n/ac, Infrastructure (BSS) Mode, WEP Encryption (64 and 128-bit keys), WPA2/WPA Personal AES PSK, WPA2-Personal, WPA3-Personal, WPA2/WPA3-Personal, 802.1x: EAP-MD5, EAP-MSCHAPv2, EAP-TLS, EAP-TTLS (CHAPS/IMSCHASPV2/PAP), LEAP, PEAP		

PAPER HANDLING

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
SINGLE-PASS DUPLEX AUTOMATIC DOCUMENT FEEDER (DADF)			
Capacity ³	N/A	50 sheets of 75 gsm	
Minimum Media Size	N/A	4.13x5.83 in	
Minimum Media Size	N/A	105x148 mm	
Maximum Media Size	N/A	8.5x14 in	
Maximum Media Size	N/A	216x356 mm	
Minimum to Maximum Media Weights	N/A	60–90 gsm	
PLATEN			
Maximum Media Size	N/A	8.5x11.7 in	
Maximum Media Size	N/A	216x297 mm	
MANUAL FEED SLOT			
Standard/Optional	Standard		
Capacity	1 sheet		
Minimum Media Size	3.7x5.83 in		
Minimum Media Size	94x148 mm		
Maximum Media Size	8.5x14 in		
Maximum Media Size	216x356 mm		
Minimum to Maximum Media Weights	60–200 gsm (simplex)/60–105 gsm (duplex)		
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Cardstock, Envelopes, Labels, Recycled, Glossy, Heavy Glossy, Bond, Rough Envelope, Letterhead, Preprinted, Coloured Paper, Rough/Cotton, Custom Type		
MAIN TRAY			
Capacity ³	250 sheets of 75 gsm		
Minimum Media Size	3.7x5.83 in		
Minimum Media Size	94x148 mm		
Maximum Media Size	8.5x14 in		

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



MAIN TRAY	
Maximum Media Size	216x356 mm
Minimum to Maximum Media Weight	60–162 gsm (simplex)/60–105 gsm (duplex)
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Cardstock, Envelopes, Labels, Recycled, Glossy, Heavy Glossy, Bond, Rough Envelope, Letterhead, Preprinted, Coloured Paper, Rough/Cotton, Custom Type
2 X OPTIONAL 250-SHEET TRAYS	
Capacity ³	250 sheets of 75 gsm
Minimum Media Size	3.7x5.83 in
Minimum Media Size	94x148 mm
Maximum Media Size	8.5x14 in
Maximum Media Size	216x356 mm
Minimum to Maximum Media Weight	60–200 gsm (simplex)/60–105 gsm (duplex)
Media Types Supported	Light Paper, Plain Paper, Heavy Paper, Cardstock, Envelopes, Labels, Recycled, Glossy, Heavy Glossy, Bond, Rough Envelope, Letterhead, Preprinted, Coloured Paper, Rough/Cotton, Custom Type

STANDARD/MAXIMUM INPUT CAPACITY	
Standard Input Capacity ³	251
Maximum Input Capacity ³	751
OUTPUT CAPACITY	
Output Capacity	100

DEVICE SPECIFICATION			
SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
ELECTRICAL REQUIREMENTS			
North America	Voltage: 110–127 VAC +/-10%; Current: 10 A. Frequency: 57–63 Hz		
Europe	Voltage: 220–240 VAC +/-10%; Current: 5 A. Frequency: 47–53 Hz		
POWER CONSUMPTION			
Printing (Average)	Simplex: 432 W; Duplex: 270 W	Simplex: 436 W; Duplex: 272 W	Simplex: 432 W; Duplex: 274 W
Typical Electricity Consumption (kWh)	0.34	0.35	
Ready Mode	14.5 W	16.4 W	17.5 W
Sleep Mode	0.8 W	0.8 W	
OPERATING ENVIRONMENT AND ACOUSTICS			
Required Temperature Range	10 to 32.2°C		
Required Relative Humidity (RH)	15 to 80% RH		
Sound Power Levels Operating	6.7 Bels(A) or less		
Standby	3.1 Bels(A) or less		
Sound Pressure Levels Operating	53 dB(A)		
Standby	14 dB(A)		

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



DIMENSIONS AND WEIGHTS

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
C300/C303a/C305ae (Engines Unpackaged)	Width: 411 mm Depth: 400 mm Height: 244 mm Weight: 16.6 kg	Width: 411 mm Depth: 400 mm Height: 345 mm Weight: 19.8 kg	Width: 411 mm Depth: 402 mm Height: 345 mm Weight: 20.2 kg
250-sheet Tray (Unpackaged)	Width: 411 mm Depth: 381 mm Height: 88 mm Weight: 3.4 kg		
Adjustable Printer Stand (Unpackaged)	Width: 597 mm Depth: 597 mm Height: 584 mm Weight: 18.4 kg		
Swivel Cabinet (Unpackaged)	Width: 476 mm Depth: 600 mm Height: 262 mm Weight: 20.0 kg		
C300/C303a/C305ae (Engines Packaged)	Width: 515 mm Depth: 550 mm Height: 370 mm Weight: 20.5 kg	Width: 515 mm Depth: 560 mm Height: 450 mm Weight: 24.5 kg	Width: 515 mm Depth: 560 mm Height: 450 mm Weight: 25 kg
250-sheet Tray (Packaged)	Width: 440 mm Depth: 470 mm Height: 163 mm Weight: 4.4 kg		
Adjustable Printer Stand (Packaged)	Width: 655 mm Depth: 655 mm Height: 650 mm Weight: 22.8 kg		
Swivel Cabinet (Packaged)	Width: 700 mm Depth: 570 mm Height: 335 mm Weight: 24.3 kg		

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



INSTALLATION CONSIDERATIONS

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Ventilation clearance requirements. The table below shows the area needed on each side for correct installation.			
Top	10.2 cm	30.5 cm	
Rear	10.2 cm	10.2 cm	
Left	7.2 cm	7.2 cm	
Right	7.2 cm	7.2 cm	
Front	7.2 cm	7.2 cm	

SYSTEM CERTIFICATION/REGULATORY COMPLIANCE

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
Certifications	To view the latest list of certifications, go to www.xerox.co.uk/office/latest/XOGFS-14E.pdf .		

WHAT'S IN THE BOX

SYSTEM SPECIFICATION	XEROX® C300 COLOUR PRINTER	XEROX® C303A COLOUR MULTIFUNCTION PRINTER	XEROX® C305AE COLOUR MULTIFUNCTION PRINTER
All items contained in the box	Xerox® C300 Colour Printer Power Cord Installation Guide Product Safety Sheet One of Each Print Cartridge (Cyan, Magenta, Yellow): 1,200 Print Capacity ⁴ ; Black Cartridge: 1,300 Print Capacity ⁴	Xerox® C303a Colour MFP Power Cord Installation Guide Product Safety Sheet One of Each Print Cartridge (Cyan, Magenta, Yellow): 1,200 Print Capacity ⁴ ; Black Cartridge: 1,300 Print Capacity ⁴	Xerox® C305ae Colour MFP Power Cord Installation Guide Product Safety Sheet One of Each Print Cartridge (Cyan, Magenta, Yellow): 1,200 Print Capacity ⁴ ; Black Cartridge: 2,000 Print Capacity ⁴

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



SUPPLIES AND ACCESSORIES	PART NUMBER
SYSTEM SPECIFICATION	
Genuine Xerox Black Standard Capacity Toner Cartridge, 1,300 Pages ⁴	006R05055
Genuine Xerox Cyan Standard Capacity Toner Cartridge, 1,200 Pages ⁴	006R05056
Genuine Xerox Magenta Standard Capacity Toner Cartridge, 1,200 Pages ⁴	006R05057
Genuine Xerox Yellow Standard Capacity Toner Cartridge, 1,200 Pages ⁴	006R05058
Genuine Xerox Black High Capacity Toner Cartridge, 3,000 Pages ⁴	006R05075
Genuine Xerox Cyan High Capacity Toner Cartridge, 2,500 Pages ⁴	006R05076
Genuine Xerox Magenta High Capacity Toner Cartridge, 2,500 Pages ⁴	006R05077
Genuine Xerox Yellow High Capacity Toner Cartridge, 2,500 Pages ⁴	006R05078
Genuine Xerox Black Extra High Capacity Toner Cartridge, 6,200 Pages ⁴	006R05095
Genuine Xerox Cyan Extra High Capacity Toner Cartridge, 6,400 Pages ⁴	006R05096
Genuine Xerox Magenta Extra High Capacity Toner Cartridge, 6,400 Pages ⁴	006R05097
Genuine Xerox Yellow Extra High Capacity Toner Cartridge, 6,400 Pages ⁴	006R05098
Genuine Xerox Waste Toner Bottle, 15,000 Pages ⁵	008R08165

OPTIONAL ACCESSORIES	PART NUMBER
SYSTEM SPECIFICATION	
250-sheet Tray	097S05292
Intelligent Storage Drive (ISD)	097S05314
Card Reader (USB Contactless Front Reader TWN4 MultiTech-P LEGIC) [#]	497K26210
Card Reader (USB Contactless Front Reader TWN MultiTech-PI) [#]	497K25970
Swivel Cabinet	097S05316
Adjustable Printer Stand	097S05315

*Product availability varies by country.

SYSTEM SPECIFICATION

Xerox® C300 Colour Printer and
Xerox® C303a/C305ae Colour Multifunction Printers*



¹ Declared print speed in accordance with ISO/IEC 24734.

² Maximum volume capacity expected in any one month. Not expected to be sustained on a regular basis.

³ Paper capacities are based on 75 gsm stock; capacities will vary with different weight stocks.

⁴ Average standard pages. Declared yield in accordance with ISO/IEC 19798. Yield will vary based on image, area coverage and job run length.

⁵ Waste Toner Bottle yield will vary depending on image, area coverage and job run length.

For more information, visit us at www.xerox.co.uk/office.

*Product availability varies by country. Visit www.xerox.co.uk or contact your local Xerox representative for details.

© 2026 Xerox Corporation.

© 2026 Xerox Corporation. All rights reserved. Xerox®, CentreWare®, the Xerox logo and spark graphic are trademarks of XRX Brandco LLC in the United States and/or other countries. The information in this brochure is subject to change without notice.

06/26 TSK-7925 BR42608 C30SS-02EA

