
Product family datasheet

SPECIAL T/FRIDGE

Incandescent lamps, tubular shape, for fridge lighting



Areas of application

- Domestic refrigerators
- Sewing machines




Product family datasheet

Technical data


Product description	Electrical data						Photometrical data		Light technical data
	Nominal wattage	Nominal voltage	Rated wattage	Nominal wattage	Rated wattage	Power factor λ	Luminous flux	Nominal luminous flux	Starting time
SPC.T CL 15 W 230 V E14	15.00 W	230 V	15.00 W	15.00 W	15.00 W		90 lm	90 lm	0.0 s
SPC.T CL 15 W 230 V E14	15.00 W	230 V			15.00 W	1.00	90 lm	90 lm	
SPC.T CL 25 W 230 V E14	25.00 W	230 V			25.00 W	1.00	160 lm	160 lm	
SPC.T FR 15 W 230 V E14	15.00 W	230 V			15.00 W	1.00	90 lm	90 lm	
SPC.T FR 25 W 230 V E14	25.00 W	230 V			25.00 W		160 lm	160 lm	

Product description	Starting time	Dimensions & weight	Lifespan			Country specific categorizations
		Length	Nominal lamp life time	Rated lamp life time	Rated lamp life time	ILCOS
SPC.T CL 15 W 230 V E14	0.0 s	54.0 mm	1500 h	1500 h	1500 h	IBT/C-15-230-E14-17
SPC.T CL 15 W 230 V E14	0.0 s	55.0 mm	1000 h	1000 h		IBT/C-15-230-E14-26
SPC.T CL 25 W 230 V E14	0.0 s	55.0 mm	1000 h	1000 h		IBT/C-25-230-E14-26
SPC.T FR 15 W 230 V E14	0.0 s	55.0 mm	1000 h	1000 h		IBT/F-15-230-E14-26
SPC.T FR 25 W 230 V E14	0.0 s	55.0 mm	1000 h	1000 h		IBT/F-25-230-E14-26


Product family datasheet



SPC.T CL 15 W 230 V E14



SPC.T CL 15 W 230 V E14, SPC.T CL 25 W 230 V E14



SPC.T FR 15 W 230 V E14, SPC.T FR 25 W 230 V E14

Application advice

For more detailed application information and graphics please see product datasheet.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300066639	SPC.T CL 15 W 230 V E14	Shipping carton box 50	204 mm x 78 mm x 110 mm	1.75 dm ³	476.00 g
4050300310282	SPC.T CL 15 W 230 V E14	Shipping carton box 100	275 mm x 139 mm x 138 mm	5.28 dm ³	1430.00 g

Product family datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4050300309637	SPC.T CL 25 W 230 V E14	Shipping carton box 100	285 mm x 140 mm x 150 mm	5.99 dm ³	1301.00 g
4050300003085	SPC.T FR 15 W 230 V E14	Shipping carton box 100	275 mm x 141 mm x 138 mm	5.35 dm ³	1490.00 g
4050300323596	SPC.T FR 25 W 230 V E14	Shipping carton box 100	285 mm x 140 mm x 150 mm	5.99 dm ³	1331.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM GMBH is distribution partner
of LEDVANCE for Digital Lighting
Systems and Components

OSRAM

OSRAM GmbH
Marcel-Breuer-Strasse 6
80807 Munich, Germany