119396 DisplayPort 1.2 to HDMI Adapter Cable, DP Male to HDMI Male, 2m, HDR, 4K 60Hz, Gold-Plated, Unidirectional

Product Images


















Short Description

- **Connector Type:** DisplayPort Male to HDMI Male.
- **Max Resolution:** Supports up to 4K 60Hz (3840 × 2160 @ 60 Hz).
- **Video features:** Supports HDR and HDCP 1.4/2.2 for protected 4K content.
- **Bandwidth:** Data rates up to 18Gbps for stable video transmission.
- **Direction:** Unidirectional from DisplayPort source to HDMI display.
- **Build Quality:** Gold-plated connectors for better signal and durability.
- **Compatibility:** Suitable for PCs, laptops, graphics cards, monitors, TVs, and projectors.
- **Plug-and-play setup:** Works instantly with no extra steps.
-

Description

The equip® 119396 DisplayPort to HDMI Adapter Cable provides a simple, direct way to connect a DisplayPort-enabled computer to an HDMI display such as a monitor, TV, or projector. With DisplayPort Male to HDMI Male connectors and a 1m cable length, it is ideal for workstations, home entertainment, classrooms, and meeting rooms where you need a reliable video link.

Supporting resolutions up to 4K 60Hz and data rates up to 18Gbps, this cable delivers crisp, detailed images and smooth playback, while gold-plated connectors help maintain signal integrity and reduce interference. Designed as a unidirectional cable from DisplayPort source to HDMI display, it offers true plug-and-play installation without the need for drivers or external power.

Additional Information

Harmonized System (HS) code.	85444
Customs product code (TARIC).	8544421000
EAN.	4015867245545
Color.	Black
Model Number.	119396
Angled Plug.	No
Connector 1.	DisplayPort, male
Connector 2.	HDMI-A, male
Approval and Compliance.	CE & RoHS
Operating temperature.	0°C ~ 45°C
Package Contents.	DisplayPort to HDMI Adapter Cable, 2m
Cable Length.	2m
Dimensions (W x D x H).	4.5 x 4.5 x 2000 mm
Product weight (kg).	0.09
Material.	Plastic
Chipset.	GSV2201