24 Port 1U Blank Keystone Patch Panel, Rackmount Cat6 Patch Panel for RJ45 UTP Ethernet Network Jacks

Product ID: C6PANELUTP241U



Deploy multiple Ethernet cable terminations in rack-mounted network setups, using this 24-Port 1U Blank Keystone Patch Panel. It is designed for high-density installations such as wiring closets and data centers, where modular port configuration is key to long-term serviceability.

The 1U keystone patch panel supports unshielded (UTP) RJ45 keystone jacks for fast, tool-free setup and configuration. Numbered port labels on the front panel provide easy identification during troubleshooting and routine maintenance.

The steel housing features a black powder-coated finish for scratch resistance and long-term durability. The included grounding wire supports proper termination for shielded installations.

Certifications, Reports and Compatibility

Applications

• For installation in standard 19in network racks and cabinets

• Enable instant Cat6 connectivity with RJ45 keystone jacks. Quickly swap jacks as needed for configuration and troubleshooting

• Clearly numbered keystone ports make it easy to identify your cable runs

Features

• Customize Patch Panel Layout: Install up to 24 UTP RJ45 keystone jacks for high-performance networking; 1U blank keystone panel features a toolless, modular design with clearly numbered ports; Ideal for modular and scalable network builds

• Identify Ports Quickly: Front-facing numbered ports provide clear labeling for instant cable identification; Simplify maintenance and reduce errors during network changes or expansions

• Streamline Network Terminations: Install Cat5e or Cat6 UTP keystone jacks without punch down tools; Quickly replace jacks as needed to maintain service continuity and minimize downtime

• Mount in Any Standard Rack: Includes mounting screws and cage nuts for installation into any 19in rack or wall-mount enclosure; Toolless keystone slots support fast, flexible deployment during upgrades or rollouts

• The IT Pro's Choice: Designed for reliability in edge and on-prem deployments, our networking solutions are lab-tested and field-proven for seamless integration and maximum uptime; Backed by free lifetime 24/5 multi-lingual technical assistance

Environmental		
	Warranty	3 Years
	Operating Temperature	-10&degC to 60&degC (14&degF to 140&degF)
	Storage Temperature	-40&degC to 70&degC (-40&degF to 158&degF)
	Humidity	85%
Physical Characteristics		
	Color	Black
	Material	Steel
	Product Length	19.0 in [482.6 mm]
	Product Width	0.6 in [14.9 mm]
	Product Height	1.7 in [44.4 mm]
	Weight of Product	11.8 oz [334 g]
Packaging Information		
	Package Length	2.4 in [6.0 cm]
	Package Width	20.1 in [51.0 cm]
	Package Height	2.4 in [6.0 cm]

	Shipping (Package) Weight	15.8 oz [448.0 g]

What's in the Box		
	Included in Package	1 - Patch Panel
		1 - Product Documentation
		1 - Set of Screws and Nuts

Warranty Information		
	Warranty	3 Years

Product appearance and specifications are subject to change without notice.