MPN: HDM191930V2.0OP

# Premium Optic Fiber HDMI 2.0 Cable 30m

Premium is a series of high-quality products within the MicroConnect brand, designed with premium materials, reliable performance, and a sharp modern design for professional connectivity solutions.

**See the full Premium Assortment at the following link:** <a href="https://www.eetgroup.com/inspiration/microconnect-premium">https://www.eetgroup.com/inspiration/microconnect-premium</a>




This active optical HDMI 2.0 cable connects devices across long distances up to 100m without data loss – even in sensitive applications. It contains both fiber optic and copper cores, it is lightweight, flexible and has an ultra-small bend radius which makes it perfectly suitable for all kinds of installations.

- Supporting 4K60Hz, 18Gbps
- Sampling : YUV 4:4:4
- Outer Diameter: 4,5mm, very flexible
- Compatible with HDMI 2.0 standard
- Supports EDID, CEC, HDCP (2.2), HDR (High Dynamic Range ), HEC, ARC
- Hybrid optical cable with fiber and copper wire
- Has Source & Display clearly printed on the connector for easy identification
- No loss of signal – delivering crystal clear digital images instantly
- Low RFI / EMI profile for sensitive applications
- Has high pulling strength and compression load

## Specifications

| | | |
|---|---|---|
| **Features** | **3D** | Yes |
| | **Audio Return Channel (ARC)** | Yes |
| | **Cable length** | 30 m |
| | **Cable material** | Fiber optic |
| | **Connector 1** | HDMI Type A (Standard) |
| | **Connector 1 form factor** | Straight |
| | **Connector 1 gender** | Male |
| | **Connector 2** | HDMI Type A (Standard) |
| | **Connector 2 form factor** | Straight |
| | **Connector 2 gender** | Male |
| | **Connector contacts plating** | Gold |
| | **Data transfer rate** | 18 Gbit/s |
| | **Dolby technologies** | Dolby TrueHD |
| | **HDCP** | Yes |
| | **HDCP version** | 1.4/2.2 |
| | **HDMI version** | 2.0 |
| | **High Dynamic Range (HDR) supported** | Yes |

| | | |
|---|---|---|
| **Features** | **Maximum refresh rate** | 60 Hz |
| | **Maximum resolution** | 4096 x 2160 pixels |
| | **Plug and Play** | Yes |
| | **Product colour** | Black |
| | **Quantity per pack** | 1 pc(s) |
| | **RoHS compliance** | Yes |
| **Legal Information** | **ADR Information** | No restrictions |
| | **Country of Origin** | China |
| | **EU ECCN Code** | N/A |
| | **Tariff No.** | 8544700099 |
| | **UNSPSC Code** | 43202222 |
| | **US ECCN Code** | EAR99 |
| **Other features** | **Quantity** | 1 |
| **Package dimensions (verified)** | **Depth Verified** | 22.7 cm |
| | **Gross Weight Verified** | 1.192 kg |
| | **Height Verified** | 7.5 cm |
| | **Width Verified** | 24 cm |
| **Product dimensions** | **Net Weight (Product, kg)** | 0.75 kg |
| **Vendor information** | **Brand Name** | MicroConnect |
| | **Warranty** | 25 Year(s) |
| **Weight & dimensions** | **Cable diameter** | 4.5 mm |

## Other products in this series

| Cable length | |
|---|---|
| 5 | HDM19195V2.0OP |
| 10 | HDM191910V2.0OP |
| 15 | HDM191915V2.0OP |
| 20 | HDM191920V2.0OP |
| 25 | B-HDM191925V2.0OP |
| 30 | HDM191930V2.0OP |
| 40 | HDM191940V2.0OP |
| 50 | B-HDM191950V2.0OP |
| 70 | HDM191970V2.0OP |
| 75 | HDM191975V2.0OP |
| 100 | HDM1919100V2.0OP |
| 110 | HDM1919110V2.0OP |

## Other images



