

Dual Monitor USB 3.0 Laptop Docking Station with HDMI & DVI/VGA, 6x USB-A Hub, GbE, Audio, Universal Type-A Dock - Windows/macOS/ChromeOS

**Product ID:** USB3SDOCKHD



This USB 3.0 dock combines a 6 port USB 2.0/USB 3.0 hub, headphone and microphone audio connectors, and a Gigabit Ethernet RJ45 port into a single docking station.

Offering flexible dual video combinations right out-of-the-box, this universal laptop docking station features HDMI and DVI external monitor output providing up to 1920x1200p resolutions, as well as an included DVI to VGA adapter for added flexibility.

The built-in USB hub features 2 USB 3.0 ports and 4 USB 2.0 ports for connecting extra peripherals such as external hard drives or a wired mouse as if they connected directly to your laptop.


With an upright design, the dock occupies as little desk space as your smart phone, so it's perfect for hoteling or hot desk environments.

The integrated RJ45 Ethernet port supports speeds of 10/100/1000 Mbps, giving you an instant connection to a reliable wired network.

StarTech.com's laptop docking stations can be used for cost savings and faster deployment with just a single cable. This USB 3.0 Docking Station is backed by a competitive 3-year warranty and free lifetime multilingual Technical Support.

## Certifications, Reports and Compatibility





## Applications

- Shared workspaces
- Hot/Remote desks
- Convert laptop to desktop workstation

## Features

- **UNIVERSAL DUAL MONITOR DOCKING STATION:** USB 3.0 docking station features 1x HDMI and 1x DVI / VGA external monitor outputs, as well as an included DVI to VGA adapter for added display monitor flexibility; 1920 x 1200p maximum resolution on dual displays
- **INCREASED PRODUCTIVITY:** This dual monitor docking station combines 4x USB 2.0 ports, 2x USB 3.2 Gen 1 (5Gbps) ports, headphone & microphone audio jack, and a Gigabit Ethernet RJ45 port into a single IT-grade dock; Compatible with Windows/Mac
- **UPRIGHT DESIGN:** The high performance, all black upright dock features a slim & sleek design that is the perfect addition to any home or office workstation; The dock enhances your laptop's capabilities while taking up little desk space
- **UNIVERSAL COMPATIBILITY:** Compatible with Windows, macOS, & ChromeOS, enabling extended dual displays on laptops, Chromebooks and MacBooks that feature a USB-A host connection such as X1 Carbon, ThinkPad, Latitude, Precision, XPS 15, Spectre, and ZBook
- **CONNECTIVITY TOOLS:** Optimize the performance and security of this docking station, using the included MAC Address Changer, USB Event Monitoring, Windows Layout & Wi-Fi Auto Switch utilities (available for download)

---

### Hardware

|                     |                       |
|---------------------|-----------------------|
| Warranty            | 3 Years               |
| 4K Support          | No                    |
| Fast-Charge Port(s) | No                    |
| Displays Supported  | 2                     |
| Bus Type            | USB 3.2 Gen 1 (5Gbps) |

|                    |                                 |
|--------------------|---------------------------------|
| Industry Standards | IEEE 802.3, 802.3u, and 802.3ab |
| Chipset ID         | DisplayLink - DL-3900           |
|                    | VIA/VLI - VL810                 |
|                    | Terminus - FE1.1                |
|                    | Realtek - RTL8211E              |

## Performance

|                             |                                                      |
|-----------------------------|------------------------------------------------------|
| Maximum Digital Resolutions | 1920 x 1200<br>Lower resolutions are also supported. |
| Type and Rate               | USB 3.0 - 5 Gbit/s<br>USB 2.0 - 480 Mbit/s           |
| Compatible Networks         | 10/100/1000 Mbps                                     |
| Auto MDIX                   | Yes                                                  |
| Full Duplex Support         | Yes                                                  |

## Connector(s)

|                   |                                                                                                                                                                                                                |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Connector Type(s) | 2 - 3.5 mm Mini-Jack (3 Position)<br>1 - DVI-I (29 pin)<br>1 - HDMI (19 pin)<br>1 - RJ-45<br>2 - USB Type-A (9 pin, 5 Gbps)<br>1 - USB 3.2 Type-B (9 pin, Gen 1, 5Gbps)<br>4 - USB 2.0 Type-A (4 pin, 480Mbps) |
|-------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|

## Software

|                  |                                                                                                                            |
|------------------|----------------------------------------------------------------------------------------------------------------------------|
| OS Compatibility | Windows XP SP3 (32-bit), Vista, 7, 8, 8.1, 10, 11<br>macOS 10.6 - 10.12, 10.14 - 10.15, 11.0, 12.0, 13.0<br>Chrome OS v55+ |
|------------------|----------------------------------------------------------------------------------------------------------------------------|

## Special Notes / Requirements

|                               |                                                                                |
|-------------------------------|--------------------------------------------------------------------------------|
| System and Cable Requirements | CPU: i3 Dual core 2.8GHz or better, RAM: 2GB or higher, Available USB 3.0 port |
|-------------------------------|--------------------------------------------------------------------------------|

|                                 |                              |                                                                   |
|---------------------------------|------------------------------|-------------------------------------------------------------------|
|                                 | Note                         | The DVI-I connector supports DVI-I signaling (digital and analog) |
| <b>Indicators</b>               |                              |                                                                   |
|                                 | LED Indicators               | 1 - Power (Blue)                                                  |
|                                 |                              | 1 - USB Hub Link (Blue)                                           |
| <b>Power</b>                    |                              |                                                                   |
|                                 | Power Source                 | AC Adapter Included                                               |
|                                 | Input Voltage                | 100 - 240 AC                                                      |
|                                 | Input Current                | 0.8A                                                              |
|                                 | Output Voltage               | 5 DC                                                              |
|                                 | Output Current               | 4A                                                                |
|                                 | Plug Type                    | C                                                                 |
|                                 | Power Consumption (In Watts) | 20                                                                |
| <b>Environmental</b>            |                              |                                                                   |
|                                 | Operating Temperature        | 10C to 40C (50F to 104F)                                          |
|                                 | Storage Temperature          | -10C to 80C (14F to 176F)                                         |
| <b>Physical Characteristics</b> |                              |                                                                   |
|                                 | Color                        | Black                                                             |
|                                 | Material                     | Plastic                                                           |
|                                 | Product Length               | 4.9 in [12.5 cm]                                                  |
|                                 | Product Width                | 2.8 in [70.0 mm]                                                  |
|                                 | Product Height               | 7.7 in [19.5 cm]                                                  |
|                                 | Weight of Product            | 13.1 oz [370.0 g]                                                 |
| <b>Packaging Information</b>    |                              |                                                                   |
|                                 | Package Quantity             | 1                                                                 |
|                                 | Package Length               | 10.7 in [27.3 cm]                                                 |

|                           |                   |
|---------------------------|-------------------|
| Package Width             | 7.5 in [19.0 cm]  |
| Package Height            | 4.3 in [10.9 cm]  |
| Shipping (Package) Weight | 33.4 oz [947.0 g] |

---

#### What's in the Box

|                     |                                                  |
|---------------------|--------------------------------------------------|
| Included in Package | 1 - USB 3.0 Docking Station                      |
|                     | 1 - 3.3 ft [1 m] USB 3.0 Cable                   |
|                     | 1 - DVI to VGA Adapter                           |
|                     | 1 - Universal Power Adapter (NA/JP, EU, UK, ANZ) |
|                     | 1 - Instruction Manual                           |

---

***\*Product appearance and specifications are subject to change without notice.***