MPN: USB3.2CC0.5

# USB-C to USB-C Cable 0,5m, 100W, 20Gbps, 4K60Hz

This USB-C cable is for connection of external USB devices with USB-C socket (e.g. Smartphones, Tabets and newer computers), to a USB Host (USB Hub, wall plug with USB C input, Computer or PC). Data transmission rate up to 20 Gbit/s.

- Gen 3.2 2x2
- Support 20Gbps data
- 5~20V/5A + E-Mark
- PD 100W Power
- Supports DisplayLink, DP Alt-mode sources with up to 4K/60 video resolution



## Specifications

| | | |
|---|---|---|
| **Features** | **Cable jacket material** | Polyvinyl chloride (PVC) |
| | **Cable length** | 0.5 m |
| | **Conductor material** | Copper |
| | **Connector 1** | USB C |
| | **Connector 1 form factor** | Straight |
| | **Connector 1 gender** | Male |
| | **Connector 2** | USB C |
| | **Connector 2 form factor** | Straight |
| | **Connector 2 gender** | Male |
| | **Connector contacts plating** | Nickel |
| | **Maximum data transfer rate** | 20000 Mbit/s |
| | **Plug and Play** | Yes |
| | **Product colour** | Black |
| | **RoHS compliance** | Yes |
| | **USB Power Delivery (USB PD)** | Yes |
| | **USB Power Delivery up to** | 100 W |
| | **USB version** | USB 3.2 Gen 2x2 |
| **Legal Information** | **ADR Information** | No restrictions |
| | **Country of Origin** | China |
| | **EU ECCN Code** | N/A |
| | **Tariff No.** | 8544429090 |
| | **UNSPSC Code** | 43211617 |
| | **US ECCN Code** | EAR99 |
| **Package dimensions (verified)** | **Depth Verified** | 18 cm |
| | **Gross Weight Verified** | 0.1 kg |
| | **Height Verified** | 1.5 cm |

| | | |
|---|---|---|
| **Package dimensions** | **Width Verified** | 20 cm |
| **Packaging data** | **Quantity per pack** | 1 pc(s) |
| **Product dimensions** | **Net Weight (Product, kg)** | 0.025 kg |
| **Vendor information** | **Brand Name** | MicroConnect |
| | **Warranty** | 25 Year(s) |

## Other products in this series

| Cable length | |
|---|---|
| **0.25** | USB3.2CC0.25 |
| **0.5** | USB3.2CC0.5 |
| **1** | USB3.2CC1 |
| **1.5** | USB3.2CC1.5 |

## Other images

