

- Resolution:
 - 1 monitor – 1x HDMI – up to 4K/30 Hz
 - 1 monitor – 1x VGA – up to 1080p/60 Hz
 - 2 monitors – 1x HDMI + 1 VGA – up to 2x 1080p/60 Hz (same image on both monitors)
- 1x USB-C Gen. 1 port (data only)
- 1x USB-C PD port (power delivery only)
- 3x USB 3.1 Gen. 1 port
- 1x Ethernet GLAN RJ-45 port (Realtek RTL8153)
- 1x 3.5mm Combo Audio port
- 1x SD / microSD slot
- LED indication
- OS: Windows 10, Mac OS, Android, Chrome OS and Linux with latest updates
- Product dimensions: 115 x 60 x 18 mm
- Product weight: 100 g
- Package dimensions: 191 x 97 x 23 mm

Hardware requirements:

- Device with a free USB-C or Thunderbolt port

Requirements for Power Delivery feature:

- Device with a free USB-C or Thunderbolt 3 port with Power Delivery support

Requirements for video output:

- Device with a free USB-C port with DisplayPort Alternate Mode support or a Thunderbolt 3 port

Operating system:

- Windows 10, macOS, Android, Chrome OS and Linux with latest updates

SPECIFICATION

Part Number	Product Description & EAN
C31NANODOCKVGAPD	i-tec USB-C Metal Nano Dock HDMI/VGA with LAN + Power Delivery 100 W EAN: 8595611703331
Hardware	
Bus type	USB-C, Thunderbolt-3
Ports/Connectors	
System Requirements	
Operating system	Windows 10 macOS X Android Linux Chrome OS R51 or later Windows 10 - Automatic installation of OS drivers. Other operating systems - manual driver installation. Firmware updates automatically.
Other features	
Colour	Silver

Housing Material	Aluminium
Product Dimensions	115 x 60 x 18 mm
Product Weight	100 g
Package Weight	160 g
Packaging Dimensions (LxWxH)	191 x 97 x 23 mm
Support	
Warranty period	2 years
Technical support	lifetime
Package contents	
i-tec USB-C docking station with cable (20 cm)	
Quick Start manual	

For further information regarding setup or for answers to FAQ's, please visit our website [i-tec.cz](https://www.i-tec.cz). Specifications are subject to change without notice.

Updated 30.3.2020