


# Delock 3.5" Installation Frame for 2.5" SATA drive black

## Description

With this installation frame by Delock a **2.5" drive**, such as an SSD or HDD, can be mounted in a **3.5" drive bay** of a PC. The extensive installation options allow a secure attachment of the frame.

[Delock 3.5" Installation Frame for 2.5" SATA drive](#)



**Item no. 18364**

EAN: 4043619183647

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x SATA 6 Gb/s 22 pin plug
  - 1 x SATA 6 Gb/s 22 pin receptacle
- For installation into a 3.5" bay
- For 1 x 2.5" device
- Horizontal and vertical mounting holes
- Suitable for 2.5" SATA HDD / SSD:
  - HDD height up to 12.5 mm
  - SATA HDD / SSD up to 6 Gb/s
- Material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 147 x 101 x 20 mm

## System requirements

- A free 3.5" bay
- A free SATA 7 pin interface

- A free SATA 15 pin interface


---

## Package content

- Installation frame
- Screws
- User manual

---

## Images



## General

|                           |      |
|---------------------------|------|
| Form factor:              | 3.5" |
| Suitable for data medium: | 2.5" |

## Interface

|              |                                   |
|--------------|-----------------------------------|
| Connector 1: | 1 x SATA 6 Gb/s 22 pin plug       |
| Connector 2: | 1 x SATA 6 Gb/s 22 pin receptacle |

## Technical characteristics

|                     |        |
|---------------------|--------|
| Data transfer rate: | 6 Gb/s |
|---------------------|--------|

## Physical characteristics

|         |        |
|---------|--------|
| Length: | 147 mm |
| Width:  | 101 mm |
| Height: | 20 mm  |
| Colour: | black  |