



## HAILO L100 TOPLINE

The aluminium safety stepladder with multipurpose tray, safety rail and platform locking mechanism offers safety in XXL size: 130 mm extra-deep steps.



### THE KEY FEATURES

- Suitable for HAILO EasyClix replaceable feet (optional accessory)
- Platform locking mechanism ensures platform can be safely locked and released
- Black XXL aluminium steps with non-slip ribbing and an extra deep tread
- Black zinc-plated steel platform with non-slip ribbing
- Extendable safety rail provides a firm grip when working on the platform
- Multipurpose tray for holding tools, cans of paint or small parts
- Bucket strap with click-in quick lock for securely fastening buckets, vacuum cleaners or cable drums
- 1 universal hook for hanging hedge shears, cleaning materials or paint rollers
- 1 clip for holding brooms or fruit-pickers

---

### OTHER PRODUCT ADVANTAGES

- Safe, high-tech riveted rail-step joints
- Slip-resistant feet
- Maximum load capacity 150 kg



## SPECIFICATIONS

|                                     |  |                                  |
|-------------------------------------|--|----------------------------------|
| Level of equipment                  |  | 5                                |
| Extra wide steps                    |  | ✓                                |
| Platform locking mechanism          |  | ✓                                |
| Extendable safety rail              |  | ✓                                |
| Tray                                |  | ✓                                |
| Bucket strap                        |  | ✓                                |
| Universal hooks                     |  | ✓                                |
| Clip                                |  | ✓                                |
| Non-slip feet                       |  | ✓                                |
| Suitable for HAILO EasyClick        |  | ✓                                |
| Number of steps                     |  | 5                                |
| Width/depth required for setting up |  | A = 48 cm, B = 101 cm            |
| Total height, platform height       |  | A = 187 cm, B = 107 cm           |
| Max. working height                 |  | 307 cm                           |
| Dimensions of packaging (HxWxD)     |  | A = 187 cm, B = 48 cm, C = 17 cm |



|        |        |
|--------|--------|
| Weight | 6,2 kg |
|--------|--------|



|               |        |
|---------------|--------|
| Load capacity | 150 kg |
|---------------|--------|

