MPN: USB3.1CA20OP

Premium Optic Fiber USB-C Gen2 - USB 3.0 Type A Cable, 20m

Premium is a series of high-quality products within the MicroConnect brand, designed with premium materials, reliable performance, and a sharp modern design for professional connectivity solutions.



This USB 3.1 Gen2 hybrid active optical cable (AOC), enables USB connectivity over distances upwards of 50 meters. This cable can be applicated to machine vision, Remote monitoring, etc.← ←

<bulletlist><bullet>Cameras</bullet>
<bullet>Computers</bullet>
<bullet>Tablets</bullet>
<bullet>Smartphones</bullet>
<bullet>Hard drives</bullet>
<bullet>Monitors</bullet></bulletlist>

- Meet USB 3.1 Gen2 Standard , bandwidth can reach to 10Gbps super speed
- External power supply is not required
- Support two sides plug and play , support charging up to 900mA /5V
- Do not downward compatible with USB2.0/1.1
- No RF interference , working stable in complex environments
- RoHS Compliant

Specifications

Features	**Cable jacket material**	Polyvinyl chloride (PVC)
	Cable length	20 m
	Conductor material	Copper
	Connector 1	USB C
	Connector 1 form factor	Straight
	Connector 1 gender	Male
	Connector 2	USB A
	Connector 2 form factor	Straight
	Connector 2 gender	Male
	Connector contacts plating	Gold
	Maximum data transfer rate	10000 Mbit/s
	Plug and Play	Yes
	Product colour	Black
	RoHS compliance	Yes
	USB version	USB 3.2 Gen 2 (3.1 Gen 2)
Legal Information	**ADR Information**	No restrictions
	Country of Origin	China
	EU ECCN Code	N/A
	Tariff No.	8544700099

Legal Information	**UNSPSC Code**	43211617
	US ECCN Code	EAR99
Package dimensions (verified)	**Depth Verified**	22.7 cm
	Gross Weight Verified	1.08 kg
	Height Verified	7.8 cm
	Width Verified	23.9 cm
Packaging data	**Package gross weight**	1080 g
	Quantity per pack	1 pc(s)
Power	**Output current (max)**	900 A
	Output voltage	5 V
Product dimensions	**Net Weight (Product, kg)**	0.6 kg
Vendor information	**Brand Name**	MicroConnect
	Warranty	25 Year(s)
Weight & dimensions	**Cable diameter**	4.5 mm

Other products in this series

Cable length	
5	MC-USB3.2CA5OP
10	MC-USB3.2CA10OP
15	MC-USB3.2CA15OP
20	MC-USB3.2CA20OP
25	MC-USB3.2CA25OP
30	MC-USB3.2CA30OP

Other images

