MPN: USB3.2CC0.25

USB-C to USB-C Cable 0,25m, 100W, 20Gbps, 4K60Hz

This USB-C cable is for connection of external USB devices with USB-C socket (e.g. Smartphones, Tabets and newer computers), to a USB Host (USB Hub, wall plug with USB C input, Computer or PC). Data transmission rate up to 20 Gbit/s.

- Gen 3.2 2x2
- Support 20Gbps data
- 5~20V/5A + E-Mark
- PD 100W Power
- Supports DisplayLink, DP Alt-mode sources with up to 4K/60 video resolution



Specifications

Features	**Cable jacket material**	Polyvinyl chloride (PVC)
	Cable length	0.25 m
	Cable shielding	Aluminum mylar foil
	Conductor material	Copper
	Connector 1	USB C
	Connector 1 form factor	Straight
	Connector 1 gender	Male
	Connector 2	USB C
	Connector 2 form factor	Straight
	Connector 2 gender	Male
	Connector contacts plating	Nickel
	Maximum data transfer rate	20000 Mbit/s
	Plug and Play	Yes
	Product colour	Black
	Reversible connectors	Yes
	RoHS compliance	Yes
	USB Power Delivery (USB PD)	Yes
	USB Power Delivery up to	100 W
	USB version	USB 3.2 Gen 2x2
	Windows operating systems supported	Yes
Legal Information	**ADR Information**	No restrictions
	Country of Origin	China
	EU ECCN Code	N/A
	Tariff No.	8544429090
	UNSPSC Code	43211617
	US ECCN Code	EAR99

Package dimensions	**Depth (package,cm)**	8 cm
	Gross Weight (Package, kg)	0.023 kg
	Height (package,cm)	0.75 cm
	Width (package,cm)	14 cm
Packaging data	**Quantity per pack**	1 pc(s)
Product dimensions	**Net Weight (Product, kg)**	0.017 kg
Vendor information	**Brand Name**	MicroConnect
	Warranty	25 Year(s)

Other products in this series

Cable length	
0.25	USB3.2CC0.25
0.5	USB3.2CC0.5
1	USB3.2CC1
1.5	USB3.2CC1.5

Other images



