

CHERRY G80-3000 S TKL



Models may vary from the image shown

The original – only smaller! Reliable corded keyboard with TKL layout.

Key benefits

- The original mechanical corded keyboard with TKL layout, modernized inside and with a classic design outside.
- Reduced TKL layout for more desk space
- CHERRY MX Technology - Gold Crosspoint precision switches for all keys “Made in Germany”
- Illumination options for different versions, unlit and RGB with color routines in over 16 million colors
- Full n-key rollover – all keys are read simultaneously
- Anti-ghosting – no input errors
- WIN key lockout
- CHERRY button for instant access to software information and the CHERRY website
- Abrasion-resistant key caps

Technical Data:

Layout (country or language):

EU = US Int. with € symbol, Korea

Colour:

Housing: black or light grey

Keys: black or light grey

Weight (product):

Keyboard: approx. 636 g

Total weight (with packaging):

approx. 868 g

Cable Length

approx. 1,60 m

Storage Temperature:

–20 °C to +60 °C

Operating Temperature:

0 °C to +50 °C

Current Consumption:

max. 500 mA

Interface:

USB

Product approvals:

- CE
- KCC
- China RoHS
- WHQL
- FCC

System requirements:

USB connection

Delivery Volume:

- Keyboard
- Manual
- Packaging

Dimensions:

Keyboard: approx. 430x140x36. mm

Packaging: approx. 460x180x40. mm

Keyboard:

- Key technology: MX
- Service life and characteristics depend on switch specification (see www.cherrymx.de). Standard key operations between >50 and >100 million guaranteed.
- Operation characteristics: Product dependant, see table "Models"
- Inscription technology: lasered
- Number of Keys: 87+1
- Number of additional keys: 1

Packaging Unit:

- Number of products in the master package: 8

Warranty:

2 years

Errors, technical changes and delivery possibilities excepted. Technical information refers only to the specifications of the products. Features may differ from the information provided.

CHERRY G80-3000 S TKL

Models:

(possible country/layout versions, others available on request)

	Product name	Operation characteristics	Layout (country or language)	Order number	EAN code	Colour Housing, Keys	Lightning
1	CHERRY G80-3000 S TKL	Black switch, linear (60cN)	EU – US international	G80-3830LUAEU-2	4025112091438	Black / black	unlit
2	CHERRY G80-3000 S TKL	Blue switch, click (60cN)	EU – US international	G80-3830LSAEU-2	4025112091445	Black / black	unlit
3	CHERRY G80-3000 S TKL	Brown switch, tactile (55cN)	EU – US international	G80-3830LXAEU-2	4025112091452	Black / black	unlit
4	CHERRY G80-3000 S TKL	Red switch, linear (45cN)	EU – US international	G80-3830LYAEU-2	4025112091469	Black / black	unlit
5	CHERRY G80-3000 S TKL	Black switch, linear (60cN)	EU – US international	G80-3830LUAEU-0	4025112091476	Light grey/light grey	unlit
6	CHERRY G80-3000 S TKL	Blue switch, click (60cN)	EU – US international	G80-3830LSAEU-0	4025112091483	Light grey/light grey	unlit
7	CHERRY G80-3000 S TKL	Brown switch, tactile (55cN)	EU – US international	G80-3830LXAEU-0	4025112091483	Light grey/light grey	unlit
8	CHERRY G80-3000 S TKL	Red switch, linear (45cN)	EU – US international	G80-3830LYAEU-0	4025112091506	Light grey/light grey	unlit
9	CHERRY G80-3000 S TKL	Black switch, linear (60cN)	EU – US international	G80-3831LUAEU-2	4025112091513	Black / black	RGB
10	CHERRY G80-3000 S TKL	Blue switch, click (60cN)	EU – US international	G80-3831LSAEU-2	4025112091520	Black / black	RGB
11	CHERRY G80-3000 S TKL	Brown switch, tactile (55cN)	EU – US international	G80-3831LXAEU-2	4025112091537	Black / black	RGB
12	CHERRY G80-3000 S TKL	Red switch, linear (45cN)	EU – US international	G80-3831LYAEU-2	4025112091544	Black / black	RGB
13	CHERRY G80-3000 S TKL	Black switch, linear (60cN)	EU – US international	G80-3831LUAEU-0	4025112091551	Light grey/light grey	RGB
14	CHERRY G80-3000 S TKL	Blue switch, click (60cN)	EU – US international	G80-3831LSAEU-0	4025112091568	Light grey/light grey	RGB
15	CHERRY G80-3000 S TKL	Brown switch, tactile (55cN)	EU – US international	G80-3831LXAEU-0	4025112091575	Light grey/light grey	RGB
16	CHERRY G80-3000 S TKL	Red switch, linear (45cN)	EU – US international	G80-3831LYAEU-0	4025112091582	Light grey/light grey	RGB
17	CHERRY G80-3000 S TKL	Black switch, linear (60cN)	Korean	G80-3830LUAKR-2	4025112091599	Black / black	unlit
18	CHERRY G80-3000 S TKL	Blue switch, click (60cN)	Korean	G80-3830LSAKR-2	4025112091605	Black / black	unlit
19	CHERRY G80-3000 S TKL	Brown switch, tactile (55cN)	Korean	G80-3830LXAKR-2	4025112091612	Black / black	unlit
20	CHERRY G80-3000 S TKL	Red switch, linear (45cN)	Korean	G80-3830LYAKR-2	4025112091629	Black / black	unlit
21	CHERRY G80-3000 S TKL	Black switch, linear (60cN)	Korean	G80-3830LUAKR-0	4025112091636	Light grey/light grey	unlit
22	CHERRY G80-3000 S TKL	Blue switch, click (60cN)	Korean	G80-3830LSAKR-0	4025112091643	Light grey/light grey	unlit

23	CHERRY G80-3000 S TKL	Brown switch, tactile (55cN)	Korean	G80-3830LXAKR-0	4025112091650	Light grey/light grey	unlit
24	CHERRY G80-3000 S TKL	Red switch, linear (45cN)	Korean	G80-3830LYAKR-0	4025112091667	Light grey/light grey	unlit
25	CHERRY G80-3000 S TKL	Black switch, linear (60cN)	Korean	G80-3831LUAKR-2	4025112091674	Black / black	RGB
26	CHERRY G80-3000 S TKL	Blue switch, click (60cN)	Korean	G80-3831LSAKR-2	4025112091681	Black / black	RGB
27	CHERRY G80-3000 S TKL	Brown switch, tactile (55cN)	Korean	G80-3831LXAKR-2	4025112091698	Black / black	RGB
28	CHERRY G80-3000 S TKL	Red switch, linear (45cN)	Korean	G80-3831LYAKR-2	4025112091704	Black / black	RGB
29	CHERRY G80-3000 S TKL	Black switch, linear (60cN)	Korean	G80-3831LUAKR-0	4025112091711	Light grey/light grey	RGB
30	CHERRY G80-3000 S TKL	Blue switch, click (60cN)	Korean	G80-3831LSAKR-0	4025112091728	Light grey/light grey	RGB
31	CHERRY G80-3000 S TKL	Brown switch, tactile (55cN)	Korean	G80-3831LXAKR-0	4025112091735	Light grey/light grey	RGB
32	CHERRY G80-3000 S TKL	Red switch, linear (45cN)	Korean	G80-3831LYAKR-0	4025112091742	Light grey/light grey	RGB