

EPSON

Series

With a stylish, functional headset that works the way
you do. Enjoy superior sound and contemporary
design with an audio tool that adapts seamlessly
/ O19 Tm -7



Certified for
Microsoft Teams

zoom

chromebook



beyerdynamic
by CIRC

AVAYA DevConnect
Tested

**Microsoft Teams certified
and UC optimized**

Get a seamless user experience
from variants optimized for
UC and certified for Microsoft
Teams with a dedicated
Teams button

**Call quality meets
stylish design**

Guarantee business grade
communication with a
discreet boom arm, which
folds away simply for a stylish
look when out and about


**Enjoy
enhanced comfort**

Newly designed, large
on-ear leatherette ear
pads provide great
comfort and noise
damping

**Plug and play
device connectivity**


With USB-A and
USB-C connectors,
versatile workers on
the move and in the
office get simple,
reliable functionality

What's in the Box



How to Use the ADAPT 100

Adjusting and wearing the headset



Activating/deactivating ANC*

Adjusting the volume

Mute/Unmute

Additional benefits & features

Easy to store and portable

Thanks to an innovative fold-flat ear cup design and carry pouch

Optimize speech clarity

With noise-cancelling microphone to filter out ambient noise

Personalize for a perfect fit

With an adjustable, flexible headband

Convenient noise limiter switch

Via EPOS Connect limiting noise according to European and Australian standards

Enjoy a natural listening experience

With EPOS Voice™ technology



Protect from acoustic shock

With EPOS ActiveGard® technology

Product data

1/4

General

Wearing style	On-ear, single or double-sided headband
Headset weight	Single-sided, foam earpad 99.5 g / 3.5 oz Single-sided, leatherette earpads 106.6 g / 3.76 oz Double-sided, foam earpads 135.8 g / 4.79 oz Double-sided, leatherette earpads 145.3 g / 5.12 oz
Connectivity	Cable with USB- A, USB- C and 3.5 mm jack* connector. *When detached from the in-line call control
Warranty	2 years

Audio

Speaker frequency response	20 – 20,000 Hz
Microphone type	Dynamic, neodymium magnet speaker
Microphone frequency response	100 – 8,000 Hz
Noise cancellation	Active Noise Cancellation (ANC)
Total noise attenuation	Up to 30 dB

Product data

2/4

Products variants

ADAPT 160T ANC USB-C
ADAPT 165T USB-C II
ADAPT 135T USB-C II
ADAPT 165 USB-C II
ADAPT 135 USB-C II
ADAPT 165T USB II
ADAPT 165 USB II

ADAPT 160T USB II
ADAPT 130T USB II
ADAPT 160 USB II
ADAPT 130 USB II

Software

EPOS devices can be managed with following Software solutions:

EPOS Connect

EPOS Manager

What's in the box

Headset, acoustic leatherette earpads mounted on headset, detachable cable with call control (USB-C/ USB-A), carry pouch, quick guide, safety guide, compliance sheet

Headset, acoustic foam earpads mounted on headset, detachable cable with call control (USB-A), quick guide, safety guide, compliance sheet

Conduct firmware updates and configure headsets for personal audio preferences. EPOS Connect works for Windows, Mac® and VDI/ Thin client environments: eposaudio.com/software-epos-connect

Manage, update and configure EPOS audio devices from any location - For both cloud and on-premises solutions: eposaudio.com/software-epos-manager

Product data

3/4

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 160T ANC USB-C Art. no. 1000221	PC, smartphone and tablet via USB-C*	Certi ed for Microsoft Teams** and optimized for UC	57 14708 00022 8	8 40064 40022 0
ADAPT 165T USB II Art. no. 1000902	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Certi ed for Microsoft Teams** and optimized for UC	57 14708 00703 6	8 40064 40703 8
ADAPT 165T USB-C II Art. no. 1000906	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Certi ed for Microsoft Teams** and optimized for UC	57 14708 00707 4	8 40064 40707 6
ADAPT 165 USB II Art. no. 1000916	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Optimized for UC and certi ed for Google Meet, Works with Chromebook, Webex by Cisco, Avaya and Enreach	57 14708 00717 3	8 40064 40717 5
ADAPT 165 USB-C II Art. no. 1000920	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Optimized for UC and certi ed for Google Meet, Works with Chromebook, Webex by Cisco and Avaya	57 14708 00721 0	8 40064 40721 2
ADAPT 135T USB-C II Art. no. 1000904	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	Certi ed for Microsoft Teams** and optimized for UC	57 14708 00701 2	8 40064 40701 4
ADAPT 135 USB-C II Art. no. 1000918	PC, smartphone and tablet via USB / USB-C* and 3.5 mm jack	UC optimized	5 714708 00719 7	8 40064 40719 9

Product data

4/4

Product	Connects to	Certifications	EAN code	UPC code
ADAPT 160T USB II Art. no. 10 00 90 1	PC, smartphone & tablet via USB / USB-C*	Certi ed for Microsoft Teams** and optimized for UC	57 14708 00702 9	8 40064 40702 1
ADAPT 160 USB II Art. no. 10 00 915	PC, smartphone & tablet via USB / USB-C*	Optimized for UC and certi ed for Zoom, Google Meet, Works with Chromebook, Webex by Cisco and Avaya	57 14708 00716 6	8 40064 40716 8
ADAPT 130T USB II Art. no. 10 00 899	PC, smartphone and tablet via USB / USB-C*	Certi ed for Microsoft Teams** and optimized for UC	57 14708 00700 5	8 40064 40700 7
ADAPT 130 USB II Art. no. 10 00 913	PC, smartphone and tablet via USB / USB-C*	Optimized for UC and certi ed for Google Meet, Works with Chromebook, Webex by Cisco, Avaya and Enreach	57 14708 00714 2	8 40064 40714 4

* USB-C connectivity is optimized for use with PC and Mac®. When USB-C is connected to smartphone or tablet performance is device dependent.

** Microsoft Teams certi cation applies when USB/ USB-C dongle or cable is connected to PC or Mac®.

Spare parts

1/1

Product	Art. no.	Description	EAN code	UPC code
Earpads	10 0 0 9 11	Spare foam earpads for ADAPT 130 T USB II, ADAPT 160 T USB- II, ADAPT 130 USB II, ADAPT 160 USB II	57 1470 8 00712 8	8 40 064 40712 0
Earpads	10 0 0 9 12	Spare leatherette earpads for ADAPT 135 T USB- C II, ADAPT 165 T USB- C II, ADAPT 135 USB- C II, ADAPT 165 USB- C II, ADAPT 165 T USB II	57 1470 8 00713 5	8 40 064 40713 7
Earpads	10 0 0 8 80	Spare leatherette earpads for ADAPT 160 T ANC USB- C	57 1470 8 00682 4	8 40 064 40682 6

Appendix

1/ 1

Additional product data

Color	Black
EPOS Voice™ Technology	For a clear and natural listening experience
Sound pressure level (SPL)	Max. 115 dB - Limited by EPOS ActiveGard® technology
Sound enhancement profiles	Automatically adapt and optimize sound for both communication and multimedia
EPOS ActiveGard® technology	Protects users against acoustic injury caused by sudden sound burst on the line
EU Noise at Work Limiter®	Enhanced audio protection preventing listening fatigue, average 85 dB over a workday