



EIZO FlexScan EV2490-BK computer monitor 60.5 cm (23.8") 1920 x 1080 pixels Full HD LED Black

Brand : EIZO

Product family: FlexScan

Product code: EV2490-BK

Product name : EV2490-BK

23.8", IPS FHD 1920 x 1080 px, 16:9, 5 ms, 250 cd/m², sRGB, USB-C, HDMI, DP, LAN, 9 kWh/1000h, C EIZO FlexScan EV2490-BK. Display diagonal: 60.5 cm (23.8"), Display resolution: 1920 x 1080 pixels, HD type: Full HD, Display technology: LED, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black



Display		Ports & interfaces	
Display diagonal *	60.5 cm (23.8")	DisplayPorts quantity	1
Display resolution *	1920 x 1080 pixels	Headphone out *	✓
HD type *	Full HD	Headphone outputs	1
Native aspect ratio *	16:9	Headphone connectivity	3.5 mm
Display technology *	LED	HDCP	✓
Panel type *	IPS	Network	
Backlight type	LED	Ethernet LAN	✓
Touchscreen *	✗	Ergonomics	
Display brightness (typical)	250 cd/m ²	VESA mounting *	✓
Response time	5 ms	Panel mounting interface	100 x 100 mm
Screen shape *	Flat	Cable lock slot *	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080)	Height adjustment *	✓
		Height adjustment	19.1 cm
Contrast ratio (typical) *	1000:1	Pivot	✓
Maximum refresh rate *	60 Hz	Pivot angle	-90 - 90°
Viewing angle, horizontal	178°	Swivelling	✓
Viewing angle, vertical	178°	Swivel angle range	0 - 344°
Display number of colours *	1.06 billion colours	Tilt adjustment	✓
Pixel pitch	0.275 x 0.275 mm	Tilt angle range	-5 - 35°
Pixel density	93 ppi	On Screen Display (OSD)	✓
Horizontal scan range	31 - 68 kHz	On Screen Display (OSD) languages	German, English, Spanish, French, Italian, Swedish
Vertical scan range	59 - 61 Hz	Power	
Viewable size, horizontal	52.7 cm	Energy efficiency class (SDR) *	C
Viewable size, vertical	29.6 cm	Energy consumption (SDR) per 1000 hours *	9 kWh
Display diagonal (metric)	60.5 cm	Power consumption (typical) *	11 W
RGB colour space	sRGB	Power consumption (standby) *	0.5 W

Performance		Power	
Flicker-free technology	✓	Power consumption (max)	155 W
Low Blue Light technology	✓	AC input voltage	100 - 240 V
Multimedia		AC input frequency	50 - 60 Hz
Built-in speaker(s) *	✓	Energy efficiency scale	A to G
Design		Packaging content	
Market positioning *	Business	Cables included	AC, USB Type-C
Product colour *	Black	Quick start guide	✓
Certification	CE, UKCA, CB, TÜV/GS, TÜV/Ergonomics (including ISO 9241-307), TCO Certified Generation 9, EPEAT 2018 (US), TÜV/Blue Low Light Content, TÜV/Flicker Free, RCM, cTUVus, FCC-B, CAN ICES-3 (B), TÜV/S, PSE, VCCI-B, EPA ENERGY STAR, RoHS, WEEE, China RoHS, CCC	Weight & dimensions	
Ports & interfaces		Width (with stand)	537.8 mm
Built-in USB hub *	✓	Depth (with stand)	230 mm
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Height (with stand)	523.6 mm
Number of USB Type-B upstream ports quantity	1	Weight (with stand)	7.2 kg
Number of USB Type-C upstream ports quantity	1	Width (without stand)	531 mm
USB Type-A downstream ports quantity	3	Depth (without stand)	54 mm
USB Type-C downstream ports quantity	1	Height (without stand)	344 mm
USB Type-C DisplayPort Alternate Mode	✓	Weight (without stand)	4.5 kg
HDMI *	✓	Sustainability	
HDMI ports quantity	1	Sustainability compliance	✓
		Sustainability certificates	CB, CCC, CE, China RoHS, ENERGY STAR, EPEAT Climate +, EPEAT Gold, Federal Communications Commission (FCC), GS mark, ICES, PSE, RCM, RoHS, TCO, TUV, UKCA, VCCI, WEEE, cTUVus
		European Product Registry for Energy Labelling (EPREL) code	908952
		Logistics data	
		Harmonized System (HS) code	85285210
		Other features	
		Ethernet LAN (RJ-45) ports	1



4995047063315

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-MAY-2024. Prints or copies of Information are only valid on the printed Publication date