Product information

97 53 19

KNIPEX Twistor® T

Self-Adjusting Crimping Pliers for wire ferrules
With rotatable die head



- Crimp head can be rotated 360°, with 8 locking positions
- Trapezial crimp profile, high capacity range from 0.14 to 10 mm²
- Wire ferrules can be crimped from almost any working position

- Crimping pliers adjust automatically to different cross-sections
- Crimp opening accessible from both sides, a length of up to 18 mm can be crmiped in one operation, extra-long wire ferrules can be fed in
- Crimping of Twin wire ferrules up to 2 x 6 mm² possible
- Repetitive, high crimping quality due to ratchet mechanism (unlockable)
- Light and handy tool, manual force reinforced by toggle lever mechanism
- Special quality chrome vanadium electric steel, oil-hardened

General	
Article No.	97 53 19
EAN	4003773088097
Pliers	chrome-plated
Head	chrome-plated
Handles	with multi-component grips
Weight	486 g
Dimensions	200 x 80 x 26 mm
REACH compliant	contains SVHC
RoHS compliant	not applicable


Technical details	
Application	Wire ferrules
Capacity in square millimetres	0.14 — 10 mm²
AWG	26 — 8
Number of crimping positions	1

technical change and errors excepted






0.14 ... 10
AWG 26 ... 8
KNIPEX
97 53 19
MADE IN GERMANY





360°
0.14 ... 10
AWG 26 ... 8
KNIPEX
97 53 19
MADE IN GERMANY



0.14 ... 10
AWG 26 ... 8
KNIPEX
97 53 19
MADE IN GERMANY


0.14 ... 10
AWG 26 ... 8
KNIPEX
97 53 19
MADE IN GERMANY


0.14 ... 10
AWG 26 ... 8
KNIPEX
97 53 19
MADE IN GERMANY


0.14 ... 10
AWG 26 ... 8
KNIPEX
97 53 19
MADE IN GERMANY













0.14 ... 10
AWG 26 ... 8
97 53 19
MADE IN GERMANY