

Coiled USB-C to USB-C Charging Cable

USB Type-C Male to Type-C Male, 1 m (3 ft.) Tangle-Resistant Curly Design, Angled Plugs, No Data Transmission, Black

Part No.: 356213

EAN-13: 0766623356213 | UPC: 766623356213

Coiled USB C Cable - USB-C Male to USB-C Male - the ideal charging cord to keep car chargers, charging cabinets, and charging carts clutter-free

Make your charging cable management clutter-free with the coiled, tangle-resistant USB-C to USB-C Charging Cable from Manhattan. It flexibly stretches to just the right length you need without tangles and retracts back to a compact format for easy handling and storage. For even more convenience, both plugs are 90° angled for easy connection in places like tight corners or hard-to-reach ports. The reversible USB-C connector will always fit, no matter which way you insert the cable.

Power Delivery (PD) support to fast-charge even a laptop

This cable supports plenty of power to fast charge your phone, but it also can handle enough power to charge a laptop, Apple® Macbook®, Macbook Pro®, Google Chromebook™, tablet and more with power up to 60 W from a USB-C charging cabinet, wall charger, power bank or car charger (available from Manhattan).

Features:

- USB-C male to USB-C male for charging a USB-C device from a USB-C port

For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.

- Supports USB Power Delivery (PD) up to 60 W
- Does not support data transmission
- Curly, retracting design to eliminate annoying cable tangles and clutter
- Ideal for Manhattan charging cabinets, charging carts and car chargers
- Expands from compact 35 cm (14 in.) to extended 1 m (3 ft.)
- Convenient 90° angled plugs for easy connection in inconvenient places like tight corners or hard-to-reach ports
- Charges a USB-C powered device such as a notebook, Macbook Pro®, iPad® Pro, smartphone, GPS, tablet, PS5 controller, and more
- Pure bare copper wire for maximum conductivity
- Corrosion-resistant contacts
- Flexible, durable PVC jacket
- Supports current up to 3 A
- Lifetime warranty

Specifications:

Standards and Certifications
• CE
• RoHS
• UL 20233
• REACH

General
• Two USB-C 24-pin males
• Nickel-plated contacts
• Wire: pure bare copper
• PVC boot
• 24/30 AWG
• Length: 35 cm (14 in.) to 1 m (3 ft.) max.
• Outer diameter (OD): 3.5 mm (0.14 in.)
• Net weight: 22 g (0.78 oz.)
• Gross weight: 24 g (0.85 oz.)

Electrical
• Withstanding voltage: 300 VDC 10 ms
• Insulation resistance: 10 MOhm min.
• Contact resistance: 2 Ohm max.
• Supported power throughput: 60.0 W

Operating Environment
• Operation temperature: 0 - 45°C (32 - 113°F)
• Operating humidity (non-condensing): 10 - 85%
• Storage temperature: -10 - 70°C (14 - 158°F)
• Storage humidity (non-condensing): 5 - 90%

Package Contents


For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.


- Coiled USB-C to USB-C Charging Cable

This product is part of a group; the complete list of variations follows:
- #356213 - USB-C Male to USB-C Male
- #356220 - USB-A Male to USB-C Male
- #356237 - USB-A Male to Micro-USB Male
- #356244 - USB-C Male to Micro-USB Male









For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.





For more information on Manhattan products, consult your local dealer or visit www.manhattan-products.com.
All names of products or services mentioned herein are trademarks or registered trademarks of their respective owners. Distribution and reproduction of this document, and use and disclosure of the contents herein, are prohibited unless specifically authorized.