

Omega Embosser

Home Embossing Label Maker



Compact, Portable and Easy-To-Use Label Maker

- Embosses 49 different characters including special symbols
- Ergonomic handle with soft-touch grip for comfort
- Balanced to stand on any worktop or workbench
- Cuts labels with easy-peel tabs
- Uses 9 mm wide 3D labels
- Easy turn-and-click character selection
- No batteries needed
- Made of tough ABS plastic



Base Unit Includes:

- Embossing Label maker
- Embossing Black glossy tape, 9 mm x 3m
- Instruction Manual

Quick Specs

Unit Dimensions (H x W x L)	271.12 x 170.18 x 144.78mm
Weight	155g
Label width (mm)	9mm
Printing process	Embossing
Country of Origin	China

Item No.	Description		Length (cm)	Width (cm)	Height (cm)	Weight (kg)	QTY	EAN	Customer Price
S0717930	DYMO Omega DE/GB	Unit	8.8	16.0	20.2	0.2	1	5411313127486	
		Shelf	-	-	-	-	2	-	
		Case	40.5	19.5	42.0	4.6	12	25411313127480	
		Pallet	120.0	80.0	99.0	117.0	240	-	

Plastic

3D plastic embossing labels stick to any smooth, clean surface and are resistant to water, corrosion, abrasion and most chemicals. Whether you use them indoors or outdoors, you can count on them to last - and stay in place.

Length: 3 m

Rhino Embossing

Aluminum and Stainless Steel

For heavy-duty, extreme-condition labeling. Excellent resistance to chemicals, extreme weather conditions, high and low temperatures and abrasion. Ideal for marking pipelines, underground cables, engine parts, building materials and more.

EMBOSSING LABELS							
Width	Length	A	A	A	A	A	A
PLASTIC							
9mm	3m	–	520102	S0847730	S0847740	–	–
	–	–	S0847750	–	S0847750	–	–
RHINO EMBOSSING - ALUMINUM AND STAINLESS STEEL							
12mm	4.80m	31000	–	–	–	–	–
	6.40m	–	–	–	–	32500	–
	3.65m	–	–	–	–	–	35800

Country of Origin: Belgium

DISTRIBUTED BY:
Newell Europe Sàrl
Chemin de Blandonnet 10
1214 Vernier – Switzerland
WWW.DYMO.COM

13-0103



A **Newell Rubbermaid** Brand

This information is being provided for general information purposes and the compliance standards and certifications referenced herein are based on current standards which are subject to change.

©2014 Newell Europe LLC

A NewellRubbermaid Company™	SCHAWK! RMZ Millenia Business Park Campus - 2, 5th Floor No. 143, G. M. G. R. Road, Kandanchavadi Chennai 600 096 India T +91 44 4213 7777 www.schawk.com	Cyan Magenta Yellow Black	Use the PANTONE MATCHING SYSTEM for accurate color reproduction	
		JOB DESCRIPTION : NRM_EU_Writing_Dymo_1362812_EMEA Product Handbooks_UK Masters		
		FILE NAME : DY_1362812_2014_EMEA_Omega EM_TechSheet_V3.indd		
	3 Date: 10-14-2014 Operator : VM	SCHAWK JOB # : 310253W NRM JOB # : 1362812 SAP / FG # : N/A COMPONENT # : N/A NO OF PAGES : 2	DIELINE : XXXXX UPC : XXXXX VENDOR : XXXXX	
Note :				