MPN: PROAUDXLRFJACK3

XLR Female to Mono Jack 6.35mm, Cable 3m

High Performance Stage Audio Cable in extremely high quality for crystal clear sound and
no noise or interference. Tight cable mesh in highly conductive tinned copper gives perfect shielding and makes cable robust against radiation
noise. Pro Audio XLR to Mono Jack TS.



- 22 AWG
- Heavy Duty
- Stage Audio Cable
- 94% tinned copper shielding
- High flexibility
- Extremely high quality
- Robust connectors

Specifications

Features	**AWG wire size**	22
	Cable length	3 m
	Cable material	Tinned copper
	Connector 1	XLR
	Connector 1 form factor	Straight
	Connector 1 gender	Female
	Connector 2	6.35mm
	Connector 2 form factor	Straight
	Connector 2 gender	Male
	Connector contacts plating	Nickel
	Jacket material	Polyvinyl chloride (PVC)
	Product colour	Black
	RoHS compliance	Yes
Legal Information	**ADR Information**	No restrictions
	Country of Origin	China
	EU ECCN Code	N/A
	Tariff No.	8544429090
	UNSPSC Code	43202222
	US ECCN Code	EAR99
Package dimensions	**Gross Weight (Package, kg)**	0.6 kg
Packaging data	**Cable diameter**	6 mm
	Quantity per pack	1 pc(s)
Product dimensions	**Net Weight (Product, kg)**	0.193 kg
Vendor information	**Brand Name**	Vivolink

Vendor information	**Warranty**	99 Year(s)

Other products in this series

Cable length	
1	AVM-PROJACKSOE1
3	PROAUDXLRFJACK3
6	PROAUDXLRFJACK6
10	PROAUDXLRFJACK10