


DONN14G 7-in-1 USB 3.2 Gen 1 Docking Station, HDMI x 2, USB-A x 3, GbE LAN, 100W USB PD

Product Images





USB-C DP Alt mode(DP1.4)MST

Item	Single video output	Dual video output
HDMI 1	3840 x 2160/30Hz	1920 x 1080/60Hz
HDMI 2	3840 x 2160/30Hz	1920 x 1080/60Hz

Short Description

1. 7-in-1 USB-C to HDMI/USB-C PD/USB 3.0/GbE multiport adapter
2. Dual display
3. Supports HDMI resolution up to 4K 30Hz
4. Supports USB Power Delivery (PD) up to 100W
5. Provides a Gigabit Ethernet port with speeds up to 1000Mbps
6. Built-in Wake-on-LAN feature to startup computers remotely
7. Display modes : extended, mirror
8. Supports MST mode (for Windows only)
9. USB 3.2 Gen 1 SuperSpeed (5Gb/s)
10. Multi-platform support: Windows, Mac OS, Chrome OS
11. Simple Plug and Play installation
12. Cable length: 25cm

Description

This 7-in-1 docking station makes it possible to expand your device's USB Type-C capacity with HDMI/USB-C PD/USB 3.0/Gigabit Ethernet ports. The adapter provides an easy way to add HDTV, or equipment such as a monitor or projector to any USB-C device such as a smartphone, portable gaming console, MacBook, Chromebook Pixel or any similar late-model laptop with USB-C ports. The multiport video adapter lets you mirror or extend content on two additional monitors simultaneously (2 x HDMI), creating a dual-screen workstation.

Multi Stream Transport, or MST, is a means of connecting one or more monitors together via a single display port. This technology makes it possible to connect say, two monitors to a laptop, using a docking station. This works by combining multiple video signals into one single stream and then 'unpacking;' them again on the display side. MST works on any Windows® device that supports DP Alt Mode (DisplayPort Alternate Mode), using USB-C.

Perfect for home entertainment, office presentations and classroom teaching.

Additional Information

Compatible operating systems	Windows XP/Vista/7/8/10 MacOS 10.5 or above Android 5.0 or above
Color	Grey
EAN	4015867229125
Model number	DONN14G
Package contents	DONN14G Multilingual quick installation guide
Host interface	USB Type C male
Port Configuration	HDMI x 2, USB-C PD x 1, USB 3.0 x 3, Gigabit LAN x 1
Cable length	25cm
Product weight (kg)	0.065
USB version	3.0 (3.1/3.2 Gen 1)
Resolution	Single display: 4K @30Hz Dual display: 1080P @60Hz
Dimensions (W x D x H)	43.5 x 106.5 x 16 mm
HDMI version	HDMI 2.0

