

Dual HDMI™ Video Capture

2 HDMI™ to USB-C™ with Power Delivery 60W

Perfect for live streaming, broadcasting, and video conferencing

MODEL: JVA06




The JVA06 Dual HDMI™ Video Capture allows users to capture uncompressed 1080p video from two HDMI™ sources simultaneously and customize the content in real time. Whether you're live streaming or recording, there are six screen mode configurations available, including PIP (Picture in Picture) and PBP (Picture by Picture) displays. You can quickly adjust the display settings and transitions with the built-in buttons on the device. The JVA06 also features a Chroma Key application allowing users to drop in a new background image.

With a flexible audio connection via HDMI™ or analog 3.5 mm port, you can record audio directly from your HDMI™ sources and microphone. It has a built-in audio mixer function allowing users to toggle between four different audio settings and three audio inputs (Mic In, HDMI™ A and HDMI™ B).

The JVA06 is perfect for content creators/producers who want to level up their content without spending a fortune and live streamers who want to simplify their setup without compromising the quality of their content. It features a USB-C® host connection with Power Delivery 3.0 and two cold shoe adapters to attach to your DSLR for the perfect combination of ease-of-use and mobility, giving you the ability to live stream without interruptions and charge your connected USB-C device at the same time.

FEATURES

- Dual HDMI™ input for capturing 2 channels
- Full HD video and audio high performance record/playback through USB-C® 3.1 Gen1
- Uncompressed 1080p @ 60 FPS capture via HDMI™ 1.3a
- Supports 1080p @ 60 HDMI™ loop out (PGM out)
- Six screen mode configurations including PIP (Picture in Picture) and PBP (Picture by Picture)
- Easily switch between different screen modes and adjust transition effects with the built-in buttons
- Quickly replace the background image using the Chroma Key application (Available for Windows®)
- Directly activate Chroma Key features through the built-in controls
- Adjustable segmented window arrangements in PBP (Picture by Picture) mode
- Flexible audio connection via HDMI™ or add external audio with 3.5 mm mic-in and speaker out audio jack
- 3 individual audio mixer on/off switches supported
- 3 channel volume indicators
- Easy DSLR attachment with 2 cold shoe adapters (included)
- Supports USB-C® Power Delivery 3.0
- UVC standard, plug & play
- LED activity indicator
 - HDMI™ IN
 - USB™ Link
 - Volume Unit



SYSTEM REQUIREMENTS

Computer - Recommended software: OBS™

- Windows® 7 or later (Driver installation is required on Windows® 7)
macOS® X 10.10 or later
Linux®
- CPU: Intel® Core™ i5 Gen 4, 3 GHz & above
CPU: Intel® Core™ i7 Gen 4 & above
- RAM: 4 GB memory or higher (8 GB is recommended)

Phone - Recommended software: CameraFi™ Live

- Available USB-C® port that supports USB™ Power Delivery 2.0 or 3.0
- Android™ 7.0 and higher
- CPU: Core 2 GHz & above
- RAM: 4 GB memory or higher

HARDWARE

Warranty	2 Year Limited
Host Connector	1 - USB-C® Male
Video Input	2 - HDMI™ Female
Video Output	1 - HDMI™ Female
Audio Input	HDMI™ or 3.5 mm Mic in
Audio Output	HDMI™ or 3.5 mm Speaker out
Power Source	Bus-powered or self-powered (USB-C® PD)
Ports	1 - USB-C® 3.0 (host) 1 - USB-C® 3.0 (power) 2 - HDMI™ input 1 - HDMI™ output 1 - Mic in 1 - Speaker out 2 - Cold shoes

PERFORMANCE

Display Input Supported Resolutions	Progressive: 1920 x 1080p @ 24/25/30/50/60 1680 x 1050p @ 60 1600 x 1200p @ 60 1600 x 900p @ 60 1440 x 900p @ 60 1400 x 1050p @ 60 1366 x 768p @ 60 1360 x 768p @ 60 1280 x 1024p @ 60 1280 x 800p @ 60 1280 x 720p @ 60 1024 x 768p @ 60 800 x 600p @ 60 720 x 480p @ 60 720 x 576p @ 60 640 x 480p @ 60 Interlace: 1920 x 1080i @ 50/60 720 x 576i @ 50 720 x 480i @ 60
Display Output Supported Resolutions	1920 x 1080p @ 60 1280 x 720p @ 60 720 x 576p @ 50 720 x 480p @ 60 640 x 480p @ 60
Maximum Display Refresh Rate	60 Hz
Audio Channel	2.1 via HDMI™
Audio Frequency	48 kHz
Microphone	Stereo microphone supported 24-bit sigma-delta ADC
Headset	40 mW output power into 16Ω at 3.3V THD -75 dB at 20 mW
Compression	USB™ 3.0: YUV 4:2:2 USB™ 2.0: MJPEG

Encode Format	USB™ 3.0: YUV 4:2:2 USB™ 2.0: MJPEG
HDR Supported	No

POWER

Power Delivery	Up to 60W via USB-C®
Power Consumption	≤1000mA
Input Current	Up to 3A
Input Voltage	Up to 20V
Output Current	Up to 3A
Output Voltage	Up to 20V

PHYSICAL SPECIFICATIONS

Color	Black
Enclosure Type	Aluminum
Cable Length	USB-C® to USB-C®: 23.6 in. (60 cm) USB-C® to USB™ Type-A 23.6 in. (60 cm)
Product Height	0.7 inch (18.4 mm)
Product Width	5.3 inch (134.6 mm)
Product Depth	2.5 inch (63.7 mm)
Product Weight	6 oz (172g)
Storage Temperature	14 to 149°F (-10 to 65°C)
Storage Humidity	< 85% non-condensing
Operating Temperature	32 to 118°F (0 to 45°C)
Operating Humidity	< 85% non-condensing

SCREEN MODE CONFIGURATIONS & INDICATOR



Button	First click	Second click	Hold
A			
B			
AB			
BA			
A + B			

BUILT-IN FUNCTIONS & CONTROLS


- Long press the A or B button to add a transition effect.



- Press the "A + AB" buttons to adjust the transition speed (Fast /Normal/Slow).



- When in PBP mode, long press the A or B button, and then selected window can be split up into 8 segments.



- Press the "AB + BA" for 2 seconds to switch on/off image synthesis for HDMI™ source A and B.



SPECIAL NOTES

- The JVA06 can connect to a USB-C® port that does not support Power Delivery, but it will not pass power through the connected device.

PACKAGE CONTENTS

- 1 - JVA06 Dual HDMI™ Video Capture
- 1 - USB-C® 2.0 to USB-C® cable
- 1 - USB-C® 3.0 to USB™ Type-A cable
- 1 - 39.4 in./100 cm HDMI™ cable
- 1 - Quick Installation Guide (QIG)

*Product appearance and specifications are subject to change without notice.

REGULATORY COMPLIANCE

FCC

This equipment has been tested and found to comply with FCC Part 15, Subpart B, ANSI C63.4-2014, ICES-003 Issue 6, January 2016 (Updated April 2019).

Operation is subject to the following two conditions:

- This device may not cause harmful interference.
- This device must accept any interference, including interference that may cause undesired operation of the device.

CE

This equipment is in compliance with the requirements of the following regulations: EN 55032:2015+AC:2016 Class B, EN 61000-3-2:2014, EN 61000-3-3:2013, EN 55035:2017

RCM

Standard(s): AS/NZS CISPR 32:2015 Class B

VCCI

This equipment is in compliance with the requirements of the following regulations:

CISPR 32 © IEC: 2016 Class B

BSMI

檢驗標準：CNS 13438 (95 年完整版) 乙類

Disclaimer

Information in this document is subject to change without notice. The manufacturer does not make any representations or warranties (implied or otherwise) regarding the accuracy and completeness of this document and shall in no event be liable for any loss of profit or any commercial damage, including but not limited to special, incidental, consequential, or other damage. No part of this document may be reproduced or transmitted in any form by any means, electronic or mechanical, including photocopying, recording or information recording and retrieval systems without the expressed written permission of the manufacturer.

LIMITED WARRANTY

j5create offers a limited 2-year warranty. User's wear & tear damage is not included. The user shall call or email j5create customer service with the defect information of the product and obtain a return authorization number. Users are responsible for one-way return freight cost and we will take care of one-way freight back. In order to obtain a return authorization number, users should have the following information handy when calling or emailing the service team:

- (i) a copy of the original purchase invoice to verify your warranty
- (ii) a product serial number
- (iii) a description of the problem
- (iv) customer's name, address, and telephone number

j5create does not warrant that the operation of the product will be uninterrupted or error-free. j5create is not responsible for damage arising from failure to follow instructions relating to the product's use. This warranty does not apply to: (a) consumable parts, unless damage has occurred due to a defect in materials or workmanship; (b) cosmetic damage, including but not limited to scratches, dents, and broken plastic on ports; (c) damage caused by use with non-j5create products; (d) damage caused by natural disasters; (e) damage caused by human misuse (lost, accident, abuse, misuse or other external causes); (f) damage caused by operating the product outside the permitted or intended uses described by j5create; (g) damage caused by service (including upgrades and expansions) performed by anyone who is not a representative of j5create or a j5create Authorized Service Provider; (h) a product or part that has been modified to alter functionality or capability without the written permission of j5create; or (i) if any j5create serial number on the product has been removed or defaced. If such a situation occurs, j5create will calculate the cost of materials and repair for your reference. This warranty is given by j5create in lieu of any other warranties expressed or implied.

LIMITATION OF WARRANTY

THIS WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS, AND YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE TO STATE (OR BY COUNTRY OR PROVINCE). OTHER THAN AS PERMITTED BY LAW, J5CREATE DOES NOT EXCLUDE, LIMIT OR SUSPEND OTHER RIGHTS YOU MAY HAVE, INCLUDING THOSE THAT MAY ARISE FROM THE NONCONFORMITY OF A SALES CONTRACT. FOR A FULL UNDERSTANDING OF YOUR RIGHTS YOU SHOULD CONSULT THE LAWS OF YOUR COUNTRY, PROVINCE OR STATE. TO THE EXTENT NOT PROHIBITED BY LAW IN YOUR STATE, PROVINCE, JURISDICTION OR COUNTRY, THIS WARRANTY AND THE REMEDIES SET FORTH ARE EXCLUSIVE AND IN LIEU OF ALL OTHER WARRANTIES, REMEDIES AND CONDITIONS, WHETHER ORAL, WRITTEN, STATUTORY, EXPRESS OR IMPLIED.

J5CREATE'S RESPONSIBILITY FOR MALFUNCTIONS AND DEFECTS IN HARDWARE AND/OR SOFTWARE IS LIMITED TO REPAIR OR REPLACEMENT AS SET FORTH IN THIS WARRANTY. J5CREATE'S LIABILITY DOES NOT EXTEND BEYOND THE REMEDIES PROVIDED FOR IN THIS LIMITED WARRANTY, AND J5CREATE DOES NOT ACCEPT LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES, FOR THIRD-PARTY CLAIMS AGAINST YOU FOR DAMAGES, FOR PRODUCTS NOT BEING AVAILABLE FOR USE, OR FOR LOST OR DAMAGED DATA OR SOFTWARE. J5CREATE DOES NOT WARRANT THAT THE OPERATION OF ANY J5CREATE PRODUCT WILL BE UNINTERRUPTED OR ERROR FREE.

J5CREATE'S LIABILITY IN ANY SITUATION WILL BE NO MORE THAN THE AMOUNT YOU PAID FOR THE SPECIFIC PRODUCT THAT IS THE SUBJECT OF A CLAIM. THIS IS THE MAXIMUM AMOUNT FOR WHICH WE ARE RESPONSIBLE.

EXCEPT FOR THE EXPRESS WARRANTIES CONTAINED IN THIS WARRANTY AND TO THE EXTENT NOT PROHIBITED BY LAW, J5CREATE DISCLAIMS ALL OTHER WARRANTIES AND CONDITIONS, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING WITHOUT LIMITATION, WARRANTIES OF MERCHANTABILITY, MERCHANTABLE QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND WARRANTIES AND CONDITIONS AGAINST HIDDEN OR LATENT DEFECTS. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW DISCLAIMERS OF IMPLIED WARRANTIES AND CONDITIONS, SO THIS DISCLAIMER MAY NOT APPLY TO YOU.

TO THE EXTENT SUCH WARRANTIES AND CONDITIONS CANNOT BE DISCLAIMED UNDER THE LAWS OF THE UNITED STATES, CANADA (AND ITS PROVINCES) OR OTHERWISE, J5CREATE LIMITS THE DURATION AND REMEDIES OF SUCH WARRANTIES AND CONDITIONS TO THE DURATION OF THIS EXPRESS LIMITED WARRANTY AND, AT J5CREATE'S OPTION, REPAIR OR REPLACEMENT SERVICES. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES MAY NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION MAY LAST, SO THE LIMITATION DESCRIBED ABOVE MAY NOT APPLY TO YOU.

NO WARRANTIES OR CONDITIONS, WHETHER EXPRESS OR IMPLIED, WILL APPLY AFTER THE LIMITED WARRANTY PERIOD HAS EXPIRED. SOME STATES, PROVINCES, JURISDICTIONS OR COUNTRIES DO NOT ALLOW LIMITATIONS ON HOW LONG AN IMPLIED WARRANTY OR CONDITION LASTS, SO THIS LIMITATION MAY NOT APPLY TO YOU.

WARRANTY SUPPORT ONLY APPLIES WHEN THE COVERED PRODUCT IS LOCATED WITHIN THE COUNTRY IN WHICH J5CREATE ORIGINALLY SOLD THE SYSTEM, AS REFLECTED IN J5CREATE'S RECORDS. IF YOU NEED SUPPORT FOR THE PRODUCT OUTSIDE OF THE COUNTRY OF ORIGIN (FOR EXAMPLE, WHILE TRAVELING, OR IF THE SYSTEM HAS BEEN RELOCATED TO A NEW COUNTRY), THEN J5CREATE MAY OFFER YOU OTHER SUPPORT OPTIONS FOR AN ADDITIONAL CHARGE.

For more information, please visit our website at <http://www.j5create.com>

HDMI is a trademark of HDMI Licensing Administrator, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. USB and USB-C are trademarks of USB Implementers Forum, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Windows, Skype, and Microsoft are trademarks of Microsoft Corp., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. macOS is a trademark of Apple Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Linux is a trademark of The Linux Foundation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Intel and Core are trademarks of Intel Corporation, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Android and YouTube are trademarks of Google LLC, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. OBS is a trademark of Wizards of OBS, LLC., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. CameraFi is a trademark of Vault Micro Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Twitch is a trademark of Twitch Interactive, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Zoom is a trademark of Zoom Video Communications, Inc., its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Facebook is a trademark of Facebook, its affiliates or its respective owners, registered or used in many jurisdictions worldwide. Other trademarks and trade names may be used in this document to refer to either the entities claiming the marks and/or names or their products and are the property of their respective owners. All company, product and service names used are for identification purposes only. Use of these names, logos, and brands does not imply endorsement. We disclaim any interest in the marks of others.

Copyright© 2021 j5create. All rights reserved. All trade names are registered trademarks of their respective owners. Features and specifications are subject to change without notice. Product may not be exactly as shown in the diagrams.